


PRELIMINARY ASSESSMENT
of the
MERCURY OIL REFINING COMPANY

located in
OKLAHOMA CITY, OKLAHOMA COUNTY, OKLAHOMA


STATE OF OKLAHOMA DEPARTMENT OF ENVIRONMENTAL QUALITY

Prepared by:



David A. Cates, Environmental Specialist

Reviewed and Approved by:



Kelly Dixon, Senior Environmental Specialist

April 24, 1995

MARK S. COLEMAN
Executive Director



RECEIVED

AUG - 9 1994

DAVID WALTERS
Governor

Oklahoma Water Resources Board

State of Oklahoma

DEPARTMENT OF ENVIRONMENTAL QUALITY

August 5, 1994

Gary Glover, Hydrologist
Ground Water Division
Oklahoma Water Resources Board
6000 North Harvey
P.O. Box 150
Oklahoma City, Oklahoma 73101-50

Dear Mr. Glover:

The purpose of this letter is to request copies of domestic well logs for both private and municipal wells that are presumably active and are in the locations described on the attached sheet. Please include copies from your files, archive files, and permit application files; (copies of the actual well log are preferred, and most helpful since they contain local geological information).

Copies of the well logs may be sent to the Department of Environmental Quality (DEQ) through inter-agency mail. The information provided by your office will be used to describe ground water targets in preliminary site assessments being conducted by the DEQ (Superfund), as authorized through a cooperative agreement with the U.S. Environmental Protection Agency.

Your assistance is greatly appreciated by me and our division. If you have any questions, please call me at 271-7049.

Sincerely,

Scott Stegmann
Site Assessment Unit
Waste Management Division

Attachment

White - Water Resources Board
Canary - Drillers Copy
Pink - Drillers Copy

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 2-31
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

#8591

MULTI-PURPOSE WATER WELL REPORT

1. OWNER Floyd Welch ADDRESS (b) (6)
Oklahoma City PHONE _____
2. LEGAL DESCRIPTION OF WELL
NW 1/4 of SW 1/4 of NE 1/4 of sec. 9; TWP. 10 S; Rge. 3 E; COUNTY Cleveland

3. TYPE OF WORK
☒ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test
4. PROPOSED / PAST USE
☒ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test
5. DRILLING METHOD
☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other _____

6. LOG			
Material	From	To	Satur. rated
Top Soil	0	3	
Red Clay	3	280	
hard stone	280	301	
Red Clay	301	320	
hard stone	320	329	
Red Clay	329	340	
hard stone	340	351	
Red Clay	351	365	
hard stone	365	372	
Red Clay	372	400	

7. NEW WELL CONSTRUCTION DATA
Dates: Started 6/11/84 Completed 7/11/84
Contractor Meyer Pump Service
Driller Carol K. Meyer
Diameter Hole 8 in. Total Depth 400 ft.

CASING RECORD
5" Diameter From 0 ft. To 400 ft.
Surface Seal: ☒ Yes ☐ No Type: Steel casing & cement
Depth of Seal: 10 ft.
Gravel Packed: _____
Gravel Packed From 10 ft. to 400 ft.
Amount Used: 7800 lb.

PERFORATION RECORD
Type 3/16" hole From 340 ft. To 351 ft.
Size _____ From 365 ft. To 372 ft.
" _____ From _____ ft. To _____ ft.


8. WELL TEST DATA
Static Water Level Below Land Surface 340 ft.
If Artesian: Flows _____ gpm.
Water Temp. _____ °C/F Quality _____

BAILER TEST
Drawdown 10 ft. After Pumping 3/4 hrs. At 45 gpm.
Size of Bailer: 45 gal.

PUMPING TEST
Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.

9. PLUGGING DATA
Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK
Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

11. PLAT
10 AC.

NW 1/4 of SW 1/4 of NE 1/4 of SEC 9;
TWP 10 S; RGE 3 E; EIM, WIM, ECM
12. PUMP INFORMATION
Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.
13. CERTIFICATION
The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.
Name Carol K. Meyer License # W031
Address 25 Norman Phone # 321-5291
Signed Carol K. Meyer Date 6/14/84

USE ADDITIONAL SHEETS IF NECESSARY

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

8590

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 2-3
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

MULTI-PURPOSE WATER WELL REPORT

1. OWNER Jack L Warner ADDRESS (b) (6)

2. LEGAL DESCRIPTION OF WELL

SE 1/4 of SE 1/4 of NW 1/4 of sec. 9; TWP. 10 S; Rge. 3 EIM WIN ECM: COUNTY Cherokee

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test

4. PROPOSED / PAST USE

☐ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other _____

6. LOG

Material	From	To	Saturated
Clay	0	34	
Sand Rock	34	37	
Shale	37	145	
Sand Rock	145	310	
water sand	310	360	

RECEIVED
JAN 31 1986

Oklahoma Water Resources Board

7. NEW WELL CONSTRUCTION DATA

Dates: Started 10/1/85 Completed same
Contractor Warner
Driller Stans
Diameter Hole 2 7/8 in. Total Depth 360 ft.

CASING RECORD

Diameter 5 1/2 in. From 0 ft. To 360 ft.
Surface Seal: ☒ Yes ☐ No Type: Self Sealing
Depth of Seal: 10 ft.
Gravel Packed:
Gravel Packed From 10 ft. to 360 ft.
Amount Used: 444

PERFORATION RECORD

Type Slot From 300 ft. To 360 ft.
Size 4 3/4 From _____ ft. To _____ ft.
" _____ From _____ ft. To _____ ft.

8. WELL TEST DATA

Static Water Level Below Land Surface 280 ft.
If Artesian: Flows _____ gpm.
Water Temp. _____ °C / f Quality _____

BAILER TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.
Size of Bailer: 25 gal.

PUMPING TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.

9. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK


Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

11. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Charles E. Soper License # WD 33
Address 4644 N. W. 10 Phone # 547-7104
Signed Charles E. Soper Date 11/1/85

11. PLAT



SE 1/4 of SE 1/4 of NW 1/4 of SEC 9

TWP 10 S; RGE 3 EIM WIN ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

USE ADDITIONAL SHEETS IF NECESSARY

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 1-2
Aquifer _____
Stream System Code _____
Use Code _____
County _____
(Official Use Only)

23340

1. OWNER Wayne Collins ADDRESS (b) (6) PHONE _____

2. LEGAL DESCRIPTION OF WELL

SW 1/4 of SW 1/4 of NE 1/4 of sec. 3; TWP. 10 S; RGE 3 EIM (Circle One) WTM ECM; COUNTY Okmulgee

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE

☒ Domestic
☐ Stock
☐ Test/Monitoring

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☐ Air

6. LOG

Material	From	To	Saturated
SHALE	0	280	
SANDSTONE	280	602	
ELECTRIC LOGGERS			
SURFACE PIPE OIL PRODUCTION			

7. LOCATION PERMIT

If this well is Non-Domestic, has this location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 8/10/86 Completed 8/18/86
Contractor Mike Myers
Driller Carl Myers
Diameter Hole 8 in. Total Depth 602 ft.

CASING RECORD

Diameter 4 1/2 in. From 0 ft. To 602 ft.
Outside _____ in. _____ ft. _____ ft.
Cement Grout Surface Seal ☒ Yes ☐ No
Type of Surface Seal: Cement Depth of Seal: 602 ft.
GRAVEL PACKED: Cement
Gravel Packed From _____ ft. to _____ ft.
Amount Used: 120 sacks


PERFORATION RECORD

Type-Size _____ From _____ ft. To _____ ft.
_____ From _____ ft. To _____ ft.
_____ From _____ ft. To _____ ft.

9. WELL TEST DATA

Static Water Level Below Land Surface _____ ft.
If Artesian: Flows _____ gpm.
Approximate Yield _____ gpm.

11. PLAT



SW 1/4 of SW 1/4 of NE 1/4 of SEC 3; TWP. 10 S; RGE 3 EIM, WTM, ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

10. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK

Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Carl Myers License # W-10-31
Address 320 Collins St. Norman Phone # 329-062
Signed Carl Myers Date 8/18/86

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 5-1
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

MULTI-PURPOSE WATER WELL REPORT

#8585
1. OWNER O. H. Story ADDRESS (b) (6)
Moore, Oklahoma PHONE _____

2. LEGAL DESCRIPTION OF WELL
NW 1/4 of NW 1/4 of NE 1/4 of sec. 2; TWP. 10 S; Rge. 3 EIM
ECM: COUNTY Cleveland

3. TYPE OF WORK
☒ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test

4. PROPOSED / PAST USE
☒ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test

5. DRILLING METHOD
☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other _____

6. LOG			
Material	From	To	Saturated
Stop Soil	0	1	
Clay	1	118	
Limestone	118	235	
Clay	235	285	
Limestone	285	294	✓
Clay	294	320	

7. NEW WELL CONSTRUCTION DATA
Dates: Started 6/6/84 Completed 6/6/84
Contractor Meyer Pump Service
Driller Carl Meyer
Diameter Hole 8 in. Total Depth 320 ft.

CASING RECORD
5" Diameter From 0 ft. To 320 ft.
Surface Seal: ☒ Yes ☐ No Type: Steel casing + cement
Depth of Seal: 10 ft.
Gravel Packed:
Gravel Packed From 10 ft. to 320 ft.
Amount Used: 6000 lb.

PERFORATION RECORD
Type 3/4" Hole From 285 ft. To 294 ft.
Size _____ From _____ ft. To _____ ft.
" _____ From _____ ft. To _____ ft.

8. WELL TEST DATA
Static Water Level Below Land Surface 260 ft.
If Artesian: Flows _____ gpm.
Water Temp. _____ °C / f Quality _____


BAILER TEST
Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.
Size of Bailer: 45 gal. Well produced 40 g.

PUMPING TEST
Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.

9. PLUGGING DATA
Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK
Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

13. CERTIFICATION
The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.
Name Carl Meyer License # W031
Address 25 Main Phone # 321-5291
Signed Carl Meyer Date 6/7/84

11. PLAT
10 AC.

NW 1/4 of NW 1/4 of NE 1/4 of SEC 2
TWP. 10 S; RGE. 3 EIM, WIM, ECM

22. PUMP INFORMATION
Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

USE ADDITIONAL SHEETS IF NECESSARY

White - Water Resources Board
Canary - Drillers Copy
Pink - Drillers Copy

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 1-2
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

MULTI-PURPOSE WATER WELL REPORT

(b) (6)

1. OWNER DHN PINSOL ADDRESS _____

2. LEGAL DESCRIPTION OF WELL New Tax Add
WIRE DRIILLER 2325 SE 94
SW of SW 1/4 of NW 1/4 of sec. 1 : TWP. 10 S; Rge. 3 EIM WIM ECM: COUNTY Cleveland

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test

4. PROPOSED / PAST USE

☒ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other

6. LOG

Material	From	To	Satur.
Clay-Rock sand	0	45	
Shale	45	180	
SAND	180	200	
Sandy shale	200	240	
Shale	240	330	
Sandy shale	330	340	
Very good sand	340	415	
Shale - Hard	415	435	
Sandy shale	435	470	
SAND w/ shale	470	520	
stks.			

7. NEW WELL CONSTRUCTION DATA

Dates: Started _____ Completed _____
Contractor DKL
Driller THOMAS Green
Diameter Hole 8" in. Total Depth 520' ft.

CASING RECORD

Diameter 6.38 in. From 365' ft. To 0 ft.
45 Pcs. in. ft. To 520' ft.
Surface Seal: ☒ Yes ☐ No Type: Cmt.
Depth of Seal: 200 ft.
Gravel Packed: _____
Gravel Packed From _____ ft. to _____ ft.
Amount Used: _____

PERFORATION RECORD

Type Slot From 570' ft. To 470 ft.
Size _____ From 150 ft. To 130 ft.
" _____ From 340 ft. To 360 ft.

8. WELL TEST DATA

Static Water Level Below Land Surface 380' ft.
If Artesian: Flows _____ gpm.
Water Temp. _____ °C/f Quality _____

BAILER TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.
Size of Bailer: _____ gal.

PUMPING TEST

Drawdown 100' to 380' ft. After Pumping 24 hrs. At 23 gpm.

9. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK

Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

13. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name James Dean License # 106
Address 304 E. 10th Phone # 744-5246
Signed J. Dean Date _____

USE ADDITIONAL SHEETS IF NECESSARY

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 1-2
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

#8583

1. OWNER W. L. Ingram ADDRESS (b) (6)
Moore, Oklahoma
2. LEGAL DESCRIPTION OF WELL
SE 1/4 of SW 1/4 of SW 1/4 of sec. 1; TWP. 10 S; RGE 3 EIM (Circle One)
ECM; COUNTY Cleveland

3. TYPE OF WORK
☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring
4. USE
☒ Domestic
☐ Stock
☐ Test/Monitoring
NON-DOMESTIC
☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other
5. DRILLING METHOD
☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☐ Air

6. LOG			
Material	From	To	Saturated
Top Soil	0	1	
Red Clay	1	191	
hard stone	191	205	
Red Clay	205	213	
hard stone	213	220	
Red Clay	220	235	
hard stone	235	247	
Red Clay	247	260	

7. LOCATION PERMIT
If this well is Non-Domestic, has this location been permitted?
☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA
DATES: Started 8/23/84 Completed 8/23/84
Contractor Meyer Pump & Leasing
Driller Carol R. Meyer
Diameter Hole 8 in. Total Depth 260 ft.

CASING RECORD
Diameter From To
Inside 4 1/2 in. 0 ft. 260 ft.
Outside _____ in. _____ ft. _____ ft.
Cement Grout Surface Seal ☐ Yes ☐ No
Type of Surface Seal: Steel casing Depth of Seal: 10 ft.
GRAVEL PACKED:
Gravel Packed From 10 ft. to 260 ft.
Amount Used: 5000 lb


PERFORATION RECORD
Type/Size From To
3/4" 9 hole From 213 ft. To 220 ft.
1/2" " From 235 ft. To 247 ft.
From _____ ft. To _____ ft.

9. WELL TEST DATA
Static Water Level Below Land Surface 195 ft.
If Artesian: Flows _____ gpm.
Approximate Yield 50 gpm.

10. PLUGGING DATA
Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK
Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION
The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.
Name Carol R. Meyer License # W.D. 31
Address Rt 5 Maud Phone # 321-5296
Signed Carol R. Meyer Date 8/23/84

11. PLAT

SE 1/4 of SW 1/4 of SW 1/4 of SEC 1; TWP. 10 S; RGE 3 EIM (Circle One) ECM

12. PUMP INFORMATION
Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

STATE OF OKLAHOMA
WATER RESOURCES BOARD
5th Floor Jim Thorpe Building
Oklahoma City, Oklahoma 73105

Application No. _____
Aquifer _____
Steam System Code _____
Use Code _____
County _____

(Official Use Only)

MULTI-PURPOSE WATER WELL REPORT

1. OWNER Charles Avens ADDRESS (b) (6)

Moore, OK

PHONE _____

2. LEGAL DESCRIPTION OF WELL

EIM _____

WIM _____

ECM: COUNTY Cleveland

NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of sec. 1; TWP. 10N S; Rge. 3W

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test

4. PROPOSED / PAST USE

☒ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other _____

LOG			
Material	From	To	Satur. rated
shale	0	92	
sand rock	92	114	
shale	114	118	
sand rock	118	127	
shale	127	134	
sand rock	134	145	
shale	145	155	
sand rock	155	175	
shale	175	180	
sand rock	180	195	
sand rock	195	210	
water sand	210	260	x
shale	260	270	
water sand	270	290	x
shale	290	300	

7. NEW WELL CONSTRUCTION DATA

Dates: Started 8-31-83 Completed 8-31-83
Contractor Vannoy & Son Drilling Co.
Driller Leon Vannoy
Diameter Hole 8 in. Total Depth 300 ft.

CASING RECORD

6 5/8 Diameter From 0 ft. To 10 ft.
5 in. 3 ft. 300 ft.

Surface Seal: ☒ Yes ☐ No Type: cement & steel

Depth of Seal: 10 ft.

Gravel Packed: yes

Gravel Packed From 10 ft. to 300 ft.

Amount Used: 5800 lbs.

PERFORATION RECORD

Type slotted From 210 ft. To 260 ft.

Size 5" From 270 ft. To 290 ft.

" " From " ft. To " ft.

RECEIVED
SEP 12 1983

Oklahoma Water Resources Board

8. WELL TEST DATA N/A

Static Water Level Below Land Surface _____ ft.

If Artesian: Flows _____ gpm.

Water Temp. _____ °C/F Quality _____

BAILER TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.

Size of Bailer: _____ gal.

PUMPING TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.

9. PLUGGING DATA N/A

Date Plugged _____

Backfilled With _____ Material To _____ ft.

Grouted or Cemented From _____ ft. To _____ ft.

Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK N/A

Date Completed _____

☐ Replaced Casing From _____ ft. To _____ ft.

☐ Replaced Screen From _____ ft. To _____ ft.

Deepened Well From _____ ft. To _____ ft.

Redeveloped Well By _____

13. CERTIFICATION


The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Vannoy & Son Drilling Co. License # WD-107

Address P.O. Box 479 Phone # 769-2255

Signed [Signature] Date 9-7-83

11. PLAT



NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of SEC 1;

N

TWP. 10N S; RGE. 3W EIM, WIM, ECM

12. PUMP INFORMATION

Pump Type _____

Power Source _____

Rated Capacity _____ gpm.

Depth of Bowls or Cylinder _____ ft.

USE ADDITIONAL SHEETS IF NECESSARY

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 1-2
Aquifer _____
Steam System Code _____
Use Code _____
County _____ (Official Use Only)

1. OWNER Manly Jones

ADDRESS (b) (6)

Norman, OK

PHONE _____

EIM (Circle One)

2. LEGAL DESCRIPTION OF WELL

WIM

ECM; COUNTY Cleveland

NW 1/4 of SE 1/4 of NW 1/4 of sec. 1; TWP. 10N S; RGE 3W

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE

☒ Domestic
☐ Stock
☐ Test/Monitoring

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☐ Air

6. LOG

Material	From	To	Saturated
clay	0	57	
sand rock	57	64	
shale	64	124	
sand rock	124	143	
shale	143	190	
sand rock	190	240	
water sand	240	310	x
shale	310	320	
water sand	320	360	x

7. LOCATION PERMIT

If this well is Non-Domestic, has this location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 7-2-85 Completed 7-2-85

Contractor Vannoy & Son Drilling Co.

Driller Mei

Diameter Hole 8 in. Total Depth 360 ft.

CASING RECORD

Diameter From To
Inside 5 in. 3 ft. 360 ft.
Outside _____ in. _____ ft. _____ ft.

Cement Grout Surface Seal ☒ Yes ☐ No

Type of Surface Seal 5/8 steel Depth of Seal: 10 ft.

GRAVEL PACKED:

Gravel Packed From 110 ft. to 360 ft.

Amount Used: 5000 lbs.

PERFORATION RECORD

Type/Size

5" From 280 ft. To 300 ft.
slotted From 320 ft. To 360 ft.
.062 From _____ ft. To _____ ft.

9. WELL TEST DATA

Static Water Level Below Land Surface 240 ft.

If Artesian: Flows _____ gpm.

Approximate Yield 30 gpm.

10. PLUGGING DATA

Date Plugged _____

Backfilled With _____ Material To _____ ft.

Grouted or Cemented From _____ ft. To _____ ft.

Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK

Date Completed _____

☐ Replaced Casing From _____ ft. To _____ ft.

☐ Replaced Screen From _____ ft. To _____ ft.

Deepened Well From _____ ft. To _____ ft.

Redeveloped Well By _____

14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Vannoy & Son Drilling Co. License # WD-107
Address P.O. Box 429, Nicoma Park Phone # 769-2255

Signed [Signature] Date 7-3-85

12. PUMP INFORMATION

Pump Type _____

Power Source _____

Rated Capacity _____ gpm.

Depth of Bowls or Cylinder _____ ft.

White — Water Resources Board
Primary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 1-2
Aquifer _____
Stream System Code _____
Use Code _____
County _____ (Official Use Only)

8577

1. OWNER ML Shugart ADDRESS (b) (6)

2. LEGAL DESCRIPTION OF WELL

NW 1/4 of SW 1/4 of NE 1/4 of sec. 1; TWP. 10 S; RGE 3 WIM; COUNTY Cleveland

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE

☒ Domestic
☐ Stock
☐ Test Monitoring

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☐ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☒ Air

6. LOG

Material	From	To	Saturated
Topsoil	0	2	
Shale	2	165	
Sandrock	165	204	
Shale	204	236	
Sandrock	236	280	
Shale	280	296	
Sandrock	296	330	

7. LOCATION PERMIT

If this well is Non-Domestic, has this location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 3/8/87 Completed 3/9/87
Contractor Allen Drilling
Driller GARY
Diameter Hole 7 in. Total Depth 330 ft.

CASING RECORD

Inside Diameter 6 in. From 3 ft. to 330 ft.
Outside 6 in. From Top ft. to 10 ft.
Cement Grout Surface Seal ☒ Yes ☐ No
Type of Surface Seal: Cement Depth of Seal: 10 ft.
GRAVEL PACKED:
Gravel Packed From 150 ft. to 330 ft.
Amount Used: 120 Shovels

PERFORATION RECORD

Type/Size 1/4 Holes
From 300 ft. To 325 ft.
From 260 ft. To 280 ft.
From _____ ft. To _____ ft.

9. WELL TEST DATA

Static Water Level Below Land Surface 175 ft.
If Artesian: Flows _____ gpm.
Approximate Yield 20 gpm.

10. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK


Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Gary Allen License # WD-106
Address 1904 NE 65th, Tulsa Phone # 769-3700
Signed Gary Allen Date 5/24/87

11. PLAT



NW 1/4 of SW 1/4 of NE 1/4 of SEC 1; TWP. 10 S; RGE 3 EIM. WIM ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 1-2
Aquifer _____
Steam System Code _____
Use Code _____
County _____ (Official Use Only)

8580

1. OWNER Virgil Turner ADDRESS (b) (6)
Norman, OK PHONE _____
2. LEGAL DESCRIPTION OF WELL EIM (Circle One)
WIM
N 1/4 of S 1/4 of NE 1/4 of sec. 1; TWP. 10N S; RGE 3W ECM; COUNTY Cleveland

3. TYPE OF WORK ☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring
4. USE ☒ Domestic ☐ Stock ☐ Test Monitoring
NON-DOMESTIC ☐ Irrigation ☐ Municipal ☐ Industrial ☐ Commercial ☐ Other
5. DRILLING METHOD ☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☐ Air

6. LOG			
Material	From	To	Saturated
clay	0	190	
sand rock	190	216	
shale	216	240	
water sand	240	260	x
sand rock	260	278	
water sand	278	293	x
shale	293	300	
water sand	300	320	x
sand rock	320	336	
water sand	336	360	x


7. LOCATION PERMIT
If this well is Non-Domestic, has this location been permitted?
☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA
DATES: Started 6-17-85 Completed 6-17-85
Contractor Vannoy & Son Drilling Co.
Driller Mel
Diameter Hole 8 in. Total Depth 360 ft.

CASING RECORD
Diameter From To
Inside 5 in. 3 ft. 360 ft.
Outside _____ in. _____ ft. _____ ft.
Cement Grout Surface Seal ☒ Yes ☐ No
Type of Surface Seal: 6 5/8 steel Depth of Seal: 10 ft.
GRAVEL PACKED:
Gravel Packed From 100 ft. to 360 ft.
Amount Used: 5200 lbs.

PERFORATION RECORD
Type/Size
5" From 250 ft. To 260 ft.
slotted From 280 ft. To 290 ft.
From 300 ft. To 320 ft.
3-240 3-260

11. PLAT



N 1/4 of S 1/4 of NE 1/4 of SEC 1
TWP. 10N S; RGE 3W EIM, WIM, ECM

12. PUMP INFORMATION
Pump Type sub.
Power Source OG&F
Rated Capacity 18 gpm.
Depth of Bowls or Cylinder 320 ft.

9. WELL TEST DATA
Static Water Level Below Land Surface 200 ft.
If Artesian: Flows _____ gpm.
Approximate Yield 30 gpm.

10. PLUGGING DATA
Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK
Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION
The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.
Name Vannoy & Son Drilling Co. License # WD-107
Address P.O. Box 429, Nicoma Park Phone # 769-2255
Signed [Signature] Date 6-28-85

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 1-2
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

8579

1. OWNER Paul Jones ADDRESS (b) (6)

2. LEGAL DESCRIPTION OF WELL

SE 1/4 of SE 1/4 of NE 1/4 of sec. 1; TWP. 10 S; RGE 3 EIM (Circle One) WIM COUNTY Cleveland

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE

☒ Domestic
☐ Stock
☐ Test/Monitoring

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☐ Air

6. LOG

Material	From	To	Saturated
top soil	0	1	
Red Clay	1	260	
sandstone	260	270	✓
clay	270	281	
sandstone	281	321	✓
clay	321	333	
sandstone	333	340	✓
Red Clay	340	360	

7. LOCATION PERMIT

If this well is Non-Domestic, has this location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 8/6/85 Completed 8/7/85

Contractor Myer Pump & Well

Driller Carol K. Meyer

Diameter Hole 8 in. Total Depth 360 ft.

CASING RECORD

Inside Diameter 4 1/2 in. From 0 ft. To 360 ft.
Outside 4 1/2 in. From 0 ft. To 360 ft.

Cement Grout Surface Seal ☒ Yes ☐ No

Type of Surface Seal: Cement & Steel Pipe Depth of Seal: 10 ft.

GRAVEL PACKED: Steel Pipe

Gravel Packed From 10 ft. to 360 ft.

Amount Used: 7000 lb.

PERFORATION RECORD

Type/Size 3/4" 7/16"
From 240 ft. To 250 ft.
From 290 ft. To 310 ft.
From 335 ft. To 340 ft.

9. WELL TEST DATA

Static Water Level Below Land Surface 250 ft.

If Artesian: Flows _____ gpm.

Approximate Yield 7 gpm.

10. PLUGGING DATA

Date Plugged _____

Backfilled With _____ Material To _____ ft.

Grouted or Cemented From _____ ft. To _____ ft.

Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK

Date Completed _____

☐ Replaced Casing From _____ ft. To _____ ft.

☐ Replaced Screen From _____ ft. To _____ ft.

Deepened Well From _____ ft. To _____ ft.

Redeveloped Well By _____

14. CERTIFICATION


The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Carol K. Meyer License # Ind 31

Address 25 N. Main Phone # 321-529

Signed Carol K. Meyer Date 8/10/85

11. PLAT



SE 1/4 of SE 1/4 of NE 1/4 of SEC 1

TWP. 10 S; RGE 3 EIM (Circle One) WIM ECM

12. PUMP INFORMATION

Pump Type _____

Power Source _____

Rated Capacity _____ gpm.

Depth of Bowls or Cylinder _____ ft.

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 1-2
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

8578

1. OWNER Eldon Wilson ADDRESS Moore

2. LEGAL DESCRIPTION OF WELL
SE 1/4 of SW 1/4 of SE 1/4 of sec. 1; TWP. 10 S; RGE 3 E1M (Circle One) WIM ECM; COUNTY Cleveland

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE

☒ Domestic
☐ Stock
☐ Test Monitoring

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☐ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☒ Air

6. LOG

Material	From	To	Satur. rated
Topsoil	0	2	
Shale	2	185	
Sandrock	185	200	
Shale	200	235	
Sandrock	235	275	
Shale	275	280	

7. LOCATION PERMIT

If this well is Non-Domestic, has this location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 4/20/86 Completed Same
Contractor Allen Drilling
Driller Gary
Diameter Hole 7 in. Total Depth 280 ft.

CASING RECORD

Inside Diameter 4 in. From 3 ft. To 280 ft.
Outside 6 in. From Top ft. To 10 ft.
Cement Grout Surface Seal ☒ Yes ☐ No
Type of Surface Seal: Cement Depth of Seal: 10 ft.

GRAVEL PACKED:
Gravel Packed From 160 ft. to 280 ft.
Amount Used: 120 shovels

PERFORATION RECORD

The Size 1/4 hole From 260 ft. To 275 ft.
From 190 ft. To 200 ft.
From _____ ft. To _____ ft.

9. WELL TEST DATA

Static Water Level Below Land Surface 155 ft.
If Artesian: Flows _____ gpm.
Approximate Yield 15 gpm.

10. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK


Date Completed _____
☐ Replace Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Gary Allen License # WD100
Address 19001 NE 63rd Phone # 769-3700
Signed Gary Allen Date 5/28/86

11. PLAT



SE 1/4 of SW 1/4 of SE 1/4 of SEC 1; TWP. 10 S; RGE 3 E1M (Circle One) WIM ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 3-4
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

#8557

1. OWNER Preston Olive ADDRESS (b) (6)

2. LEGAL DESCRIPTION OF WELL

NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of sec. 18; TWP. 10 N S; RGE 2W EIM (Circle One) WIM ECM; COUNTY Cleveland

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE

☒ Domestic
☐ Stock
☐ Test/Monitoring

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☐ Air

6. LOG

Material	From	To	Saturated
Red Clay	0	36	
Red Shell Rock	36	53	
Black Sand Rock	53	83	
White Sand Rock	83	93	
Red Sand Rock	93	104	
Brown Water Sand	104	140	

7. LOCATION PERMIT

If this well is Non-Domestic, has this location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 12-23-85 Completed 12-23-85
Contractor Stella Pump & Supply, Inc.
Driller George D. Casey
Diameter Hole 7 in. Total Depth 140 ft.

CASING RECORD

Inside Diameter 4 in. From 0 ft. To 140 ft.
Outside 6 in. From 0 ft. To 10 ft.
Cement Grout Surface Seal ☐ Yes ☐ No
Type of Surface Seal: Cement Depth of Seal: 10 ft.

GRAVEL PACKED:

Gravel Packed From 100 ft. to 140 ft.
Amount Used: _____

PERFORATION RECORD

Type/Size PVC 1/4" From 120 ft. To 140 ft.
From _____ ft. To _____ ft.
From _____ ft. To _____ ft.

9. WELL TEST DATA

Static Water Level Below Land Surface _____ ft.
If Artesian: Flows _____ gpm.
Approximate Yield _____ gpm.

10. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK


Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name George D. Casey License # WD-253
Address Newalla Phone # 391-7744
Signed George D. Casey Date 12-23-85

11. PLAT



NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SEC 18; TWP. 10 N S; RGE 2W EIM (Circle One) WIM ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 34
Aquifer _____
Steam System Code _____
Use Code _____
County _____ (Official Use Only)

8550

1. OWNER Shirley Parson ADDRESS _____ PHONE _____

2. LEGAL DESCRIPTION OF WELL
NE 1/4 of NE 1/4 of NW 1/4 of sec. 17; TWP. 10 ^N S; RGE. 2 ^W E; COUNTY Cleveland

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE

☒ Domestic
☐ Stock
☐ Test/Monitoring

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☐ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☒ Air

6. LOG

Material	From	To	Satur- ated
Shale	0	70	
Sand Stone	70	100	
Shale	100	135	
Sand Stone	135	160	
Shale	160	175	
Sand Rock	175	180	
Sand Stone	180	200	
Shale	200	215	
Sand Stone	215	220	

RECEIVED
NOV 6 1987

Oklahoma Water Resources Board

7. LOCATION PERMIT

If this well is Non-Domestic, has this location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started July 28-86 Completed July 28 87
Contractor Teague
Driller Joe Teague
Diameter Hole _____ in. Total Depth 220 ft.

CASING RECORD

Diameter From
Inside 4 in. 2 ft. 220 ft.
Outside 6 in. 10 ft.

Cement Grout Surface Seal ☒ Yes ☐ No
Type of Surface Seal: Cement Depth of Seal: 10 ft.

GRAVEL PACKED:
Gravel Packed From 175 ft. to 220 ft.
Amount Used: 1yd

PERFORATION RECORD

Type/Size
1/2" SLOTT From 200 ft. To 220 ft.
From _____ ft. To _____ ft.
From _____ ft. To _____ ft.

9. WELL TEST DATA

Static Water Level Below Land Surface _____ ft.
If Artesian: Flows _____ gpm.
Approximate Yield 15 gpm.

10. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

11. RECONDITIONING WORK


Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

12. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Teague Drilling License # W0384
Address Norman Phone # _____
Signed Joe Teague Date Sept 178

11. PLAT



NE 1/4 of NE 1/4 of NW 1/4 of SEC 17; TWP. 10 ^N S; RGE. 2 ^W E; COUNTY Cleveland

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

White—Water Resources Board
Canary—Driller's Copy
Pink—Customer's Copy

STATE OF OKLAHOMA
MULTI-PURPOSE WELL REPORT
OKLAHOMA WATER RESOURCES BOARD
P.O. BOX 150
600 N. HARVEY AVE.
OKLAHOMA CITY, OKLAHOMA 73101-0150

27998

(b) (6)

1. WELL OWNER Remount Homes PHONE (b) (6)
2. LEGAL DESCRIPTION SE 1/4 of NW 1/4 of NE 1/4 of sec. 8, TWP. 10 N, RGE 2 E, WIM COUNTY
FINDING LOCATION SE 104th + Sauer Rd, 1/3 west on 104th, San Geronimo Ln to 10700
Blocks or distance(s) from given point(s)

3. TYPE OF WORK <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Reconditioning Work <input type="checkbox"/> Monitoring <input type="checkbox"/> Test Hole <input type="checkbox"/> Other	<input type="checkbox"/> Plugging	4. USE <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Stock <input type="checkbox"/> Monitoring <input type="checkbox"/> Test Hole <input type="checkbox"/> Other	NON-DOMESTIC <input type="checkbox"/> Irrigation <input type="checkbox"/> Municipal <input type="checkbox"/> Industrial <input type="checkbox"/> Commercial <input type="checkbox"/> Other	5. DRILLING METHOD <input type="checkbox"/> Fluid Rotary <input type="checkbox"/> Cable <input checked="" type="checkbox"/> Air Rotary <input type="checkbox"/> H.S. Auger <input type="checkbox"/> Rev. Rotary <input type="checkbox"/> Other
--	-----------------------------------	---	---	--

LOCATION PERMIT

Material	From	To	Saturated
clay	0	4	
Shale	4	93	
Sandrock	93	115	✓
Shale	115	138	
Sandrock	138	165	✓
Shale	165	172	
Sandrock	172	220	✓

If this well is Non-Domestic, has the location been permitted?

☐ Yes ☐ No Permit No. _____

NEW WELL CONSTRUCTION DATA

DATES: Started 6/8/92 Completed Same
Contractor Allen Drilling
Driller Gary
Diameter Hole 4 in. Total Depth 220 ft.

CASING RECORD

Diameter	From	To
Surface Pipe <u>6</u> in.	<u>Top</u> ft.	<u>10</u> ft.
Well Casing <u>4</u> in.	<u>3</u> ft.	<u>220</u> ft.

Cement Grout Surface Seal? ☒ Yes ☐ No
Type of Surface Seal: Cement Depth of Seal: 10 ft.
GRAVEL PACK:
Gravel Packed From 130 ft. to 220 ft.
Amount Used: 75 shovels

PERFORATION RECORD

Type/Size	From	To
<u>1/16" slots</u>	<u>180</u> ft.	<u>215</u> ft.
<u>"</u>	<u>150</u> ft.	<u>160</u> ft.
<u>"</u>	<u> </u> ft.	<u> </u> ft.

WELL TEST DATA

Static Water Level <u>115</u> ft.	Pump Type _____
Below Land Surface _____ ft.	Power Source _____
Approximate Yield <u>20</u> gpm.	Rated Capacity _____ gpm.
If Artesian: Flows _____ gpm.	Depth of Bowls or Cylinder _____ ft.

PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ Ft. To _____ ft.

RECONDITIONING WORK

Date Completed _____
Replaced Casing From _____ ft. To _____ ft.
Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

VERIFICATION


The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Gary Allen License # WD-100
Address 19001 NE 63rd, Harrah Phone # 769-3200
Signed Gary Allen Date 6/19/92

RECEIVED

JUN 29 1992

Oklahoma Water Resources Board



White—Water Resources Board
Canary—Driller's Copy
Pink—Customer's Copy

STATE OF OKLAHOMA
MULTI-PURPOSE WATER WELL REPORT
OKLAHOMA WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

#25749

1. WELL OWNER Dodd

PHONE _____
EIM (Circle One)
WIM _____
ECM _____

2. LEGAL DESCRIPTION NE 1/4 of SW 1/4 of SW 1/4 of sec. 8, TWP. 10⁰⁰ S, RGE 2⁰⁰ W, ECM COUNTY Cleveland

FINDING LOCATION 118 + SUNNY LANE 1/4 E
Blocks or distance(s) from given point(s).

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring
☐ G.W. Heat Pump
☐ Other _____

4. USE

☒ Domestic
☐ Stock
☐ Test/Monitoring
☐ G.W. Heat Pump
☐ Other _____

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other _____

5. DRILLING METHOD

☐ Fluid Rotary ☐ Rev. Rotary
☐ Cable ☐ Other _____
☒ Air Rotary
☐ H.S. Auger

LITHOLOGIC LOG

Material	From	To	Saturated
Clay	0	17	
Sand Rock	17	20	
Shale	20	76	
Sand Stone	76	85	
Shale	85	95	
Sand Stone	95	160	
Shale	160	170	
Sand Stone	170	180	
Shale	180	192	
Sand Stone	192	200	
Sand	200	215	
Shale	215	225	12 to 15 ft
Sand Stone	225	245	15
Shale	245	255	
Sand Stone	255	280	12 to 15 ft

7. LOCATION PERMIT

If this well is Non-Domestic, has the location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started Mar. 9-91 Completed Mar. 9-91
Contractor Teague Drilling Co
Driller Joe Teague
Diameter Hole 8 in. Total Depth 280 ft.

CASING RECORD

Diameter _____ From _____ To _____
Surface Pipe 8 in. _____ ft. 10 ft.
Well Casing 4 1/2 in. 2 ft. 280 ft.
Cement Grout Surface Seal? ☒ Yes ☐ No
Type of Surface Seal: Cement Depth of Seal: 10 ft.
GRAVEL PACK:
Gravel Packed From 280 ft. to 280 ft.
Amount Used: _____

PERFORATION RECORD

Type/Size _____ From _____ ft. To _____ ft.
_____ From _____ ft. To _____ ft.
_____ From _____ ft. To _____ ft.

9. WELL TEST DATA

Static Water Level _____
Below Land Surface _____ ft.
Approximate Yield 15 gpm.
If Artesian: Flows _____ gpm.

10. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

11. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ Ft. To _____ ft.

12. RECONDITIONING WORK

Date Completed _____
Replaced Casing From _____ ft. To _____ ft.
Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____


14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Joe Teague License # 384
Address 12331 ANA-1 4th Phone # 364 2413
Signed Joe Teague Date _____

RECEIVED
JUL 31 1991

B. PLAT



White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 34
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

8542
1. OWNER Howard W. Price AD Oklahoma City, Oklahoma

2. LEGAL DESCRIPTION OF WELL

SE 1/4 of SE 1/4 of NE 1/4 of sec. 8; TWP. 10 S; RGE 2 EIM (Circle One) WIM ECM; COUNTY Cleveland

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE

☒ Domestic
☐ Stock
☐ Test/Monitoring

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☐ Air

6. LOG

Material	From	To	Saturated
Top Soil	0	1	
Red Clay	1	125	
Sandstone	125	145	
Red Clay	145	176	
Sandstone	176	192	✓
Red Clay	192	211	
Sandstone	211	220	✓

7. LOCATION PERMIT

If this well is Non-Domestic, has this location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 8/6/84 Completed 8/6/84

Contractor Meyer Pump & Inc.

Driller Carl K. Meyer

Diameter Hole 8 in. Total Depth 220 ft.

CASING RECORD

Inside Diameter 5 in. From 0 ft. To 220 ft.
Outside in. ft. ft.

Cement Grout Surface Seal ☒ Yes ☐ No

Type of Surface Seal: Steel casing Depth of Seal: 10 ft.

GRAVEL PACKED: 4 Quartz

Gravel Packed From 10 ft. to 220 ft.

Amount Used: 42 bb.

PERFORATION RECORD

Type/Size
3/4" 9 hole From 176 ft. To 192 ft.
3/16" 9 hole From 211 ft. To 215 ft.
1/16" 9 hole From ft. To ft.

9. WELL TEST DATA

Static Water Level Below Land Surface 165 ft.

If Artesian: Flows gpm.

Approximate Yield 70 gpm.

10. PLUGGING DATA

Date Plugged

Backfilled With Material To ft.

Grouted or Cemented From ft. To ft.

Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK

Date Completed

☐ Replaced Casing From ft. To ft.

☐ Replaced Screen From ft. To ft.

Deepened Well From ft. To ft.

Redeveloped Well By

14. CERTIFICATION


The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Carl K. Meyer License # WD-31

Address 25 N. Main Phone # 329-529

Signed Carl K. Meyer Date 8/6/84

11. PLAT



SE 1/4 of SE 1/4 of NE 1/4 of SEC 8;

TWP 10 S; RGE 2 EIM (Circle One) WIM ECM

12. PUMP INFORMATION

Pump Type
Power Source
Rated Capacity gpm.
Depth of Bowls or Cylinder ft.

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 3-4
Aquifer: _____
Stream System Code _____
Use Code _____
County _____
(Official Use Only)

1. OWNER Lloyd Eisenhour ADDRESS (b) (6)
Moore, OK PHONE _____

2. LEGAL DESCRIPTION OF WELL
SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of sec. 8; TWP. 10N S; RGE 2W EIM (Circle One)
WIM
ECM; COUNTY Cleveland

3. TYPE OF WORK
☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE
☒ Domestic
☐ Stock
☐ Test/Monitoring

NON-DOMESTIC
☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD
☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☐ Air

LOG			
Material	From	To	Saturated
clay	0	3	
sand	3	8	
shale	8	70	
sand rock	70	120	
water sand	120	160	x
sand rock	160	180	
water sand	180	200	x

7. LOCATION PERMIT
If this well is Non-Domestic, has this location been permitted?
☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA
DATES: Started 5-14-87 Completed 5-14-87
Contractor Vannoy & Son Drilling Co.
Driller Mel
Diameter Hole 8 in. Total Depth 200 ft.

CASING RECORD
Diameter From To
Inside 4 1/2 in. 3 ft. 200 ft.
Outside _____ in. _____ ft. _____ ft.
Cement Grout Surface Seal ☒ Yes ☐ No
Type of Surface Seal: 6 5/8" steel Depth of Seal: 10 ft.
GRAVEL PACKED:
Gravel Packed From 10 ft. to 200 ft.
Amount Used: 3800 lbs.


PERFORATION RECORD
Type/Size
4 1/2 From 130 ft. To 160 ft.
slotted From 180 ft. To 200 ft.
From _____ ft. To _____ ft.

9. WELL TEST DATA
Static Water Level Below Land Surface 100 ft.
If Artesian: Flows _____ gpm.
Approximate Yield 30 gpm.

10. PLUGGING DATA
Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK
Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION
The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.
Name Vannoy & Son Drilling Co. License # WD-107
Address P.O. Box 429, Nicoma Park Phone # 769-2255
Signed [Signature] Date 5-19-87

11. PLAT
10 AC.

SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of SEC 8;
N (Circle One)
TWP. 10N S; RGE 2W EIM, WIM, ECM

12. PUMP INFORMATION
Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 3-4
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

8540

1. OWNER Met Freeman ADDRESS (b) (6)
Oklahoma City, Oklahoma
2. LEGAL DESCRIPTION OF WELL
NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of sec. 8; TWP. 10 ^N; RGE. 2 ^W ECM; COUNTY Cleveland

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE

☒ Domestic
☐ Stock
☐ Test/Monitoring

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☐ Air

LOG			
Material	From	To	Saturated
Red Clay	0	93	
Sandstone	93	104	
Red Clay	104	148	
Sandstone	148	165	
Red Clay	165	180	

7. LOCATION PERMIT

If this well is Non-Domestic, has this location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 6/4/87 Completed 6/4/87
Contractor Mike Meyer
Driller Carl Meyer
Diameter Hole 8 in. Total Depth 180 ft.

CASING RECORD

Inside Diameter 4 1/2 in. From 0 ft. To 180 ft.
Outside 5 in. 0 ft. 180 ft.
Cement Grout Surface Seal ☒ Yes ☐ No
Type of Surface Seal: Thin Cement Depth of Seal: 10 ft.
GRAVEL PACKED: Grout
Gravel Packed From 10 ft. to 180 ft.
Amount Used: 3400 lb

PERFORATION RECORD

Type/Size 1/2" x 12 From 148 ft. To 165 ft.
From _____ ft. To _____ ft.
From _____ ft. To _____ ft.

9. WELL TEST DATA

Static Water Level Below Land Surface 150 ft.
If Artesian: Flows _____ gpm.
Approximate Yield 75 gpm.

10. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK


Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Carl Meyer License # W-2-31
Address 320 Collins Phone # 324-0674
Signed Carl Meyer Date 6/4/87

11. PLAT



NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of SEC. 8
(Circle One)
TWP. 10 ^N; RGE. 2 ^W EIM WIM ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 2-3
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

#8536

MULTI-PURPOSE WATER WELL REPORT

1. OWNER ~~XXXXXXXXXXXX~~ JIM SHIFFLETT ADDRESS MOORE, OKLA. PHONE (b) (6)

2. LEGAL DESCRIPTION OF WELL NE 1/4 of NE 1/4 of NE 1/4 of sec. 7; TWP. 10N Rge. 2W COUNTY Cherokee Oklahoma

3. TYPE OF WORK
☐ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test

4. PROPOSED / PAST USE
☒ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test

5. DRILLING METHOD
☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other

6. LOG

Material	From	To	Satur- ated
RED CLAY	0	20	
RED CLAY	20	40	
RED SHELL ROCK	40	60	
RED SHELL ROCK	60	80	
RED SHELL ROCK	80	100	
RED SHELL ROCK	100	120	
BROWN SAND ROCK	120	135	
RED SHELL ROCK	135	140	
BROWN SAND ROCK	140	160	
RED SHELL ROCK	160	180	
RED SHELL ROCK	180	200	
BROWN WATER SAND	200	220	
BROWN WATER SAND	220	240	

7. NEW WELL CONSTRUCTION DATA

Dates: Started 2-29-84 Completed 2-29-84
Contractor STELLA PUMP & SUPPLY
Driller GEORGE D. CASEY
Diameter Hole 7 in. Total Depth 240 ft.

CASING RECORD

Diameter	From	To
<u>6</u> in.	<u>0</u> ft.	<u>10</u> ft.
<u>4</u> in.	<u>0</u> ft.	<u>240</u> ft.

Surface Seal: ☒ Yes ☐ No Type: Cement
Depth of Seal: 10 ft.
Gravel Packed:
Gravel Packed From 220 ft. to 240 ft.
Amount Used: _____

PERFORATION RECORD

Type	From	To
<u>4 PVC</u>	<u>220</u> ft.	<u>240</u> ft.
Size	From _____ ft.	To _____ ft.
"	From _____ ft.	To _____ ft.

8. WELL TEST DATA

Static Water Level Below Land Surface 220 ft.
If Artesian: Flows _____ gpm.
Water Temp. _____ °C/f Quality _____

BAILER TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.
Size of Bailer: _____ gal.

PUMPING TEST

Drawdown 240 ft. After Pumping 2 hrs. At 30 gpm.

9. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK

Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

11. PLAT

10 AC.

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

13. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name GEORGE D. CASEY License # WD-253
Address NEWALLA, OKLA. Phone # 391-4744
Signed George D. Casey Date 2/29/84

White—Water Resources Board
Canary—Driller's Copy
Pink—Customer's Copy

STATE OF OKLAHOMA
MULTI-PURPOSE WATER WELL REPORT
OKLAHOMA WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

2-3

#8537

1. WELL OWNER Billy Killian PHONE _____
2. LEGAL DESCRIPTION NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of sec. 7 TWP. 10N N. RGE 2W EIM (Circle One) WIM ECM COUNTY Clev.
FINDING LOCATION 12000 Share Blvd, Okla City Ok
Blocks or distance(s) from given point(s).

3. TYPE OF WORK ☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring
☐ G.W. Heat Pump
☐ Other _____
4. USE ☒ Domestic
☐ Stock
☐ Test/Monitoring
☐ G.W. Heat Pump
☐ Other _____
NON-DOMESTIC
☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other _____
5. DRILLING METHOD
☐ Fluid Rotary ☐ Rev. Rotary
☐ Cable ☐ Other _____
☒ Air Rotary
☐ H.S. Auger

LITHOLOGIC LOG

Material	From	To	Saturated
TOP SOIL	0	2	
RED CLAY	2	38	
SAND/ROCK	38	43	
RED BED	43	82	
SAND/CLAY	82	89	8 GPM
SAND/ROCK	89	92	
RED BED	92	181	
SAND/CLAY	181	192	2 GPM
RED BED	192	240	

7. LOCATION PERMIT

If this well is Non-Domestic, has the location been permitted?
☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Start 4-26-88 Completed 4-26-88
Contractor JIM CARROLL DRILLING CO
Driller JIM CARROLL
Diameter Hole 7 1/4 in. Total Depth 240 ft.

CASING RECORD

Diameter From To
Surface Pipe SCH 40/6 in. 0 ft. 10 ft.
Well Casing 4 in. 0 ft. 240 ft.
Cement Grout Surface Seal? ☒ Yes ☐ No
Type of Surface Seal: CEMENT Depth of Seal: 15 ft.
GRAVEL PACK:
Gravel Packed From 15 ft. to 240 ft.
Amount Used: 2.2 TON

PERFORATION RECORD

Type/Size
SLOTTED From 220 ft. To 240 ft.
From _____ ft. To _____ ft.
From _____ ft. To _____ ft.

9. WELL TEST DATA

Static Water Level
Below Land Surface 82 ft.
Approximate Yield 15 gpm.
If Artesian: Flows _____ gpm.

10. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

11. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ Ft. To _____ ft.

12. RECONDITIONING WORK


Date Completed _____
Replaced Casing From _____ ft. To _____ ft.
Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name JIM CARROLL DRILLING CO License # WD 305
Address 8700 N. CHOCTAW RD Phone 60-8501
CHOCTAW OK 73020
Signed [Signature] Date 5-1-88

13. PLAT



White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 2-3
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

8539

MULTI-PURPOSE WATER WELL REPORT

na


1. OWNER Jim Beller ADDRESS (b) (6)
OKC (b) (6)
2. LEGAL DESCRIPTION OF WELL
SE 1/4 of SW 1/4 of NE 1/4 of sec. 7; TWP. 10 S. Rge. 2 EIM WIM ECM; COUNTY Cherokee

3. TYPE OF WORK
☒ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test
4. PROPOSED / PAST USE
☒ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test
5. DRILLING METHOD
☐ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other

6. LOG			
Material	From	To	Saturated
Clay & sand Rock	0	70	
Sand Rock	70	200	
Water Sand	200	260	

7. NEW WELL CONSTRUCTION DATA
Dates: Started 18 Nov 83 Completed same
Contractor Indexter
Driller Davis
Diameter Hole 6 3/4 in. Total Depth 260 ft.
CASING RECORD
Diameter 4 1/2 in. From 0 ft. To 260 ft.
Surface Seal: ☒ Yes ☐ No Type: Steel Cement
Depth of Seal: 10 ft.
Gravel Packed:
Gravel Packed From 10 ft. to 260 ft.
Amount Used: 422
PERFORATION RECORD
Type Slot From 200 ft. To 260 ft.
Size 4 1/2 From _____ ft. To _____ ft.
" _____ From _____ ft. To _____ ft.

8. WELL TEST DATA
Static Water Level Below Land Surface 180 ft.
If Artesian: Flows _____ gpm.
Water Temp. _____ °C/F Quality _____
BAILER TEST
Drawdown 200 ft. After Pumping _____ hrs. At 25 gpm.
Size of Bailer: 17 gal.



SE 1/4 of SW 1/4 of NE 1/4 of SEC 7
TWP. 10 S. RGE. 2 EIM WIM ECM

12. PUMP INFORMATION
Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

PUMPING TEST
Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.
9. PLUGGING DATA
Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK
Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

13. CERTIFICATION
The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.
Name Indexter Supply & Drilling License # WA-33
Address 1600 W. 10th St. OKC, OK 73107 Phone # 943-3864
Signed David C. Indexter Date 19 Nov 83

USE ADDITIONAL SHEETS IF NECESSARY

White - Water Resources Board
Canary - Drillers Copy
Pink - Drillers Copy

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 2-3
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

MULTI-PURPOSE WATER WELL REPORT

8538
1. OWNER Doc Jan
More OKLA

2. LEGAL DESCRIPTION OF WELL

NE 1/4 of SE 1/4 of NE 1/4 of sec. 7; TWP. 10 N S. Rge. 24 WIM
ECM; COUNTY Cherokee

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test

4. PROPOSED / PAST USE

☒ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other

6. LOG

Material	From	To	Satur- ated
Top Soil	0	10	
Hard shale	10	20	
Sand & sand stone	20	60	
Shale w/sand str	60	120	
Shale	120	160	
Shale w/sand.	160	180	
Sandy shale	180	200	
Sand	200	214	
Sandy shale	214	230	
Shale	230	240	
Sand	240	258	

7. NEW WELL CONSTRUCTION DATA

Dates: Started 11-2-82 Completed 11-3-82
Contractor DKL
Driller Jim Farrow
Diameter Hole 7 3/8 in. Total Depth 258 ft.

CASING RECORD

Diameter 6 5/8 in. From 0 ft. To 0 ft.
4 1/2 in. 258 ft. 03 ft.
Surface Seal: ☒ Yes ☐ No Type: Conf.
Depth of Seal: 12 ft.
Gravel Packed:
Gravel Packed From 258 ft. to 15 ft.
Amount Used:

PERFORATION RECORD

Type _____ From 258 ft. To 238 ft.
Size _____ From _____ ft. To _____ ft.
" _____ From _____ ft. To _____ ft.

8. WELL TEST DATA

Static Water Level Below Land Surface 155 ft.
If Artesian: Flows _____ gpm.
Water Temp. _____ °C/f Quality _____

BAILER TEST

Drawdown 15 ft. After Pumping 2 hrs. At 10 gpm.
Size of Bailer: 10 gal.

PUMPING TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.

9. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK


Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
☐ Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

13. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name John L. L... License # 106
Address 200 E. 10th Phone # 744-5346
Signed J. L. L... Date _____

11. PLAT



NE 1/4 of SE 1/4 of NE 1/4 of SEC 7

TWP. 10 N S. RGE. 24 WIM, ECM

12. PUMP INFORMATION

Pump Type 1 HP 50 L
Power Source 220 V
Rated Capacity 15 gpm.
Depth of Bowls or Cylinder 228 ft.

USE ADDITIONAL SHEETS IF NECESSARY

White - Water Resources Board
Canary - Drillers Copy
Pink - Drillers Copy

STATE OF OKLAHOMA
WATER RESOURCES BOARD

1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. _____
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

8535

MULTI-PURPOSE WATER WELL REPORT

1. OWNER K&K LEWIS BENNET ADDRESS (b) (6) PHONE _____

2. LEGAL DESCRIPTION OF WELL Lot 5 Blk 2 of SUNNYLANE ACRES
SW 1/4 of NW 1/4 of S 8 E 1/4 of sec. 7 TWP. 10 S. Rge. 2W EIM
WIM
ECM: COUNTY CLEVELAND

3. TYPE OF WORK ☒ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test

4. PROPOSED / PAST USE ☒ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test

5. DRILLING METHOD ☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other _____

6. LOG			
Material	From	To	Saturated
TOP SOIL/CLAY	0	20	
CLAY/ SHALE	20	40	
SHALE	40	60	
SHALE/ SAND	60	88	
CLAY/ SHALE	80	100	
SHALE/SAND	100	120	
SAND/SAND ROCK/ SHALE	120	140	
SAND/SHALE	140	160	
SAND/ LIME STRKS	160	180	
SAND/SHALE	180	200	
SHALE/SAND	200	220	
SAND /SHALE	220	240	
SAND	240	260	
REDBED	262		

7. NEW WELL CONSTRUCTION DATA

Dates: Started MAY 10 Completed MAY 15
Contractor D & K PUMP SERVICE
Driller TRAVIS GREEN
Diameter Hole 7 7/8 in. Total Depth 262 ft.

CASING RECORD

Diameter	From	To
<u>6</u> in.	<u>0</u>	<u>12</u> ft.
<u>4</u> in.	<u>0</u>	<u>262</u> ft.

Surface Seal: ☒ Yes ☐ No Type: CEMENT
Depth of Seal: 12 ft.
Gravel Packed: _____
Gravel Packed From 12 ft. to 262 ft.
Amount Used: _____

PERFORATION RECORD


Type	From	To
<u>4" SLOT PVC</u>	<u>262</u> ft.	<u>240</u> ft.
Size	<u>220</u> ft.	<u>200</u> ft.
"	_____ ft.	_____ ft.

RECEIVED

JUN 30 1988

OKLA. WATER RESOURCES BOARD

11. PLAT



SW 1/4 of NW 1/4 of SE 1/4 of SEC 7
TWP. 10 S. RGE. 2 EIM, WIM, ECM

12. PUMP INFORMATION

Pump Type 1 1/2 HP SUB
Power Source 230 v.
Rated Capacity 10 gpm.
Depth of Bowls or Cylinder 205 ft.

8. WELL TEST DATA

Static Water Level Below Land Surface 140 ft.
If Artesian: Flows _____ gpm.
Water Temp. _____ °C/F Quality _____

BAILER TEST

Drawdown 180 ft. After Pumping 1 hrs. At 10 gpm.
Size of Bailer: 10 gal.

PUMPING TEST

Drawdown 180 ft. After Pumping 1 hrs. At 10 gpm.

9. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK

Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

13. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Travis Green License # 1016
Address 204 E. 10th St. Phone # 744-2246
Signed Travis Green Date 5-15-88

USE ADDITIONAL SHEETS IF NECESSARY


27153

MULTI-PURPOSE COMPLETION REPORT

OKLAHOMA WATER RESOURCES BOARD
600 N. HARVEY AVE.
P.O. BOX 150
OKLAHOMA CITY, OK 73101-0150

2-3

Please plot well location



Legal Description

SW 1/4 SE 1/4 NE 1/4 of Sec. 6 Twp. 10N Rge. 5W

County Cleveland Well No: _____Well Owner Judy Ross Phone _____

Address _____

Finding location _____

Type of work

- ☐ Geotechnical Boring
☐ G.W. Heat Pump Well
☐ Monitor Well
☐ Observation Well
☐ Piezometer
☐ Plugging
☐ Pump Inst.*
☒ Reconditioning
☒ W.W. Test Hole
☐ De-watering
☐ Other

G.W. Use

- ☒ Domestic
☐ Non-Domestic:
Specify Purpose _____

Drilling Method

- ☐ Hand Auger
☐ Cable Tool
☒ Air Rotary
☒ Fluid Rotary
☐ H.S. Auger
☐ S.S. Auger
☐ Rev. Rotary
☐ D.W. Rev. Rotary
☐ Other

Lithologic Log

Material	From	To	Satur-
sandy clay	0	6	
Red shale	6	64	
sand rock	64	76	
Red shale	76	140	
sand rock	140	170	✓
Red shale	170	240	
sand rock	240	260	
Red shale	260	305	✓
sand rock	305	333	✓
Red shale	333	365	
sand rock	365	402	✓

Bottom sands absorbing
top water (160'-170')

Non-Domestic Permitting

If this well is for other than domestic use (use of water for household purposes, for farm and domestic animals up to the normal grazing capacity of the land & for the irrigation of land not to exceed 3 acres.) Permit No: _____

New Boring or Well Construction Data

Date: Started 12-17-91 Completed 12-18-91Firm Moore Drilling Co.Operator MooreType of Construction ☐ Open Hole ☒ Cased HoleHole Diameter 8" inches total depth 402 feet

Hole Diameter _____ inches total depth _____ feet

CASING RECORD

Surface pipe diameter _____ from _____ to _____ feet

Well casing 5" PUC 200# inches _____ feet 402 feet

Well casing _____ inches _____ feet _____ feet

Well casing _____ inches _____ feet _____ feet

SCREEN or PERFORATION RECORD

Type and Slot Size _____ from _____ to _____ feet

24" slot _____ feet 170 feet_____ feet 330 feet_____ feet 402 feet

GRAVEL PACK

Type and Size _____ from _____ to _____ feet

4" to 1/4" sand _____ feet 402 feet

_____ feet _____ feet

_____ feet _____ feet

SEAL

Cement Grout Surface Seal Installed ☒ Yes ☐ NoType of Surface Seal Portland from _____ feet 15 feet

Aquifer Seal Type _____ feet _____ feet

_____ feet _____ feet

HYDROLOGIC DATA

First Water Zone Encountered 160-174'Approximate Yield 50 GPM Artesian ☐ Yes ☒ No

Plugging Data

Date Plugged _____

Backfilled From _____ feet _____ feet Type _____

Cement Grouted From _____ feet _____ feet

Reconditioning Work

Replaced Casing/Screen From _____ feet _____ feet

Deepened Well From _____ feet _____ feet

Redeveloped Well By _____

Certification

The work described above was done under my supervision.
This report is correct to the best of my knowledge.

Name Moore Drilling Co. Lic. No. 01A1Address Shawnee, OK 74804 Phone 273-1243Signed J. R. Moore Date 2-1-92

RECEIVED

FEB 11 1992

Oklahoma Water Resources Board

2 9413

MULTI-PURPOSE COMPLETION REPORT

OKLAHOMA WATER RESOURCES BOARD


600 N. HARVEY AVE.

P.O. BOX 150

OKLAHOMA CITY, OK 73101-0150

2-3

Please plot well location



Legal Description

NE 1/4 SE 1/4 SE 1/4 of Sec. 6 Twp. 10N Rge. 2WCounty Cleveland

Well No: _____

Well Owner Bowles

Phone _____

Address _____

Finding location 104th & Sunny Lane, 1/4 N on West

Type of work

- ☐ Geotechnical Boring
☐ G.W. Heat Pump Well
☐ Monitor Well
☐ Observation Well
☐ Piezometer
☐ Plugging
☐ Pump Inst. *
☐ Reconditioning
☐ G.W. Well Test Hole
☐ De-watering
☒ Groundwater Well

G.W. Permitted Use

- ☒ Domestic (None Required)
☐ Non-Domestic:
 Specify Purpose _____

Drilling Method

- ☐ Hand Auger
☐ Cable Tool
☒ Air Rotary
☐ Fluid Rotary
☐ H.S. Auger
☐ S.S. Auger
☐ Rev. Rotary
☐ D.W. Rev. Rotary
☐ Other _____

Lithologic Log

Material	From	To	Satur- ated
CLAY	Top	10	
Shale	10	50	
SAND ROCK	50	63	
Shale	63	85	
SAND ROCK	85	91	
Shale	91	197	
SAND ROCK	197	256	
Shale	256	260	

Non-Domestic (OWRB Permitting Required)

If this groundwater well is for other than domestic use (use of water for household purposes, for farm and domestic animals up to the normal grazing capacity of the land & for the irrigation of land not to exceed 3 acres) Permit No: _____

New Boring or Well Construction Data

Date: Started 1-27-93 Completed 1-27-92Firm Vannoy & SonOperator Steve Vannoy Op.No. 332Type of Construction ☐ Open Hole ☒ Cased Hole☐ Temporary ☒ PermanentHole Diameter 8 inches total depth 260 feet

Hole Diameter _____ inches total depth _____ feet

CASING RECORD diameter _____ from _____ to _____

Surface Casing 6 inches Top feet 10 feetWell casing 4 1/2 inches 3 feet 260 feet

Well casing _____ inches _____ feet _____ feet

Well casing _____ inches _____ feet _____ feet

SCREEN or PERFORATION RECORD

Type and Slot Size _____ from _____ to _____

_____ feet 200 feet 250 feet

_____ feet _____ feet

_____ feet _____ feet

FILTER PACK

Type and Size - 1/8 from 10 feet to 260 feet

_____ feet _____ feet

_____ feet _____ feet

SEAL Cement Grout Surface Seal Installed ☒ Yes ☐ NoType of Surface Seal Cement Top feet 10 feet

Annular Seal Type _____ feet _____ feet

Type of Filter Pack Seal _____ feet _____ feet

TYPE OF COMPLETION

☒ Above Ground ☐ Pitless Adapter☐ Flush Mounted

SURFACE PAD (Size in Feet)

_____ X _____ X _____ inches

HYDROLOGIC DATA First Water Zone Encountered 197 ft.Approximate Yield 10 GPM Flowing Artesian ☐ Yes ☒ NoPlugging Data ☐ Non-Contaminated ☐ Contaminated

Date Plugged _____

Backfilled From _____ feet _____ feet Type _____

Grouted From _____ feet _____ feet Type _____

Cement Grouted From _____ feet _____ feet Trimmed ☐ Yes ☐ No

Reconditioning Work

Replaced Casing/Screen From _____ feet _____ feet

Deepened Well From _____ feet _____ feet

Redeveloped Well By _____

Certification

The work described above was done under my supervision. ✓

This report is correct to the best of my knowledge.

Name Steve Vannoy D/PC. NO. 0213Address 11320 NE 23rd Phone _____Signed Steve Vannoy Date 1-27-93

KW

*See Pump Installers Form On Back

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 2-3
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

8533
NE NE SE

MULTI-PURPOSE WATER WELL REPORT

1. OWNER Norman Bewley ADDRESS (b) (6)
Sunny Lane - (89th - 27th) PHONE _____
2. LEGAL DESCRIPTION OF WELL
NE 1/4 of SE 1/4 of - 1/4 of sec. 6 : TWP. 10N S. RGE. 2W EIM WIM ECM COUNTY Cleveland

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test

4. PROPOSED / PAST USE

☒ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other _____

6. LOG

Material	From	To	Saturated
Surface Soil	0	10	
Red Clay & shale	10	100	
Shale & Sand	100	140	
Sand	140	160	
Coarse Sand & shale	160	180	
Hard Rock	180	195	
Shale & Rock	195	220	
sand	220	240	
sandy shale	240	260	

7. NEW WELL CONSTRUCTION DATA

Dates: Started 3-17-85 Completed 3-19-85
Contractor D.K. & L. Dlg. Ssn.
Driller Travis Green
Diameter Hole 2 in. Total Depth 261 ft.

CASING RECORD

Diameter From To
Sch 4" in. 0 ft. 261 ft.
Surface 6.75 in. 0 ft. 10 ft.
Surface Seal: ☒ Yes ☐ No Type: Cement
Depth of Seal: 10 ft.
Gravel Packed:
Gravel Packed From 261 ft. to 220 ft.
Amount Used: _____

PERFORATION RECORD

Type 3/16" - 5/32" From 261 ft. To 241 ft.
Size _____ From _____ ft. To _____ ft.
" _____ From _____ ft. To _____ ft.

8. WELL TEST DATA

Static Water Level Below Land Surface _____ ft.
If Artesian: Flows _____ gpm.
Water Temp. _____ °C/F Quality _____

BAILER TEST

Drawdown NONE ft. After Pumping 2 hrs. At 15 gpm.
Size of Bailer: 15 gal.

PUMPING TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.

9. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK


Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

13. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Travis Green License # W-106
Address P.O. Box 6816 Moore Phone # 794-5246
Signed Travis Green Date 4-1-85

11. PLAT



NE 1/4 of SE 1/4 of - 1/4 of SEC 6
TWP 10 S. RGE 2W EIM WIM ECM

12. PUMP INFORMATION

Pump Type un completed
Power Source _____
Rated Capacity _____ gpm.
Depth of Bore or Cylinder _____ ft.

USE ADDITIONAL SHEETS IF NECESSARY

White—Water Resources Board
Canary—Driller's Copy
Pink—Customer's Copy

STATE OF OKLAHOMA
MULTI-PURPOSE WELL REPORT
OKLAHOMA WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

2-3

8532

1. WELL OWNER RON LEWIS

PHONE _____
EIM (Circle One)
WIM

2. LEGAL DESCRIPTION SE 1/4 of NW 1/4 of SE 1/4 of sec. 6; TWP. 10 N RGE 2W ECM COUNTY CLEVELAND

FINDING LOCATION _____

Blocks or distance(s) from given point(s)

3. TYPE OF WORK

- ☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Monitoring
☐ Test Hole
☐ Other _____

4. USE

- ☒ Domestic
☐ Stock
☐ Monitoring
☐ Test Hole
☐ Other _____

NON-DOMESTIC

- ☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other _____

5. DRILLING METHOD

- ☐ Fluid Rotary ☐ Rev. Rotary
☐ Cable ☐ Other _____
☒ Air Rotary
☐ H.S. Auger

LITHOLOGIC LOG

Material	From	To	Satu- rated
sandy clay	0	8	
Red shale	8	48	
sand rock	48	53 (scarp)	
stks sand rock +	53	325	
Red shale	325	355	
sand rock	355	355	

7. LOCATION PERMIT

If this well is Non-Domestic, has the location been permitted?

☐ Yes ☐ No Permit No. _____

NEW WELL CONSTRUCTION DATA

DATES: Started 7-5-89 Completed 7-5-89
Contractor MOORE DRILLING CO.
Driller H. R. MOORE
Diameter Hole 8" in. Total Depth 355 ft.

CASING RECORD

Diameter, From To
Surface Pipe 10 8" PUL in. 0 ft. 10 ft.
Well Casing 355 5" PUL in. 0 ft. 355 ft.
Cement Grout Surface Seal? ☒ Yes ☐ No
Type of Surface Seal: PORTLAND Depth of Seal: 15' ft.
GRAVEL PACK:
Gravel Packed From 15 ft. to 355 ft.
Amount Used: 3 1/2 yds

PERFORATION RECORD

Type/Size
.026 5/8" OT From 315 ft. To 355 ft.
From _____ ft. To _____ ft.
From _____ ft. To _____ ft.

9. WELL TEST DATA

Static Water Level
Below Land Surface 305 ft.
Approximate Yield 12 gpm.
If Artesian: Flows _____ gpm.

10. PUMP INFORMATION

Pump Type 1 H.P.
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

11. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ Ft. To _____ ft.

12. RECONDITIONING WORK

Date Completed _____
Replaced Casing From _____ ft. To _____ ft.
Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION


The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name MOORE DRILLING CO. License # 323
Address P.O. BOX 61 SHAWNEE, OK 74802 Phone # 273-7243
Signed H. R. MOORE Date 8-3-89

RECEIVED
AUG - 7 1989

Oklahoma Water Resources Board

13. PLAT



White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 2-3
Aquifer _____
Stream System Code _____
Use Code _____
County _____
(Official Use Only)

8529

1. OWNER Phillip Bnewly
OK City OK

(b) (6)

2. LEGAL DESCRIPTION OF WELL

NW 1/4 of 12 of SE 1/4 of sec. 6; TWP. 10 S; RGE 2 EIM (Circle One) WIM ECM; COUNTY Cherokee

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE

☒ Domestic
☐ Stock
☐ Test/Monitoring

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☐ Air

6. LOG

Material	From	To	Saturated
Top Soil	0	10	
Red Clay	10	100	
Sandy Shale	100	140	
Sand	140	160	
Rock & Sand	160	170	
Shale & Hard Rock	170	220	
Sand	220	240	
Sandy Shale	240	262	

7. LOCATION PERMIT

If this well is Non-Domestic, has this location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 3-1 Completed 3-17-86
Contractor D K H
Driller J T Gossin
Diameter Hole 7 7/8 in. Total Depth 261 ft.

CASING RECORD

Inside Diameter 4 1/2 in. From 0 ft. To 261 ft.
Outside 6 3/8 in. 0 ft. 12 ft.
Cement Grout Surface Seal ☒ Yes ☐ No
Type of Surface Seal: Cement Depth of Seal: 12 ft.

GRAVEL PACKED:

Gravel Packed From 0 ft. to 15 ft.
Amount Used: _____

PERFORATION RECORD

Type/Size 4"
From 261 ft. To 241 ft.
From _____ ft. To _____ ft.
From _____ ft. To _____ ft.

9. WELL TEST DATA

Static Water Level Below Land Surface _____ ft.
If Artesian: Flows _____ gpm.
Approximate Yield _____ gpm.

10. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK


Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name J. Travis Green License # 106
Address P.O. Box 6516 Phone # 774-524
Signed J. T. Green Date 3-30-86

11. PLAT



1/4 of 12 of SE 1/4 of SEC 6; TWP. 10 S; RGE 2 EIM (Circle One) WIM ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

White—Water Resources Board
Canary—Driller's Copy
Pink—Customer's Copy

STATE OF OKLAHOMA
MULTI-PURPOSE WATER WELL REPORT
OKLAHOMA WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

8530

1. WELL OWNER Wale McKay Shady Nook PHONE _____
2. LEGAL DESCRIPTION SW 1/4 of SE 1/4 of Sec. 6, TWP. 10N, RGE 2E, CLAY COUNTY
FINDING LOCATION 4801 SE 104th
Blocks or distance(s) from given point(s).

3. TYPE OF WORK <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Reconditioning Work <input type="checkbox"/> Test/Monitoring <input type="checkbox"/> G.W. Heat Pump <input type="checkbox"/> Other _____	<input type="checkbox"/> Plugging	4. USE <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Stock <input type="checkbox"/> Test/Monitoring <input type="checkbox"/> G.W. Heat Pump <input type="checkbox"/> Other _____	NON-DOMESTIC <input type="checkbox"/> Irrigation <input type="checkbox"/> Municipal <input type="checkbox"/> Industrial <input type="checkbox"/> Commercial <input type="checkbox"/> Other _____	5. DRILLING METHOD <input type="checkbox"/> Fluid Rotary <input type="checkbox"/> Cable <input checked="" type="checkbox"/> Air Rotary <input type="checkbox"/> H.S. Auger <input type="checkbox"/> Rev. Rotary <input type="checkbox"/> Other _____
---	-----------------------------------	--	--	---

6. LITHOLOGIC LOG			
Material	From	To	Saturated
Clay	0	160	
band	160	170	✓
Clay + shale	170	225	
band	225	245	✓

7. LOCATION PERMIT
If this well is Non-Domestic, has the location been permitted?
<input type="checkbox"/> Yes <input type="checkbox"/> No Permit No. _____

8. NEW WELL CONSTRUCTION DATA
DATES: Started <u>7-23-88</u> Completed <u>7-23-88</u>
Contractor <u>Kramer-Well Drilling</u>
Driller <u>Arnell King</u>
Diameter Hole <u>8</u> in. Total Depth <u>245</u> ft.

CASING RECORD
Diameter <u>6</u> in. From <u>10</u> ft. To <u>245</u> ft.
Surface Pipe <u>4</u> in. From <u>3</u> ft. To <u>245</u> ft.
Well Casing <u>4</u> in. From <u>3</u> ft. To <u>245</u> ft.
Cement Grout Surface Seal? <input type="checkbox"/> Yes <input type="checkbox"/> No
Type of Surface Seal: _____ Depth of Seal: <u>10</u> ft.
GRAVEL PACK:
Gravel Packed From <u>10</u> ft. to <u>245</u> ft.
Amount Used: <u>240 yds.</u>

PERFORATION RECORD
Type/Size <u>Slotted</u>
From <u>225</u> ft. To <u>245</u> ft.
From _____ ft. To _____ ft.
From _____ ft. To _____ ft.


9. WELL TEST DATA	10. PUMP INFORMATION
Static Water Level _____ ft.	Pump Type _____
Below Land Surface _____ ft.	Power Source _____
Approximate Yield _____ gpm.	Rated Capacity _____ gpm.
If Artesian: Flows _____ gpm.	Depth of Bowls or Cylinder _____ ft.

11. PLUGGING DATA
Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ Ft. To _____ ft.

12. RECONDITIONING WORK
Date Completed _____
Replaced Casing From _____ ft. To _____ ft.
Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION
The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.
Name <u>Lloyd T. King</u> License # <u>WD273</u>
Address <u>12029 NE 26th</u> Phone # <u>7696055</u>
Signed <u>Lloyd T. King</u> Date <u>9-33-88</u>

RECEIVED
JUL 27 1989
OKLA. WATER RESOURCES BOARD

13. PLAT


White—Water Resources Board
Canary—Driller's Copy
Pink—Customer's Copy

STATE OF OKLAHOMA
MULTI-PURPOSE WATER WELL REPORT
OKLAHOMA WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

1-2
NOTICE BEFORE USE OF THIS WELL: It shall be the responsibility of the well owner to have the water tested for quality by any Oklahoma Water Resources Board certified laboratory and supply copy of these results to the Oklahoma Water Resources Board.

#8528

1. WELL OWNER Harold Gaches
2. LEGAL DESCRIPTION SE 1/4 of SW 1/4 of S. 6; TWP. 10 N. S. RGE. 2 E. CMC COUNTY Cleveland
FINDING LOCATION 104 J. Ph market north to East Rd. west to end
Blocks or distance(s) from given point(s).

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring
☐ G.W. Heat Pump
☐ Other

4. USE

☒ Domestic
☐ Stock
☐ Test/Monitoring
☐ G.W. Heat Pump
☐ Other

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☒ Fluid Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☐ Air Rotary
☐ H.S. Auger

6. LITHOLOGIC LOG

Material	From	To	Saturated
Blow Sand	0	20	
Red Shell Rock	20	40	
Red Clay	40	60	
light brown water sand	60	80	
Sand Rock	80	100	
dark brown water sand	100	125	

7. LOCATION PERMIT

If this well is Non-Domestic, has the location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 4/22/87 Completed 4/22/87
Contractor Gells Pump & Supply
Driller Jimmy Penn
Diameter Hole _____ in. Total Depth 125 ft.

CASING RECORD

Surface Pipe Diameter 4" From 0 ft. To 125 ft.
Well Casing 6 in. 0 ft. To 10 ft.
Cement Grout Surface Seal? ☐ Yes ☐ No
Type of Surface Seal: Cement Depth of Seal: 10 ft.

GRAVEL PACK:

Gravel Packed From 95 ft. to 125 ft.
Amount Used: _____

PERFORATION RECORD

Type/Size PVC 4" From 105 ft. To 125 ft.
From _____ ft. To _____ ft.
From _____ ft. To _____ ft.

WELL TEST DATA

Static Water Level 80 ft.
Pump Land Surface 50 gpm.
Approximate Yield 50 gpm.
 Artesian: Flows _____ gpm.

10. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.


11. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ Ft. To _____ ft.

RECONDITIONING WORK

Date Completed _____
Replaced Casing From _____ ft. To _____ ft.
Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

13. PLAT



14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Jimmy Penn License # WD253
Address Newark Phone # 391-4744
Signed Jimmy Penn Date 8/5/22/87

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 2-3
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

MULTI-PURPOSE WATER WELL REPORT

1. OWNER Bart Everett ADDRESS (b) (6)

2. LEGAL DESCRIPTION OF WELL

NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of sec. 6; TWP. 10N S. Rge. 2 EIM WIM COUNTY CLEVELAND

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test

4. PROPOSED / PAST USE

☒ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other

6. LOG

Material	From	To	Saturated
Red shale	0	260	
Red sand	260	261	26 GPM
Red shale	261	490	
Hard sand	490	550	100 + 6 GPM

7. NEW WELL CONSTRUCTION DATA

Dates: Started _____ Completed _____
Contractor Fryar's Water Well Ser
Driller Tom Fryar
Diameter Hole 8 in. Total Depth 550 ft.

CASING RECORD

4 1/2 Diameter in. From 0 ft. To 350 ft.
in. in. ft. ft.

Surface Seal: ☒ Yes ☐ No Type: 6" PVC
Depth of Seal: 12 ft.
Gravel Packed:
Gravel Packed From 12 ft. to 350 ft.
Amount Used: _____

PERFORATION RECORD

Type Slit From 265 ft. To 270 ft.
Size _____ From 305 ft. To 310 ft.
" _____ From 340 ft. To 350 ft.

8. WELL TEST DATA

Static Water Level Below Land Surface 250 ft.
If Artesian: Flows _____ gpm.
Water Temp. _____ °C / F Quality _____

BAILER TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.
Size of Bailer: _____ gal.

PUMPING TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.

9. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK

Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

13. CERTIFICATION


The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name George T. Fryar License # WD-280
Address 7908 Melrose Lane Phone # 745-5000
Signed George T. Fryar Date 12-30-88

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

11. PLAT



NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SEC 6;

TWP. 10N S. RGE 2W EIM, WIM, ECM

RECEIVED

DEC 30 1988

OKLA. WATER RESOURCES BOARD

USE ADDITIONAL SHEETS IF NECESSARY

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 34
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

8526

MULTI-PURPOSE WATER WELL REPORT

(b) (6)

1. OWNER Chapman ADDRESS _____ PHONE _____

2. LEGAL DESCRIPTION OF WELL
SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of sec. 5; TWP. 10 N. S. Rge. 2 EIM WIM ECM; COUNTY Nowland

3. TYPE OF WORK
☒ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test

4. PROPOSED / PAST USE
☒ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test

5. DRILLING METHOD
☐ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other Air

6. LOG				7. NEW WELL CONSTRUCTION DATA	
Material	From	To	Satur. rated		
CLAY		20		Dates: Started <u>Mar 13 88</u> Completed <u>Mar 13 88</u>	
SAND ROCK	20	35		Contractor <u>Teague Drilling Co.</u>	
SHALE	35	120		Driller <u>Joe Teague</u>	
SAND ROCK	120	170		Diameter Hole <u>7</u> in. Total Depth <u>207</u> ft.	
SAND & SAND STONE	170	205	20 ft/m	CASING RECORD	
CLAY	205	207		Diameter <u>4</u> in. From <u>3</u> ft. To <u>207</u> ft.	
				Surface Seal: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Type: <u>Cement</u>	
				Depth of Seal: <u>10</u> ft.	
				Gravel Packed: _____	
				Gravel Packed From <u>170</u> ft. to <u>207</u> ft.	
				Amount Used: <u>14</u>	
				PERFORATION RECORD	
				Type <u>48 SHOT</u> From <u>180</u> ft. To <u>207</u> ft.	
				Size _____ From _____ ft. To _____ ft.	
				" _____ From _____ ft. To _____ ft.	

RECEIVED
OCT 21 1988

OKLA. WATER RESOURCES BOARD

11. PLAT

10 AC.

SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of SEC 5;
TWP. 10 N. S. RGE. 2 EIM WIM ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

8. WELL TEST DATA

Static Water Level Below Land Surface _____ ft.
If Artesian: Flows _____ gpm.
Water Temp. _____ °C/F Quality _____

BAILER TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.
Size of Bailer: _____ gal.

PUMPING TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.

9. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK

Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

13. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Teague Drilling Co. License # W.D. 384
Address Nowland Phone # _____
Signed Joe Teague Date Oct 18 88

USE ADDITIONAL SHEETS IF NECESSARY

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 3-4
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

8525
1. OWNER Draper Bros Const ADDRESS (b) (6)
Norman, Ok (b) (6)
2. LEGAL DESCRIPTION OF WELL
NW 1/4 of NE 1/4 of NE 1/4 of sec. 5; TWP. 10 S; RGE 2 E; COUNTY Cleveland

3. TYPE OF WORK
☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring
4. USE
☒ Domestic
☐ Stock
☐ Test/Monitoring
NON-DOMESTIC
☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other
5. DRILLING METHOD
EIM (Circle One)
☐ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☒ Air

6. LOG			
Material	From	To	Saturated
Topsoil	0	4	
Shale	4	96	
Sandrock	96	112	
Shale	112	134	
Sandrock	134	168	
Shale	168	179	
Sandrock	179	216	
Shale	216	220	

7. LOCATION PERMIT
If this well is Non-Domestic, has this location been permitted?
☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA
DATES: Started 8/19/86 Completed Same
Contractor Allen Drilling
Driller Gary
Diameter Hole 7 in. Total Depth 220 ft.

CASING RECORD
Diameter From To
Inside 4 in. 3 ft. 220 ft.
Outside 6 in. Top ft. 10 ft.
Cement Grout Surface Seal ☒ Yes ☐ No
Type of Surface Seal: Cement Depth of Seal: 10 ft.
GRAVEL PACKED:
Gravel Packed From 120 ft. to 220 ft.
Amount Used: 80 shovels


PERFORATION RECORD
Type Size
1/4 holes From 200 ft. To 215 ft.
" " From 160 ft. To 170 ft.
" " From _____ ft. To _____ ft.

9. WELL TEST DATA
Static Water Level Below Land Surface 120 ft.
If Artesian: Flows _____ gpm.
Approximate Yield 20 gpm.

10. PLUGGING DATA
Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK
Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION
The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.
Name Gary Allen License # WD-100
Address 1900 NW 63rd, Marsh Phone # 767-370
Signed Gary Allen Date 11/21/86

11. PLAT
10 AC.

NW 1/4 of NE 1/4 of NE 1/4 of SEC 5; TWP. 10 S; RGE 2 E; COUNTY Cleveland

12. PUMP INFORMATION
Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 3-4
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

MULTI-PURPOSE WATER WELL REPORT

1. OWNER Kevella ADDRESS (b) (6) PHONE _____

2. LEGAL DESCRIPTION OF WELL

SE 1/4 of SW 1/4 of SW 1/4 of sec. 4; TWP. 10 S; Rge. 2W EIM; COUNTY Cleveland

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test

4. PROPOSED / PAST USE

☒ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other _____

6. LOG

Material	From	To	Natu- rated ✓
SAND ROCK	0	17	
SHALE	17	70	
SAND ROCK	70	80	
SANDY CLAY	80	100	
SAND ROCK	100	135	
SAND	135	155	
SAND ROCK	155	160	20001
SAND + SAND ROCK	160	180	20001

7. NEW WELL CONSTRUCTION DATA

Dates: Started MAY 4 91 Completed MAY 4 91
Contractor Teague Drilling Co
Driller Joe Teague
Diameter Hole 7 in. Total Depth 180 ft.

CASING RECORD

Surface Pipe Diameter 6 in. From _____ ft. To 10 ft.
Casing 4 in. From _____ ft. To 180 ft.
Surface Seal: ☒ Yes ☐ No Type: CEMENT
Depth of Seal: 10 ft.
Gravel Packed: _____
Gravel Packed From 160 ft. to 180 ft.
Amount Used: 7 yd

PERFORATION RECORD

Type 1/8" Slot From 160 ft. To 180 ft.
Size _____ From _____ ft. To _____ ft.
" _____ From _____ ft. To _____ ft.

8. WELL TEST DATA

Static Water Level Below Land Surface _____ ft.
If Artesian: Flows _____ gpm.
Water Temp. _____ °C/F Quality _____

BAILER TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.
Size of Bailer: _____ gal.

PUMPING TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.

9. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK


Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

13. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Joe Teague License # 384
Address 15331 ANGEL TERR Phone # 364 2413
NORMAN
Signed Joe Teague Date _____

11. PLAT



SE 1/4 of SW 1/4 of SW 1/4 of SEC 4
TWP 10 S; RGE 2W EIM, WIM, ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

USE ADDITIONAL SHEETS IF NECESSARY

White - Water Resources Board
Canary - Drillers Copy
Pink - Drillers Copy

8524

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 3-4-1-2
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

MULTI-PURPOSE WATER WELL REPORT

1. OWNER Atkins Shady Grove Pump ADDRESS (b) (6)

2. LEGAL DESCRIPTION OF WELL
SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of sec. 4; TWP. 10 ^N S. Rge. 2 EIM WIM ECM: COUNTY Cleveland

3. TYPE OF WORK
☒ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test

4. PROPOSED / PAST USE
☒ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test

5. DRILLING METHOD
☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other _____

6. LOG			
Material	From	To	Saturated ✓
Br Dirt	0	4	
Red Clay	4	11	
Sandstone	11	15	
Red Shale	15	52	
Red Bed	52	105	
Hard Rock	105	111	
Red Bed	111	146	
Rock	146	153	
Sand	153	161	
Shale	161	182	
Sand	182	188	
Red Clay	188	199	
Red Shale	199	210	
Sand	210	214	
Shale	214	223	
Sand	223	230	

7. NEW WELL CONSTRUCTION DATA

Dates: Started 7/16/85 Completed 7/16/85
Contractor King Drilling Co.
Driller W. King
Diameter Hole 8 in. Total Depth 230 ft.


CASING RECORD

4 Diameter From -3 To 230
in. ft. ft.
6 in. +1 ft. 10 ft.

Surface Seal: ☒ Yes ☐ No Type: Cement
Depth of Seal: 10 ft.
Gravel Packed: _____
Gravel Packed From 10 ft. To 230 ft.
Amount Used: 2 yds

PERFORATION RECORD

Type Slotted From 910 ft. To 230 ft.
Size _____ From _____ ft. To _____ ft.
" _____ From _____ ft. To _____ ft.



TWP 10 ^N S. RGE 2 EIM WIM ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

8. WELL TEST DATA

Static Water Level Below Land Surface _____ ft.
If Artesian: Flows _____ gpm.
Water Temp. _____ °C/F Quality _____

BAILER TEST

Drawdown _____ ft. After Pumping _____ hrs. At 6 gpm.
Size of Bailer: _____ gal.

PUMPING TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.

9. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK

Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

13. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name King Drilling Co. License # WD 273
Address 12025 NE 26 Phone # 7695723
Signed Walter E. King Date 4/10/86

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 3-4
Aquifer _____
Steam System Code _____
Use Code _____
County _____ (Official Use Only)

8523

1. OWNER Quita Ward ADDRESS (b) (6)
Moore
2. LEGAL DESCRIPTION OF WELL
SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of sec. 4; TWP. 10 S; RGE 2 EIM (Circle One) WIN ECM; COUNTY Cleveland

3. TYPE OF WORK
☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring
4. USE
☒ Domestic
☐ Stock
☐ Test/Monitoring
NON-DOMESTIC
☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other
5. DRILLING METHOD
☐ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☒ Air

6. LOG			
Material	From	To	Saturated
Topsoil	0	2	<input checked="" type="checkbox"/>
Clay	2	36	
Sandrock	36	43	
Clay	43	106	
Sandrock	106	122	
Shale	122	148	
Sandrock	148	180	
Shale	180	188	
Sandrock	188	220	

7. LOCATION PERMIT
If this well is Non-Domestic, has this location been permitted?
☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA
DATES: Started 9/12/85 Completed Same
Contractor Allen Drilling
Driller Gary
Diameter Hole 7 in. Total Depth 220 ft.

CASING RECORD
Diameter From To
Inside 4 in. 3 ft. 220 ft.
Outside 6 in. Top ft. 10 ft.
Cement Grout Surface Seal ☒ Yes ☐ No
Type of Surface Seal: Cement Depth of Seal: 10 ft.
GRAVEL PACKED:
Gravel Packed From 115 ft. to 220 ft.
Amount Used: 95 shovels


PERFORATION RECORD
Type Size
1/4 holes From 200 ft. To 215 ft.
1" From 190 ft. To 200 ft.
From _____ ft. To _____ ft.

9. WELL TEST DATA
Static Water Level Below Land Surface 120' ft.
If Artesian: Flows _____ gpm.
Approximate Yield 25 gpm.

10. PLUGGING DATA
Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK
Date Completed _____
☐ Replace Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION
The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.
Name Gary Allen License # W0100
Address 19001 NE 63RD Phone # 769-3700
Signed Gary Allen Date 2/28/86



SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of SEC 4; TWP. 10 S; RGE 2 EIM (Circle One) WIN ECM

12. PUMP INFORMATION
Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 3-4
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

8522

1. OWNER W.L. Green ADDRESS _____

2. LEGAL DESCRIPTION OF WELL

NE 1/4 of NE 1/4 of NW 1/4 of sec. 4; TWP. 10 S; RGE 2 E; COUNTY Cleveland

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE

☒ Domestic
☐ Stock
☐ Test Monitoring

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☐ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☒ Air

6. LOG

Material	From	To	Saturated
Topsoil	0	2	
Shale	2	115	
Sandrock	115	130	
Shale	130	142	
Sandrock	142	170	
Shale	170	181	
Sandrock	181	210	

7. LOCATION PERMIT

If this well is Non-Domestic, has this location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 5/2/85 Completed 5/2/85
Contractor Allen Drilling
Driller Gary
Diameter Hole 7 in. Total Depth 210 ft.

CASING RECORD

Diameter 4 in. From 3 ft. To 210 ft.
Outside 6 in. Top ft. 10 ft.
Cement Grout Surface Seal ☒ Yes ☐ No
Type of Surface Seal: Cement Depth of Seal: 10 ft.

GRAVEL PACKED:

Gravel Packed From 125 ft. to 210 ft.
Amount Used: 70 shovels

PERFORATION RECORD

Type Size
1/4 Hole From 190 ft. To 205 ft.
" From 160 ft. To 170 ft.
" From _____ ft. To _____ ft.

9. WELL TEST DATA

Static Water Level Below Land Surface 125 ft.
If Artesian: Flows _____ gpm.
Approximate Yield 20 gpm.

10. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

11. RECONDITIONING WORK


Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Gary Allen License # AD-100
Address 19001 NE 63rd Phone # 269-372
Signed Gary Allen Date 6/2/85

11. PLAT



NE 1/4 of NE 1/4 of NW 1/4 of SEC 4;
(Circle One)
TWP 10 S; RGE 2 E; EIM 10 ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinders _____ ft.

White - Water Resources Board
Canary - Drillers Copy
Pink - Drillers Copy

8519

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 34
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

MULTI-PURPOSE WATER WELL REPORT

1. OWNER IMAN ADDRESS (b) (6)

2. LEGAL DESCRIPTION OF WELL
SW $\frac{1}{4}$ of N.W. $\frac{1}{4}$ of S.W. $\frac{1}{4}$ of sec. 4; TWP. 10 S; Rge. 2 EIM WIN ECM; COUNTY Cleveland

3. TYPE OF WORK
☒ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test

4. PROPOSED / PAST USE
☒ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test

5. DRILLING METHOD
☐ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other Air

6. LOG			
Material	From	To	Satur. / rated
SHALE	5	92	
SAND ROCK	92	100	
SHALE	100	152	
SAND + SANDSTONE	152	197	158 ppm
SHALE	197	212	
SAND STONE	212	240	203 ppm

7. NEW WELL CONSTRUCTION DATA

Dates: Started June 19 88 Completed June 19 88
Contractor Teague Drilling Co.
Driller Joe Teague
Diameter Hole 7 in. Total Depth 240 ft.

CASING RECORD

Diameter	From	To
<u>4</u> in.	<u>3</u> ft.	<u>240</u> ft.
<u>6</u> in.		<u>10</u> ft.


Surface Seal: ☒ Yes ☐ No Type: Cement
Depth of Seal: 10 ft.
Gravel Packed:
Gravel Packed From 212 ft. to 240 ft.
Amount Used: 140

PERFORATION RECORD

Type	From	To
<u>4 shot</u>	<u>220</u> ft.	<u>240</u> ft.
Size		
"		

RECEIVED
OCT 21 1988

OKLA. WATER RESOURCES BOARD



12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

8. WELL TEST DATA

Static Water Level Below Land Surface _____ ft.
If Artesian: Flows _____ gpm.
Water Temp. _____ °C / °F Quality _____

BAILER TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.
Size of Bailer: _____ gal.

PUMPING TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.

9. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK

Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

13. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Teague Drilling Co. License # WD 384
Address NORMAN Phone # _____
Signed Joe Teague Date Oct 18 88

28897

MULTI-PURPOSE COMPLETION REPORT


OKLAHOMA WATER RESOURCES BOARD

600 N. HARVEY AVE.

P.O. BOX 150

OKLAHOMA CITY, OK 73101-0150

Please plot well location



Legal Description

NE 1/4 SE 1/4 34 1/4 of Sec. 32 Twp. 11N Rge. 34W

County Ok Well No: (b) (6)Well Owner T. B. Hoang Phone (b) (6)Address (b) (6)Finding location 1/2 E of Penn. on SE 89th, N. on RT. Side

Type of work

- ☐ Geotechnical Boring
☐ G.W. Heat Pump Well
☐ Monitor Well
☐ Observation Well
☐ Piezometer
☐ Plugging
☐ Pump Inst. *
☐ Reconditioning
☐ G.W. Well Test Hole
☐ De-watering
☒ Groundwater Well

G.W. Permitted Use

- ☒ Domestic (None Required)
☐ Non-Domestic:
 Specify Purpose _____

Drilling Method

- ☐ Hand Auger
☐ Cable Tool
☒ Air Rotary
☐ Fluid Rotary
☐ H.S. Auger
☐ S.S. Auger
☐ Rev. Rotary
☐ D.W. Rev. Rotary
☐ Other _____

Lithologic Log

Material	From	To	Satur- ated
Topsoil	0	2	
Clay	2	8	✓
Shale	8	190	
Sandrock	190	200	
Shale	200	265	
Sandrock	265	320	✓
Shale	320	325	
Sandrock	325	360	✓
Shale	360	370	
Sandrock	370	395	✓
Shale	395	400	

Non-Domestic (OWRB Permitting Required)

If this groundwater well is for other than domestic use (use of water for household purposes, for farm and domestic animals up to the normal grazing capacity of the land & for the irrigation of land not to exceed 3 acres.) Permit No: _____

New Boring or Well Construction Data

Date: Started 10/22/92 Completed 10/23/92
 Firm Allen Drilling
 Operator Harry Op. No. 0003
 Type of Construction ☐ Open Hole ☒ Cased Hole
☐ Temporary ☒ Permanent
 Hole Diameter 8 inches total depth 400 feet
 Hole Diameter _____ inches total depth _____ feet

CASING RECORD diameter _____ from _____ to _____ feet
 Surface Casing 8 inches 10 feet 10 feet
 Well casing 4 1/2 inches 3 feet 400 feet
 Well casing _____ inches _____ feet _____ feet
 Well casing _____ inches _____ feet _____ feet

SCREEN or PERFORATION RECORD

Type and Slot Size 1/16" slots from 310 feet to 320 feet
340 feet 360 feet
380 feet 395 feet

FILTER PACK

Type and Size 3/8" Pea Gravel from 260 feet to 400 feet
 _____ feet _____ feet
 _____ feet _____ feet

SEAL Cement Grout Surface Seal Installed ☒ Yes ☐ No

Type of Surface Seal Cement 22 feet 40 feet
 Annular Seal Type Cement 250 feet 260 feet
 Type of Filter Pack Seal _____ feet _____ feet

TYPE OF COMPLETION

- ☒ Above Ground ☒ Pitless Adapter
☐ Flush Mounted

SURFACE PAD (Size in Feet)

_____ X _____ X _____ inches

HYDROLOGIC DATA First Water Zone Encountered 240 ft.
 Approximate Yield 35 GPM Flowing Artesian ☐ Yes ☒ No

Plugging Data

- ☐ Non-Contaminated ☐ Contaminated

Date Plugged _____
 Backfilled From _____ feet _____ feet Type _____
 Grouted From _____ feet _____ feet Type _____
 Cement Grouted From _____ feet _____ feet Trimmed ☐ Yes ☐ No

Reconditioning Work

Replaced Casing/Screen From _____ feet _____ feet
 Deepened Well From _____ feet _____ feet
 Redeveloped Well By _____

Certification

The work described above was done under my supervision. ✓
 This report is correct to the best of my knowledge.

Name Harry Allen D/P.C. NO. 0003
 Address 1751 E. Reno Phone 469-5700
 Signed Harry Allen Date 3/7/93

MAR 18 1993

*Oklahoma Water Resources Board

*See Pump Installers Form On Back

White—Water Resources Board
Canary—Driller's Copy
Pink—Customer's Copy

STATE OF OKLAHOMA
MULTI-PURPOSE WELL REPORT
OKLAHOMA WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

2-3

28610

1. WELL OWNER Tom Webster

PHONE _____

2. LEGAL DESCRIPTION SE 1/4 of SE 1/4 of NW 1/4 of sec. 28, TWP. 11N, S. RGE 3E, ECM COUNTY OK

FINDING LOCATION 720 SW 63rd
Blocks or distance(s) from given point(s).

3. TYPE OF WORK

- ☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Monitoring
☐ Test Hole
☐ Other _____

4. USE

- ☒ Domestic
☐ Stock
☐ Monitoring
☐ Test Hole
☐ Other _____

NON-DOMESTIC

- ☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other _____

5. DRILLING METHOD

- ☐ Fluid Rotary ☐ Rev. Rotary
☐ Cable ☐ Other _____
☒ Air Rotary
☐ H.S. Auger

LITHOLOGIC LOG

Material	From	To	Saturated
Sandy Clay	0	28	
Shale	28	125	
Sand Rock	125	142	✓
Shale	142	185	
Sand Rock	185	215	✓
Shale	215	280	
Water Sand	280	310	✓
Sandy Shale	310	325	
Water Sand	325	360	✓

7. LOCATION PERMIT

If this well is Non-Domestic, has the location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 8-7-91 Completed 8-7-91
Contractor Vannoy & Son
Driller Steve Vannoy
Diameter Hole 8 in. Total Depth 360 ft.

CASING RECORD

Diameter From To
Surface Pipe 6 in. Tap ft. 10 ft.
Well Casing 4 1/2 in. 3 ft. 360 ft.
Cement Grout Surface Seal? ☒ Yes ☐ No
Type of Surface Seal: Cement Depth of Seal: 10 ft.

GRAVEL PACK:

Gravel Packed From 170 ft. to 360 ft.
Amount Used: 3800 Pounds

PERFORATION RECORD

Type/Size From To
Slotted .040 From 280 ft. To 310 ft.
Slotted .040 From 330 ft. To 360 ft.
From ft. To ft.

9. WELL TEST DATA

Static Water Level
Below Land Surface 200 ft.
Approximate Yield _____ gpm.
If Artesian: Flows _____ gpm.

10. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

11. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ Ft. To _____ ft.

12. RECONDITIONING WORK

Date Completed _____
Replaced Casing From _____ ft. To _____ ft.
Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Vannoy & Son Drilling License # WID107
Address P.O. Box 429 Nicoma Park Phone # 7692255


Signed [Signature] Date 8-12-91

RECEIVED

DEC 21 1992

Oklahoma Water Resources Board

13. PLAT



White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

#6500

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 1-2
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

1. OWNER Granville M. [redacted] ADDRESS [redacted]
2. LEGAL DESCRIPTION OF WELL
SW 1/4 of NE 1/4 of SW 1/4 of sec. 27; TWP. 11 S; RGE 3 E1M; COUNTY OKLA

3. TYPE OF WORK
☐ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring
4. USE
☐ Domestic
☐ Stock
☐ Test/Monitoring
NON-DOMESTIC
☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other
5. DRILLING METHOD
☐ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☐ Air

6. LOG			
Material	From	To	Saturated
top soil - clay	0	15	
good sand & gravel	15	43	
Shale	43	50	

7. LOCATION PERMIT
If this well is Non-Domestic, has this location been permitted?
☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA
DATES: Started 7 May 87 Completed same
Contractor David [redacted]
Driller David [redacted]
Diameter Hole 12 in. Total Depth 50 ft.

CASING RECORD
Diameter From To
Inside 40 in. 2 ft. 50 ft.
Outside _____ in. _____ ft. _____ ft.
Cement Grout Surface Seal ☐ Yes ☐ No
Type of Surface Seal: Seal & Cement Depth of Seal: 10' ft.
GRAVEL PACKED:
Gravel Packed From 10 ft. to 50 ft.
Amount Used: all


PERFORATION RECORD
Type Size
Slot/42 From 30 ft. To 50 ft.
From _____ ft. To _____ ft.
From _____ ft. To _____ ft.

9. WELL TEST DATA
Static Water Level Below Land Surface 15 ft.
If Artesian: Flows _____ gpm.
Approximate Yield 20 gpm.

10. PLUGGING DATA
Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK
Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION
The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.
Name David [redacted] License # WD38
Address [redacted] Phone # _____
Signed [redacted] Date 16 May 87

11. PLAT
10 AC.

SW 1/4 of NE 1/4 of SW 1/4 of SEC 27;
(Circle One)
TWP. 11 S; RGE 3 E1M, W1M, ECM

12. PUMP INFORMATION
Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

White—Water Resources Board
Canary—Driller's Copy
Pink—Customer's Copy

STATE OF OKLAHOMA
MULTI-PURPOSE WATER WELL REPORT
OKLAHOMA WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

NOTICE BEFORE USE OF THIS WELL: It shall be the responsibility of the well owner to have the water tested for quality by any Oklahoma Water Resources Board certified laboratory and supply copy of these results to the Oklahoma Water Resources Board.

#6498

1. WELL OWNER Russell Lawson PHONE (b) (6)
2. LEGAL DESCRIPTION NW 1/4 of NE 1/4 of NW 1/4 of sec. 22, TWP. 11N, RGE 3E, ECM COUNTY OKLA.
FINDING LOCATION 5678 NW 36
Blocks or distance(s) from given point(s).

3. TYPE OF WORK <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Reconditioning Work <input type="checkbox"/> Test/Monitoring <input type="checkbox"/> G.W. Heat Pump <input type="checkbox"/> Other _____	<input type="checkbox"/> Plugging	4. USE <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Stock <input type="checkbox"/> Test/Monitoring <input type="checkbox"/> G.W. Heat Pump <input type="checkbox"/> Other _____	NON-DOMESTIC <input type="checkbox"/> Irrigation <input type="checkbox"/> Municipal <input type="checkbox"/> Industrial <input type="checkbox"/> Commercial <input type="checkbox"/> Other _____	5. DRILLING METHOD <input checked="" type="checkbox"/> Fluid Rotary <input type="checkbox"/> Rev. Rotary <input type="checkbox"/> Cable <input type="checkbox"/> Air Rotary <input type="checkbox"/> H.S. Auger <input type="checkbox"/> Other _____
---	-----------------------------------	--	--	---

6. LITHOLOGIC LOG			
Material	From	To	Saturated
Clay	0	18	
Sand & gravel	18	46	
red bed	46	50	

7. LOCATION PERMIT
If this well is Non-Domestic, has the location been permitted?
<input type="checkbox"/> Yes <input type="checkbox"/> No Permit No. _____

8. NEW WELL CONSTRUCTION DATA
DATES: Started <u>10 July 87</u> Completed <u>same</u>
Contractor <u>Samuel</u>
Driller <u>Samuel</u>
Diameter Hole <u>12</u> in. Total Depth <u>50</u> ft.

CASING RECORD		
Diameter	From	To
Surface Pipe <u>6.75</u> in.	<u>4.1</u> ft.	<u>10</u> ft.
Well Casing <u>4.12</u> in.	<u>3</u> ft.	<u>50</u> ft.
Cement Grout Surface Seal? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Type of Surface Seal: <u>10</u>	Depth of Seal: <u>Samuel</u> ft.	
GRAVEL PACK:		
Gravel Packed From <u>10</u> ft.	to <u>50</u> ft.	
Amount Used: <u>all</u>		

PERFORATION RECORD		
Type/Size	From	To
<u>Slot 4.2</u>	<u>30</u> ft.	<u>50</u> ft.
	From	To
	From	To

9. WELL TEST DATA	10. PUMP INFORMATION
Static Water Level	Pump Type
Below Land Surface <u>20</u> ft.	Power Source
Approximate Yield <u>20</u> gpm.	Rated Capacity _____ gpm.
If Artesian: Flows _____ gpm.	Depth of Bows or Cylinder _____ ft.


11. PLUGGING DATA	
Date Plugged _____	Material To _____ ft.
Backfilled With _____	Grouted or Cemented From _____ Ft. To _____ ft.

12. RECONDITIONING WORK	
Date Completed _____	Replaced Casing From _____ ft. To _____ ft.
Replaced Screen From _____ ft. To _____ ft.	Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____	

14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Samuel S. S. S. License # WDR33
Address 4410 NW 10 Phone # 743-204
Signed Samuel S. S. Date 1 Aug 87



White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 2-3
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

#6496
1. OWNER Phil Manner ADDRESS (b) (6)
OKC OK 73154

2. LEGAL DESCRIPTION OF WELL
SW 1/4 of SE 1/4 of NW 1/4 of sec. 14; TWP. 11 S; RGE 3 EIM WIM ECM; COUNTY Okech

3. TYPE OF WORK
☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE
☒ Domestic
☐ Stock
☐ Test/Monitoring

NON-DOMESTIC
☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD
☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☒ Air

6. LOG			
Material	From	To	Saturated
Soft clay - water	0	20	
Clay - Shale	20	40	
Shale	40	60	
Shale w/ little water	60	80	
Shale	80	100	
Shale	100	120	
"	120	140	
Shale & little water	140	160	

7. LOCATION PERMIT
If this well is Non-Domestic, has this location been permitted?
☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA
DATES: Started 7 Aug Completed 7 Aug 85
Contractor Prindle Drilling
Driller David Prindle
Diameter Hole 6 3/4 in. Total Depth 160 ft.

CASING RECORD
Diameter 4 1/2 in. From 10 ft. To 16 ft.
Inside _____ in. _____ ft. _____ ft.
Outside _____ in. _____ ft. _____ ft.
Cement Grout Surface Seal ☒ Yes ☐ No
Type of Surface Seal Steel & Cement Depth of Seal: 10 ft.
GRAVEL PACKED:
Gravel Packed From 0 ft. to 160 ft.
Amount Used: 200


PERFORATION RECORD
Type/Size
Slot 4 1/2 From 20 ft. To 30 ft.
From 50 ft. To 55 ft.
From 75 ft. To 80 ft.
From 100 ft. To 105 ft.
From 125 ft. To 130 ft.
From 150 ft. To 160 ft.

9. WELL TEST DATA
Static Water Level Below Land Surface 50' ft.
If Artesian: Flows _____ gpm.
Approximate Yield 5 gpm.

10. PLUGGING DATA
Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK
Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION
The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.
Name Prindle Drilling License # WD-33
Address 4610 NW 10 OKC Phone # 943-3804
Signed David Prindle Date 10/14/85



SW 1/4 of SE 1/4 of NW 1/4 of SEC 14;
(Circle One)
TWP. 11 S; RGE 3 EIM WIM ECM

12. PUMP INFORMATION
Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

29519

MULTI-PURPOSE COMPLETION REPORT

OKLAHOMA WATER RESOURCES BOARD


600 N. HARVEY AVE.

P.O. BOX 150

OKLAHOMA CITY, OK 73101-0150

3-4

Please plot well location



Legal Description

SE 1/4 NW 1/4 SW 1/4 of Sec. 20 Twp. 11N Rge. 2WCounty Oklahoma

Well No: _____

Well Owner Mrs Rose

Phone _____

Address _____

Finding location SE 55th & Sunny Lane & East
on North Side

Type of work

- ☐ Geotechnical Boring
☐ G.W. Heat Pump Well
☐ Monitor Well
☐ Observation Well
☐ Piezometer
☐ Plugging
☐ Pump Inst.*
☐ Reconditioning
☐ G.W. Well Test Hole
☐ De-watering
☒ Groundwater Well

G.W. Permitted Use

- ☒ Domestic (None Required)
☐ Non-Domestic:
 Specify Purpose _____

Drilling Method

- ☐ Hand Auger
☐ Cable Tool
☒ Air Rotary
☐ Fluid Rotary
☐ H.S. Auger
☐ S.S. Auger
☐ Rev. Rotary
☐ D.W. Rev. Rotary
☐ Other

Lithologic Log

Material	From	To	Saturated
Top Soil	Top	2	
SAND	2	6	
Shale	6	70	
SAND Rock	70	100	✓
Shale	100	110	
SAND Rock	110	120	✓

Non-Domestic (OWRB Permitting Required)

If this groundwater well is for other than domestic use (use of water for household purposes, for farm and domestic animals up to the normal grazing capacity of the land & for the irrigation of land not to exceed 3 acres.) Permit No: _____

New Boring or Well Construction Data

Date: Started 7-8-92 Completed 7-8-92Firm Vannoy & SonOperator Steve Vannoy Op.No. 1332Type of Construction ☐ Open Hole ☒ Cased Hole☐ Temporary ☒ PermanentHole Diameter 8 inches total depth 120 feet

Hole Diameter _____ inches total depth _____ feet

CASING RECORD diameter from _____ to _____

Surface Casing 4 1/2 inches Top feet 10 feetWell casing 4 1/2 inches Top feet 120 feet

Well casing _____ inches _____ feet _____ feet

Well casing _____ inches _____ feet _____ feet

SCREEN or PERFORATION RECORD

Type and Slot Size Slotted .040 from 80 feet to 100 feet110 feet 120 feet

_____ feet _____ feet

FILTER PACK

Type and Size 1/8" from 10 feet to 120 feet

_____ feet _____ feet

_____ feet _____ feet

SEAL Cement Grout Surface Seal Installed ☒ Yes ☐ NoType of Surface Seal Cement Top feet 10 feet

Annular Seal Type _____ feet _____ feet

Type of Filter Pack Seal _____ feet _____ feet

TYPE OF COMPLETION

- ☒ Above Ground
☐ Flush Mounted
☐ Pitless Adapter

SURFACE PAD (Size in Feet)

_____ X _____ X _____ inches

HYDROLOGIC DATA First Water Zone Encountered 70 ft.Approximate Yield 10 GPM Flowing Artesian ☐ Yes ☒ No

Plugging Data

☐ Non-Contaminated ☐ Contaminated

Date Plugged _____

Backfilled From _____ feet _____ feet Type _____

Grouted From _____ feet _____ feet Type _____

Cement Grouted From _____ feet _____ feet Trimmed ☐ Yes ☐ No

Reconditioning Work

Replaced Casing/Screen From _____ feet _____ feet

Deepened Well From _____ feet _____ feet

Redeveloped Well By _____

Certification

The work described above was done under my supervision. ✓
 This report is correct to the best of my knowledge.

Name Steve Vannoy D/PC. NO. 0713Address 11320 NE 23rd Phone 768 2255Signed Steve Vannoy Date 7-8-92

KW

* See Pump Installers Form On Back

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 3-4
Aquifer _____
Steam System Code _____
Use Code _____
County _____ (Official Use Only)

#6477
1. OWNER Draper Bros. ADDRESS (b) (6)
Midwest City
2. LEGAL DESCRIPTION OF WELL
SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of sec. 20; TWP. 11 S; RGE 2 E; COUNTY Oklahoma

3. TYPE OF WELL
☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring
4. USE
☒ Domestic
☐ Stock
☐ Test/Monitoring
NON-DOMESTIC
☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other
5. DRILLING METHOD
☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☐ Air

6. LOG			
Material	From	To	Saturated
Sand	0	4	
Red Sand Rock	4	33	
Brown Water Sand	33	80	
Red Shell Rock	80	100	
White Water Sand	100	140	
100 G.P.M.			

7. LOCATION PERMIT
If this well is Non-Domestic, has this location been permitted?
☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA
DATES: Started 11-9-85 Completed 11-9-85
Contractor Still Pump & Supply
Driller George D Casey
Diameter Hole 7 in. Total Depth 140 ft.

CASING RECORD
Diameter From To
Inside 4 in. 0 ft. 140 ft.
Outside 6 in. 0 ft. 10 ft.
Cement Grout Surface Seal ☐ Yes ☐ No
Type of Surface Seal: Cement Depth of Seal: 10 ft.
GRAVEL PACKED:
Gravel Packed From 30 ft. to 140 ft.
Amount Used: _____


PERFORATION RECORD
Type/Size
PVC 1/4" From 120 ft. To 140 ft.
From _____ ft. To _____ ft.
From _____ ft. To _____ ft.

9. WELL TEST DATA
Static Water Level Below Land Surface _____ ft.
If Artesian: Flows _____ gpm.
Approximate Yield _____ gpm.

10. PLUGGING DATA
Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK
Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION
The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.
Name George D Casey License # WD-253
Address Newalla Phone # 391-4744
Signed George D Casey Date 12-9-85

11. PLAT
10 AC.

SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of SEC 20;
TWP. 11 S; RGE 2 E; COUNTY Oklahoma

12. PUMP INFORMATION
Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 3-4
Aquifer _____
Steam System Code _____
Use Code _____
County _____ (Official Use Only)

#6476
1. OWNER Jerry Meek
Apalachee Builders
Oklahoma City, Okla ADDRESS (b) (6)

2. LEGAL DESCRIPTION OF WELL
SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of sec. 20; TWP. 11 S; RGE 2 E1M (Circle One) WIM
ECM; COUNTY Oklahoma

3. TYPE OF WORK
☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE
☒ Domestic
☐ Stock
☐ Test/Monitoring

NON-DOMESTIC
☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD
☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☒ Air

6. LOG			
Material	From	To	Satur- ated
Loam - S. Rock	0	20	
S. Rock - shale	20	40	
Shale - S. Rock	40	60	
Sand. Rock with water	60	80	
S. Rock water	80	100	
Water shale	100	120	
Shale water	120	140	
Water Sand	140	180	

RECEIVED
FEB 18 1986
Oklahoma Water Resources Board

7. LOCATION PERMIT
If this well is Non-Domestic, has this location been permitted?
☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA
DATES: Started 15 Jan 86 Completed 15 Jan 86
Contractor Apalachee Builders
Driller Walt R. R. R. ICFM
Diameter Hole 6 3/4 in. Total Depth 180 ft.

CASING RECORD
Diameter 4 1/2 in. From 0 ft. To 180 ft.
Outside _____ in. _____ ft. _____ ft.
Cement Grout Surface Seal ☒ Yes ☐ No
Type of Surface Seal Cement Depth of Seal: 10 ft.
GRAVEL PACKED:
Gravel Packed From 10 ft. to 180 ft.
Amount Used 100

PERFORATION RECORD
Type/Size Slot 4 1/2
From 100 ft. To 110 ft.
From 130 ft. To 140 ft.
From 160 ft. To 180 ft.

9. WELL TEST DATA
Static Water Level Below Land Surface _____ ft.
If Artesian: Flows _____ gpm.
Approximate Yield _____ gpm.

10. PLUGGING DATA
Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK
Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION
The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.
Name Donald S. Supply License # 400-33
Address 4810 N.W. 10th St. OKC, OK Phone # 943-3809
Signed Donald S. Supply Date 1 Feb 86

11. PLAT
10 AC.

SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of SEC 20;
TWP. 11 S; RGE 2 E1M (Circle One) WIM
ECM

12. PUMP INFORMATION
Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

White—Water Resources Board
Canary—Driller's Copy
Pink—Customer's Copy

STATE OF OKLAHOMA
MULTI-PURPOSE WATER WELL REPORT
OKLAHOMA WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

3-4

#6474

1. WELL OWNER Doyle Fowler PHONE _____
EIM (Circle One) ECM
2. LEGAL DESCRIPTION SE 1/4 of NE 1/4 of S14 1/4 of sec. 20; TWP. 11 N S. RGE 2 ECM COUNTY OK.
FINDING LOCATION 4531 SE 55th
Blocks or distance(s) from given point(s).

3. TYPE OF WORK <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Plugging <input type="checkbox"/> Reconditioning Work <input type="checkbox"/> Test/Monitoring <input type="checkbox"/> G.W. Heat Pump <input type="checkbox"/> Other _____	4. USE <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Stock <input type="checkbox"/> Test/Monitoring <input type="checkbox"/> G.W. Heat Pump <input type="checkbox"/> Other _____	NON-DOMESTIC <input type="checkbox"/> Irrigation <input type="checkbox"/> Municipal <input type="checkbox"/> Industrial <input type="checkbox"/> Commercial <input type="checkbox"/> Other _____	5. DRILLING METHOD <input type="checkbox"/> Fluid Rotary <input type="checkbox"/> Rev. Rotary <input type="checkbox"/> Cable <input type="checkbox"/> Other _____ <input checked="" type="checkbox"/> Air Rotary <input type="checkbox"/> H.S. Auger
---	--	--	---

LITHOLOGIC LOG			
Material	From	To	Saturat
Clay	0	15	
Sandrock	15	38	
Shale	38	55	
Sandrock	55	80	
Water	80	120	x

7. LOCATION PERMIT
If this well is Non-Domestic, has the location been permitted?
☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA
DATES: Started 8-3-88 Completed 8-3-88
Contractor Vannoy & Son Drilling
Driller Mal
Diameter Hole 8 in. Total Depth 120 ft.


CASING RECORD
Diameter From To
Surface Pipe 6 5/8 in. 0 ft. 10 ft.
Well Casing 5" in. 3 ft. 120 ft.
Cement Grout Surface Seal? ☒ Yes ☐ No
Type of Surface Seal: Steel Depth of Seal: 10 ft.
GRAVEL PACK:
Gravel Packed From 50 ft. to 120 ft.
Amount Used: 1400 Lbs

PERFORATION RECORD
Type/Size From To
5" From 90 ft. To 120 ft.
Slotted From _____ ft. To _____ ft.
From _____ ft. To _____ ft.

9. WELL TEST DATA Static Water Level _____ ft. Below Land Surface _____ ft. Approximate Yield _____ gpm. If Artesian: Flows _____ gpm.	10. PUMP INFORMATION Pump Type _____ Power Source _____ Rated Capacity _____ gpm. Depth of Bowls or Cylinder _____ ft.
---	---

11. PLUGGING DATA
Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ Ft. To _____ ft.

12. RECONDITIONING WORK
Date Completed _____
Replaced Casing From _____ ft. To _____ ft.
Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____



14. CERTIFICATION
The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.
Name Vannoy & Son Drilling License # WD-107
Address P.O. 429 Nicoma Park, OK. Phone # 769-2255
Signed [Signature] Date 8-1-88

White—Water Resources Board
Canary—Driller's Copy
Pink—Customer's Copy

STATE OF OKLAHOMA
MULTI-PURPOSE WATER WELL REPORT
OKLAHOMA WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

#22697

1. WELL OWNER Shady Brook Pump Don Moore PHONE _____
2. LEGAL DESCRIPTION SW 1/4 of SE 1/4 of Sec. 17, TWP. 14 N, S. 10 E, RGE 2 ECM COUNTY OK
FINDING LOCATION Sooner, 1/4 SE 44 West to 4709 SE 44
Blocks or distance(s) from given point(s).

3. TYPE OF WORK <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Reconditioning Work <input type="checkbox"/> Test/Monitoring <input type="checkbox"/> G.W. Heat Pump <input type="checkbox"/> Other _____	<input type="checkbox"/> Plugging	4. USE <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Stock <input type="checkbox"/> Test/Monitoring <input type="checkbox"/> G.W. Heat Pump <input type="checkbox"/> Other _____	NON-DOMESTIC <input type="checkbox"/> Irrigation <input type="checkbox"/> Municipal <input type="checkbox"/> Industrial <input type="checkbox"/> Commercial <input type="checkbox"/> Other _____	5. DRILLING METHOD <input type="checkbox"/> Fluid Rotary <input type="checkbox"/> Cable <input checked="" type="checkbox"/> Air Rotary <input type="checkbox"/> H.S. Auger <input type="checkbox"/> Rev. Rotary <input type="checkbox"/> Other _____
--	-----------------------------------	---	---	--

LITHOLOGIC LOG			
Material	From	To	Saturated
Clay	0	75	
Sand Rock	75	95	✓
Clay	95	110	
Sand Rock	110	135	✓
Clay	135	155	
Sand Rock	155	170	✓

7. LOCATION PERMIT If this well is Non-Domestic, has the location been permitted? <input type="checkbox"/> Yes <input type="checkbox"/> No Permit No. _____

8. NEW WELL CONSTRUCTION DATA DATES: Started <u>4-10-89</u> Completed <u>4-10-89</u> Contractor <u>King's Well Drilling Co.</u> Driller <u>Arnell King</u> Diameter Hole <u>8</u> in. Total Depth <u>170</u> ft.
--

CASING RECORD Diameter <u>6</u> in. From <u>0</u> ft. To <u>10</u> ft. Surface Pipe <u>4</u> in. <u>1</u> ft. <u>170</u> ft. Well Casing <u>4</u> in. <u>1</u> ft. <u>170</u> ft. Cement Grout Surface Seal? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Type of Surface Seal: <u>Cement</u> Depth of Seal: <u>10</u> ft. GRAVEL PACK: Gravel Packed From <u>10</u> ft. To <u>170</u> ft. Amount Used: <u>2 yds.</u>
--

PERFORATION RECORD Type/Size <u>Plated</u> From <u>150</u> ft. To <u>170</u> ft. From _____ ft. To _____ ft. From _____ ft. To _____ ft.


9. WELL TEST DATA Static Water Level _____ ft. Below Land Surface _____ ft. Approximate Yield _____ gpm. If Artesian: Flows _____ gpm.	10. PUMP INFORMATION Pump Type _____ Power Source _____ Rated Capacity _____ gpm. Depth of Bowls or Cylinder _____ ft.
--	--

11. PLUGGING DATA Date Plugged _____ Backfilled With _____ Material To _____ ft. Grouted or Cemented From _____ Ft. To _____ ft.

12. RECONDITIONING WORK Date Completed _____ Replaced Casing From _____ ft. To _____ ft. Replaced Screen From _____ ft. To _____ ft. Deepened Well From _____ ft. To _____ ft. Redeveloped Well By _____

14. CERTIFICATION The work described above was done under my supervision, and this report is true and correct to the best of my knowledge. Name <u>King Drilling</u> License # <u>WD 271</u> Address <u>12100 N.E. 200</u> Phone # <u>7196723</u> Signed <u>Lloyd S. King</u> Date <u>4-10-89</u>

RECEIVED
AUG 27 1990
OKLA. WATER RESOURCES BOARD

13. PLAT 

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. _____
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

17645
1. OWNER Alfred Drummey ADDRESS (b) (6)

2. LEGAL DESCRIPTION OF WELL

NW 1/4 of NE 1/4 of SW 1/4 of sec. 17; TWP. 11 S; RGE 2 EIM (Circle One) WIM ECM; COUNTY OKLA

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE

☒ Domestic
☐ Stock
☐ Test Monitoring

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☐ Air

6. LOG

Material	From	To	Saturated
clay	0	20	
Shale & clay	20	160	
Small pebbles & water sand	160	18	
Water sand	180	260	

7. LOCATION PERMIT

If this well is Non-Domestic, has this location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 26 Nov 84 Completed same
Contractor Pandexter Supply
Driller David
Diameter Hole 6 3/4 in. Total Depth 260 ft.

CASING RECORD

Diameter _____ From _____ To _____
Inside _____ in. _____ ft. _____ ft.
Outside _____ in. _____ ft. _____ ft.
Cement Grout Surface Seal ☐ Yes ☐ No
Type of Surface Seal: grout Depth of Seal: 10'
GRAVEL PACKED:
Gravel Packed From 10 ft. to 260 ft.
Amount Used: 400

PERFORATION RECORD

Type Size
5/8" 42 From 220 ft. To 260 ft.
From _____ ft. To _____ ft.
From _____ ft. To _____ ft.

9. WELL TEST DATA

Static Water Level Below Land Surface 180 ft.
If Artesian: Flows _____ gpm.
Approximate Yield 30 gpm.

10. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK


Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Pandexter Supply License # WD-33
Address 4610 N.W. 10th Phone # 943-3864
Signed David A. Pandexter Date 3/24/85

11. PLAT



NW 1/4 of NE 1/4 of SW 1/4 of SEC 17;

TWP. 11 S; RGE 2 EIM (Circle One) WIM ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

INSEFF
11/11/52
to ETR

OWNER AND LOCATION OF WELLS

52-97

Owner (b) (6)
Address [REDACTED]

Well No. 1&2 in NW 1/4 of SW 1/4 of Section 17 Township 11N Range 2W
Oklahoma County Elevation About 1120 ft.

Distance from nearest town or highway junction:

1/2 Mile South Del City, Oklahoma

Intended use (underline): Irrigation Municipal Industrial Other _____

GENERAL DRILLING INFORMATION

(File one for each well)

Contractor Allen Drilling Co. B. E. Storey Address Oklahoma City, Oklahoma
Spencer Oklahoma

Driller Same Address Same

Dates: Started 11/20/52 Completed 12/8/52
1/15/52 1/20/52

Type of Rig: Cable tool x Rotary _____ Other _____

Size of Hole 8" 196 & 8" 302
(Example: 8-in to 55 ft.: 6-in. 55 to 227 ft.)

Water encountered at: 70 ft. 90 ft. 165 ft. 180 & 285

Water stands at 70 feet below surface.

TESTS

Bailer test _____ bailers per hour. Size of bailer _____ Gal.

Pump test 60 gallons per minute for 24 hours.

Drawdown: 2 feet after pumping or bailing 24 hrs. at 60 GPM.

Quality of water: Taste no Odor no Color no

Hard _____ Soft _____ Temperature 50°

MATERIAL AND EQUIPMENT

Casing record 7" O. D. All The Way Both Wells
(Example: 8 in. to 55 ft.; 6-in. 55 to 227 ft.)

Screen or perforation record _____

Gravel Packed no Diameter _____ Amt. of Gravel used _____
turbine

Pump Type Reda Rated Capacity 60 Gal. per minute against feet of head.

Depth to bowls or cylinder 145 ft.

Power: Electric 5 & 7 1/2 h.p. Gasoline motor _____ h.p.

Gen H. Crosby
(Signature of Owner)

Date _____

MARK S. COLEMAN
Executive Director



RECEIVED

AUG - 9 1994 DAVID WALTERS
Governor

Oklahoma Water Resources Board

State of Oklahoma
DEPARTMENT OF ENVIRONMENTAL QUALITY

August 5, 1994

Gary Glover, Hydrologist
Ground Water Division
Oklahoma Water Resources Board
6000 North Harvey
P.O. Box 150
Oklahoma City, Oklahoma 73101-50

Dear Mr. Glover:

The purpose of this letter is to request copies of domestic well logs for both **private** and **municipal** wells that are presumably active and are in the locations described on the attached sheet. Please include copies from your files, archive files, and permit application files; (copies of the actual well log are preferred, and most helpful since they contain local geological information).

Copies of the well logs may be sent to the Department of Environmental Quality (DEQ) through inter-agency mail. The information provided by your office will be used to describe ground water targets in preliminary site assessments being conducted by the DEQ (Superfund), as authorized through a cooperative agreement with the U.S. Environmental Protection Agency.

Your assistance is greatly appreciated by me and our division. If you have any questions, please call me at 271-7049.

Sincerely,

A handwritten signature in cursive script that reads "Scott Stegmann".

Scott Stegmann
Site Assessment Unit
Waste Management Division

Attachment

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

#8591

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 2-3
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

MULTI-PURPOSE WATER WELL REPORT

1. OWNER Floyd Welch ADDRESS (b) (6)
Oklahoma City PHONE _____
2. LEGAL DESCRIPTION OF WELL
NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of sec. 9; TWP. 10 S; Rge. 3 EIM
ECM; COUNTY Cleveland

3. TYPE OF WORK ☒ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test
4. PROPOSED / PAST USE ☒ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test
5. DRILLING METHOD ☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other _____

6. LOG			
Material	From	To	Saturated
Top Soil	0	3	
Red Clay	3	280	
hard stone	280	301	
Red Clay	301	320	
hard stone	320	329	
Red Clay	329	340	
hard stone	340	351	✓
Red Clay	351	365	
hard stone	365	372	✓
Red Clay	372	400	

7. NEW WELL CONSTRUCTION DATA
Dates: Started 6/11/84 Completed 7/11/84
Contractor Grady Pump Service
Driller Carol K. Meyer
Diameter Hole 8 in. Total Depth 400 ft.

CASING RECORD
5" Diameter From _____ To 400 ft.
Surface Seal: ☒ Yes ☐ No Type: Steel casing + cement
Depth of Seal: 10 ft.
Gravel Packed:
Gravel Packed From 10 ft. to 400 ft.
Amount Used: 7500 lb.

PERFORATION RECORD
Type 3/4" hole From 340 ft. To 351 ft.
Size From 365 ft. To 372 ft.
" From _____ ft. To _____ ft.


8. WELL TEST DATA
Static Water Level Below Land Surface 340 ft.
If Artesian: Flows _____ gpm.
Water Temp. _____ °C/F Quality _____
BAILER TEST
Drawdown 10 ft. After Pumping 3/4 hrs. At 45 gpm.
Size of Bailer: 45 gal.

PUMPING TEST
Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.

9. PLUGGING DATA
Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK
Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

13. CERTIFICATION
The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.
Name Carol K. Meyer License # W031
Address 25 Norman Phone # 321-5291
Signed Carol K. Meyer Date 6/14/84

11. PLAT
10 AC.

NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of SEC 9;
TWP 10 S; RGE 3 EIM, WIM, ECM

12. PUMP INFORMATION
Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

USE ADDITIONAL SHEETS IF NECESSARY

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

8590

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 2-3
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

MULTI-PURPOSE WATER WELL REPORT

1. OWNER Jack L Warner ADDRESS (b) (6)

2. LEGAL DESCRIPTION OF WELL

SE 1/4 of SE 1/4 of NW 1/4 of sec. 9; TWP. 10 S; Rge. 3 E; EIM WIM COUNTY Cherokee

3. TYPE OF WORK

☐ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test

4. PROPOSED / PAST USE

☐ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other

6. LOG

Material	From	To	Saturated
Clay	0	34	
Sand Rock	34	37	
Shale	37	145	
Sand Rock	145	310	
water Sand	310	360	

7. NEW WELL CONSTRUCTION DATA

Dates: Started 10 Dec 85 Completed Jan 86
Contractor Warner
Driller Stans
Diameter Hole 7 7/8 in. Total Depth 360 ft

CASING RECORD

Diameter 5 1/2 in. From 0 ft. To 360 ft.
Surface Seal: ☒ Yes ☐ No Type: Submersible
Depth of Seal: 10 ft.
Gravel Packed:
Gravel Packed From 10 ft. to 360 ft.
Amount Used: all

PERFORATION RECORD

Type Slot From 300 ft. To 360 ft.
Size 4 1/2 From _____ ft. To _____ ft.
" From _____ ft. To _____ ft.

RECEIVED
JAN 31 1986

Oklahoma Water Resources Board

8. WELL TEST DATA

Static Water Level Below Land Surface 280 ft.
If Artesian: Flows _____ gpm.
Water Temp. _____ °C/F Quality _____

BAILER TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.
Size of Bailer: 25 gal.

PUMPING TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.

9. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK


Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

13. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Donald S. Smith License # WD 23
Address 4644 N.W. 10 Phone # 342-7104
Signed Donald S. Smith Date 11/2/85

11. PLAT



SE 1/4 of SE 1/4 of NW 1/4 of SEC 9

TWP. 10 S; RGE. 3 E; EIM WIM ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

USE ADDITIONAL SHEETS IF NECESSARY

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 1-2
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

1. OWNER Wayne Collins ADDRESS (b) (6)

PHONE _____
EIM (Circle One)

2. LEGAL DESCRIPTION OF WELL

SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of sec. 3; TWP. 10 S; RGE 3 EIM; COUNTY Cleveland

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE

☒ Domestic
☐ Stock
☐ Test/Monitoring

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☐ Air

6. LOG

Material	From	To	Satur- ated
SHALE	0	280	
SANDSTONE	280	602	

ELECTRIC LOG FILE

SURFACE PIPE
OIL PRODUCTION

7. LOCATION PERMIT

If this well is Non-Domestic, has this location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 8/16/86 Completed 8/18/86
Contractor Myers Pump Service
Driller Carol R. Myers
Diameter Hole 8 in. Total Depth 602 ft

CASING RECORD

Inside Diameter 4 1/2 in. From 0 ft. To 602 ft.
Outside _____ in. _____ ft. _____ ft.
Cement Grout Surface Seal ☒ Yes ☐ No
Type of Surface Seal: _____ Depth of Seal: 602 ft.
GRAVEL PACKED: Cemented
Gravel Packed From _____ ft. to _____ ft.
Amount Used: 120 sacks

PERFORATION RECORD

Type/Size _____ From _____ ft. To _____ ft.
_____ From _____ ft. To _____ ft.
_____ From _____ ft. To _____ ft.

9. WELL TEST DATA

Static Water Level Below Land Surface _____ ft.
If Artesian: Flows _____ gpm.
Approximate Yield _____ gpm.

10. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

11. RECONDITIONING WORK


Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

12. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Carol R. Myers License # WID-31
Address 320 Collins St. Norman Phone # 329-062
Signed Carol R. Myers Date 8/14/86

11. PLAT



SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of SEC 3
(Circle One)
TWP. 10 S; RGE 3 EIM, WIM, ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 05-1
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

MULTI-PURPOSE WATER WELL REPORT

#8585
1. OWNER O. H. Story ADDRESS (b) (6)
Moore, Oklahoma PHONE _____
2. LEGAL DESCRIPTION OF WELL
NW 1/4 of NW 1/4 of NE 1/4 of sec. 2; TWP. 10 S; Rge. 3 EIM
ECM; COUNTY Cleveland

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test

4. PROPOSED / PAST USE

☒ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other

6. LOG

Material	From	To	Satur- ated
stop soil	0	1	
clay	1	118	
sandstone	118	235	
clay	235	285	
sandstone	285	294	✓
clay	294	320	

7. NEW WELL CONSTRUCTION DATA

Dates: Started 6/6/84 Completed 6/6/84
Contractor Meyer Pump Service
Driller Carol K. Meyer
Diameter Hole 8 in. Total Depth 320 ft.

CASING RECORD

5" Diameter From 0 ft. To 320 ft.
Surface Seal: ☒ Yes ☐ No Type: Steel casing cement
Depth of Seal: 10 ft.
Gravel Packed:
Gravel Packed From 10 ft. to 320 ft.
Amount Used: 6000 lb.

PERFORATION RECORD

Type 3/16" Hole From 285 ft. To 294 ft.
Size _____ From _____ ft. To _____ ft.
" _____ From _____ ft. To _____ ft.

8. WELL TEST DATA

Static Water Level Below Land Surface 260 ft.
If Artesian: Flows _____ gpm.
Water Temp. _____ °C/°F Quality _____

BAILER TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.
Size of Bailer: 45 gal. Well produced 409

PUMPING TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.

9. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK


Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

13. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Carol K. Meyer License # W031
Address 25 Main Phone # 321-5291
Signed Carol K. Meyer Date 6/7/84

11. PLAT



NW 1/4 of NW 1/4 of NE 1/4 of SEC 2
TWP 10 S; RGE 3 EIM, WIM, ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

USE ADDITIONAL SHEETS IF NECESSARY

White - Water Resources Board
Canary - Drillers Copy
Pink - Drillers Copy

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 1-2
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

MULTI-PURPOSE WATER WELL REPORT

1. OWNER DAN PINSON ADDRESS _____

2. LEGAL DESCRIPTION OF WELL NEWTON ADD
WIRE DRILLED 2225 SE 94
SW of SW 1/4 of NW 1/4 of sec. 1; TWP. 10 S; Rge. 3 EIM WIM ECM; COUNTY Cleveland

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test

4. PROPOSED / PAST USE

☒ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other _____

6. LOG

Material	From	To	Saturated
Clay-Rock sand	0	45	
Shale	45	180	
Sand	180	200	
Sandy shale	200	360	
Shale	360	330	
Sandy shale	330	340	
Very good sand	340	415	
Shale - Hard	415	435	
Sandy shale	435	470	
Sand w/ shale streaks	470	520	

7. NEW WELL CONSTRUCTION DATA

Dates: Started _____ Completed _____
Contractor DKL
Driller THOMAS GREEN
Diameter Hole 8" in. Total Depth 520' ft.

CASING RECORD

Diameter 6 5/8" From 360' ft. To 0 ft.
4 1/2" in. From 0 ft. To 520' ft.

Surface Seal: ☒ Yes ☐ No Type: Cmt.
Depth of Seal: 200' ft.
Gravel Packed:
Gravel Packed From _____ ft. to _____ ft.
Amount Used: _____

PERFORATION RECORD

Type slot From 570' ft. To 470 ft.
Size _____ From 450 ft. To 430 ft.
" _____ From 390 ft. To 360 ft.

8. WELL TEST DATA

Static Water Level Below Land Surface 380' ft.
If Artesian: Flows _____ gpm.
Water Temp. _____ °C / F Quality _____

BAILER TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.
Size of Bailer: _____ gal.

PUMPING TEST

Drawdown 100' to 380' ft. After Pumping 2 1/2 hrs. At 23 gpm.

9. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK

Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

13. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Travis Dean License # 106
Address 209 E. High Phone # 744-5246
Signed J. J. Dean Date _____

USE ADDITIONAL SHEETS IF NECESSARY

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 1-2
Aquifer _____
Steam System Code _____
Use Code _____
County _____ (Official Use Only)

#8583

1. OWNER W. R. Ingram ADDRESS (b) (6)
Moore, Oklahoma
2. LEGAL DESCRIPTION OF WELL
SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of sec. 1; TWP. 10 S; RGE 3 EIM (Circle One) WIM ECM; COUNTY Cleveland

3. TYPE OF WORK
☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring
4. USE
☒ Domestic
☐ Stock
☐ Test/Monitoring
NON-DOMESTIC
☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other
5. DRILLING METHOD
☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☐ Air

6. LOG				
Material	From	To	Satur-	
			ated	✓
Top Soil	0	1		
Red Clay	1	191		
Sand stone	191	205		
Red Clay	205	213		
Sand stone	213	220		✓
Red Clay	220	235		
Sand stone	235	247		✓
Red Clay	247	260		

RECEIVED
NOV 10 1984
Oklahoma Water Resources Board

7. LOCATION PERMIT
If this well is Non-Domestic, has this location been permitted?
☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA
DATES: Started 8/23/84 Completed 8/23/84
Contractor Meyer Pump & Leasing
Driller Carol D. Meyer
Diameter Hole 8 in. Total Depth 260 ft.

CASING RECORD
Diameter From To
Inside 4 1/2 in. 0 ft. 260 ft.
Outside _____ in. _____ ft.
Cement Grout Surface Seal ☒ Yes ☐ No
Type of Surface Seal: Steel casing Depth of Seal: 10 ft.
GRAVEL PACKED:
Gravel Packed From 10 ft. to 260 ft.
Amount Used: 5000 lb


PERFORATION RECORD
Type/Size
3/8" 9 hole From 213 ft. To 220 ft.
1/2" " From 235 ft. To 247 ft.
" " From _____ ft. To _____ ft.

9. WELL TEST DATA
Static Water Level Below Land Surface 195 ft.
If Artesian: Flows _____ gpm.
Approximate Yield 50 gpm.

10. PLUGGING DATA
Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK
Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION
The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.
Name Carol D. Meyer License # W.D. 31
Address 25 Main Phone # 321-5290
Signed Carol D. Meyer Date 8/23/84

11. PLAT
10 AC.

SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of SEC 1;
TWP 10 S; RGE 3 EIM (Circle One) WIM ECM

12. PUMP INFORMATION
Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

White -- Water Resources Board
Canary -- Drillers Copy
Pink -- Drillers Copy

STATE OF OKLAHOMA
WATER RESOURCES BOARD
5th Floor Jim Thorpe Building
Oklahoma City, Oklahoma 73105

Application No. 1-2
Aquifer _____
Steam System Code _____
Use Code _____
County _____

(Official Use Only)

MULTI-PURPOSE WATER WELL REPORT

1. OWNER Charles Avens ADDRESS (b) (6) PHONE _____
Moore, OK
2. LEGAL DESCRIPTION OF WELL EIM _____
WIM _____
NE 1/4 of SW 1/4 of SW 1/4 of sec. 1, TWP. 10N S, Rge. 3W ECM; COUNTY Cleveland


3. TYPE OF WORK ☒ New Well ☐ Plugging ☐ Reconditioning Work ☐ Test
4. PROPOSED / PAST USE ☒ Domestic ☐ Irrigation ☐ Stock ☐ Municipal ☐ Industrial ☐ Test
5. DRILLING METHOD ☒ Rotary ☐ Rev. Rotary ☐ Cable ☐ Other _____

LOG			
Material	From	To	Saturated ✓
shale	0	92	
sand rock	92	114	
shale	114	118	
sand rock	118	127	
shale	127	134	
sand rock	134	145	
shale	145	155	
sand rock	155	175	
shale	175	180	
sand rock	180	195	
sand rock	195	210	
water sand	210	260	x
shale	260	270	
water sand	270	290	x
shale	290	300	

7. NEW WELL CONSTRUCTION DATA
Dates: Started 8-31-83 Completed 8-31-83
Contractor Vannoy & Son Drilling Co.
Driller Leon Vannoy
Diameter Hole 8 in. Total Depth 300 ft.
CASING RECORD
Diameter 6 5/8 in. From 0 ft. To 10 ft.
5 in. 3 ft. 300 ft.
Surface Seal: ☒ Yes ☐ No Type: cement & steel
Depth of Seal: 10 ft.
Gravel Packed: yes
Gravel Packed From 10 ft. to 300 ft.
Amount Used: 5800 lbs.
PERFORATION RECORD
Type slotted From 210 ft. To 260 ft.
Size 5" From 270 ft. To 290 ft.
" " From " ft. To " ft.

RECEIVED
SEP 12 1983
Oklahoma Water Resources Board

11. PLAT



NE 1/4 of SW 1/4 of SW 1/4 of SEC 1; N
TWP. 10N S, RGE 3W EIM, WIM, ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

8. WELL TEST DATA N/A

Static Water Level Below Land Surface _____ ft.
If Artesian: Flows _____ gpm.
Water Temp. _____ °C/F Quality _____

BAILER TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.
Size of Bailer: _____ gal.

PUMPING TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.

9. PLUGGING DATA N/A

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK N/A

Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

13. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Vannoy & Son Drilling Co. License # WD-107
Address P.O. Box 429 Phone # 769-2255

Signed [Signature] Date 9-7-83

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 1-2
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

8581

1. OWNER Manly Jones

ADDRESS (b) (6)

Norman, OK

PHONE _____

2. LEGAL DESCRIPTION OF WELL

EIM (Circle One)

WIM

NW 1/4 of SE 1/4 of NW 1/4 of sec. 1; TWP. 10N S; RGE 3W ECM; COUNTY Cleveland

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE

☒ Domestic
☐ Stock
☐ Test/Monitoring

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☐ Air

6. LOG

Material	From	To	Saturated
clay	0	57	
sand rock	57	64	
shale	64	124	
sand rock	124	143	
shale	143	190	
sand rock	190	240	
water sand	240	310	x
shale	310	320	
water sand	320	360	x

7. LOCATION PERMIT

If this well is Non-Domestic, has this location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 7-2-85 Completed 7-2-85

Contractor Vannoy & Son Drilling Co.

Driller Mel

Diameter Hole 8 in. Total Depth 360 ft.

CASING RECORD

Inside Diameter 5 in. From 3 ft. To 360 ft.

Outside 5 in. 3 ft. 360 ft.

Cement Grout Surface Seal ☒ Yes ☐ No

Type of Surface Seal 5/8 steel Depth of Seal: 10 ft.

GRAVEL PACKED:

Gravel Packed From 110 ft. to 360 ft.

Amount Used: 5000 lbs.

PERFORATION RECORD

Type/Size

5" From 280 ft. To 300 ft.

slotted From 320 ft. To 360 ft.

.062 From _____ ft. To _____ ft.

9. WELL TEST DATA

Static Water Level Below Land Surface 240 ft.

If Artesian: Flows _____ gpm.

Approximate Yield 30 gpm.

10. PLUGGING DATA

Date Plugged _____

Backfilled With _____ Material To _____ ft.

Grouted or Cemented From _____ ft. To _____ ft.

Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK

Date Completed _____

☐ Replaced Casing From _____ ft. To _____ ft.

☐ Replaced Screen From _____ ft. To _____ ft.

Deepened Well From _____ ft. To _____ ft.

Redeveloped Well By _____

14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.


Name Vannoy & Son Drilling Co. License # WD-107

Address P.O. Box 429, Nicoma Park Phone # 769-2255

Signed [Signature] Date 7-3-85

11. PLAT

10 AC.



NW 1/4 of SE 1/4 of NW 1/4 of SEC 1;

(Circle One)

TWP. 10N S; RGE 3W EIM, WIM, ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

White — Water Resources Board
Yellow — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 1-2
Aquifer _____
Steam System Code _____
Use Code _____
County _____ (Official Use Only)

8577
1. OWNER ML Shugart ADDRESS Moore, OK PHONE (b) (6)

2. LEGAL DESCRIPTION OF WELL
NW 1/4 of SW 1/4 of NE 1/4 of sec. 1; TWP. 100 S; RGE 3 EIM (Circle One) ECM; COUNTY Cleveland

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE

☒ Domestic
☐ Stock
☐ Test Monitoring

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☐ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☒ Air

6. LOG

Material	From	To	Remarks
Topsail	0	2	
Shale	2	165	
Sandrock	165	204	
Shale	204	236	
Sandrock	236	280	
Shale	280	296	
SANDROCK	296	330	

7. LOCATION PERMIT

If this well is Non-Domestic, has this location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 3/8/87 Completed 3/9/87
Contractor Allen Drilling
Driller GARY
Diameter Hole 7 in. Total Depth 330 ft.

CASING RECORD

Inside Diameter 4 in. From 3 ft. To 330 ft.
Outside 6 in. From Top ft. To 70 ft.
Cement Grout Surface Seal ☒ Yes ☐ No
Type of Surface Seal: Cement Depth of Seal: 10 ft.

GRAVEL PACKED:

Gravel Packed From 150 ft. to 330 ft.
Amount Used: 120 Shovels

PERFORATION RECORD

Type/Size 1/4 Hole From 300 ft. To 325 ft.
" " From 260 ft. To 280 ft.
" " From _____ ft. To _____ ft.

9. WELL TEST DATA

Static Water Level Below Land Surface 175 ft.
If Artesian: Flows _____ gpm.
Approximate Yield 20 gpm.

10. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK


Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Gary Allen License # WD-100
Address 1904 NE 63rd, Miami Phone # 769-8700
Signed Gary Allen Date 5/24/87

11. PLAT



NW 1/4 of SW 1/4 of NE 1/4 of SEC 1
(Circle One)
TWP 100 S; RGE 3 EIM (WIM) ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 1-2
Aquifer _____
Steam System Code _____
Use Code _____
County _____ (Official Use Only)

8580

1. OWNER Virgil Turner ADDRESS (b) (6)
Norman, OK PHONE _____

2. LEGAL DESCRIPTION OF WELL
NW 1/4 of SW 1/4 of NE 1/4 of sec. 1; TWP. 10N S; RGE. 3W EIM; COUNTY Cleveland

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE

☒ Domestic
☐ Stock
☐ Test Monitoring

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☐ Air

6. LOG

Material	From	To	Saturated
clay	0	190	
sand rock	190	216	
shale	216	240	
water sand	240	260	x
sand rock	260	278	
water sand	278	293	x
shale	293	300	
water sand	300	320	x
sand rock	320	336	
water sand	336	360	x

7. LOCATION PERMIT

If this well is Non-Domestic, has this location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 6-17-85 Completed 6-17-85

Contractor Vannoy & Son Drilling Co.

Driller Mal

Diameter Hole 8 in. Total Depth 360 ft.

CASING RECORD

Inside 5 in. From 3 ft. To 360 ft.

Outside _____ in. _____ ft. _____ ft.

Cement Grout Surface Seal ☒ Yes ☐ No

Type of Surface Seal: 6 5/8 steel Depth of Seal: 10 ft.

GRAVEL PACKED:

Gravel Packed From 100 ft. to 360 ft.

Amount Used: 5200 lbs.

PERFORATION RECORD

Type/Size

5" From 250 ft. To 260 ft.

slotted From 280 ft. To 290 ft.

From 300 ft. To 320 ft.

3240 3260

9. WELL TEST DATA

Static Water Level Below Land Surface 200 ft.

If Artesian: Flows _____ gpm.

Approximate Yield 30 gpm.

10. PLUGGING DATA

Date Plugged _____

Backfilled With _____ Material To _____ ft.

Grouted or Cemented From _____ ft. To _____ ft.

Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK

Date Completed _____

☐ Replaced Casing From _____ ft. To _____ ft.

☐ Replaced Screen From _____ ft. To _____ ft.

Deepened Well From _____ ft. To _____ ft.

Redeveloped Well By _____

14. CERTIFICATION


The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Vannoy & Son Drilling Co. License # WD-107

Address P.O. Box 429, Nicoma Park Phone # 769-2255

Signed [Signature] Date 6-28-85

11. PLAT



NW 1/4 of SW 1/4 of NE 1/4 of SEC 1; TWP. 10N S; RGE. 3W EIM, WIM, ECM

12. PUMP INFORMATION

Pump Type sub.

Power Source OG&E

Rated Capacity 18 gpm.

Depth of Bowls or Cylinder 320 ft.

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 1-2
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

8579

1. OWNER Paul Jones ADDRESS (b) (6)
Moore

2. LEGAL DESCRIPTION OF WELL

SE 1/4 of SE 1/4 of NE 1/4 of sec. 1; TWP. 10 S; RGE. 3 EIM (Circle One) WIM ECM; COUNTY Cleveland

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE

☒ Domestic
☐ Stock
☐ Test/Monitoring

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☐ Air

6. LOG

Material	From	To	Saturated
top soil	0	1	
Red Clay	1	260	
hardstone	260	270	✓
clay	270	281	
hardstone	281	321	✓
clay	321	333	
hardstone	333	340	✓
Red Clay	340	360	

7. LOCATION PERMIT

If this well is Non-Domestic, has this location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 8/6/85 Completed 8/7/85
Contractor Mykel pump & well
Driller Carol K Meyer
Diameter Hole 8 in. Total Depth 360 ft.

CASING RECORD

Diameter 4 1/2 in. From 0 ft. To 360 ft.
Outside _____ in. _____ ft.
Cement Grout Surface Seal ☒ Yes ☐ No
Type of Surface Seal: Cement & steel pipe Depth of Seal: 10 ft.
GRAVEL PACKED: steel pipe
Gravel Packed From 10 ft. to 360 ft.
Amount Used: 7000 lb.

PERFORATION RECORD

Type/Size 3/16" hole
From 240 ft. To 250 ft.
From 290 ft. To 310 ft.
From 335 ft. To 340 ft.

9. WELL TEST DATA

Static Water Level Below Land Surface 250 ft.
If Artesian: Flows _____ gpm.
Approximate Yield 7 gpm.

10. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK


Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Carol K Meyer License # WD 31
Address 25 Norman Phone # 321-529
Signed Carol K Meyer Date 8/10/85

11. PLAT



SE 1/4 of SE 1/4 of NE 1/4 of SEC. 1; TWP. 10 S; RGE. 3 EIM (Circle One) WIM ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 1-2
Aquifer _____
Steam System Code _____
Use Code _____
County _____ (Official Use Only)

8578

1. OWNER Eldon Wilson ADDRESS (b) (6)
Moore

2. LEGAL DESCRIPTION OF WELL
SE 1/4 of SW 1/4 of SE 1/4 of sec. 1; TWP. 10 S; RGE 3 EIM; COUNTY Cleveland

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE

☒ Domestic
☐ Stock
☐ Test/Monitoring

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☐ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☒ Air

6. LOG

Material	From	To	Satur. rated
Topsoil	0	2	
Shale	2	185	
Sandrock	185	200	
Shale	200	235	
Sandrock	235	275	
Shale	275	280	

7. LOCATION PERMIT

If this well is Non-Domestic, has this location been permitted?
☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 4/20/86 Completed Same
Contractor Allen Drilling
Driller Gary
Diameter Hole 7 in. Total Depth 280 ft.

CASING RECORD

Inside Diameter 4 in. From 3 ft. To 280 ft.
Outside 6 in. From Top ft. To 10 ft.
Cement Grout Surface Seal ☒ Yes ☐ No
Type of Surface Seal: Cement Depth of Seal: 10 ft.

GRAVEL PACKED:
Gravel Packed From 160 ft. to 280 ft.
Amount Used: 120 shovels

PERFORATION RECORD

Type/Size 1/4 hole From 260 ft. To 275 ft.
6 From 190 ft. To 200 ft.
From _____ ft. To _____ ft.

9. WELL TEST DATA

Static Water Level Below Land Surface 155 ft.
If Artesian: Flows _____ gpm.
Approximate Yield 15 gpm.

10. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.


11. RECONDITIONING WORK

Date Completed _____
☐ Replace Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

12. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.
Name Gary Allen License # WD100
Address 19001 NE 63rd Phone # 769-3700
Signed Gary Allen Date 5/28/86

11. PLAT



SE 1/4 of SW 1/4 of SE 1/4 of SEC 1
TWP 10 S; RGE 3 EIM 6 ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 3-4
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

8557

1. OWNER Preston Olive ADDRESS (b) (6)

2. LEGAL DESCRIPTION OF WELL
NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of sec. 18; TWP. 10 N S; RGE 2W EIM (Circle One) WIM ECM; COUNTY Cleveland

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE

☒ Domestic
☐ Stock
☐ Test/Monitoring

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☐ Air

6. LOG

Material	From	To	Satur-
Red Clay	0	36	
Red Shell Rock	36	53	
Black Sand Rock	53	83	
White Sand Rock	83	93	
Red Sand Rock	93	104	
Brown Water Sand	104	140	

RECEIVED
MAY 9 1986
Oklahoma Water Resources Board

7. LOCATION PERMIT

If this well is Non-Domestic, has this location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 12-23-85 Completed 12-23-85
Contractor Stella Pump & Supply, Inc.
Driller George D. Casey
Diameter Hole 7 in. Total Depth 140 ft.

CASING RECORD

Inside Diameter 4 in. From 0 ft. To 140 ft.
Outside 6 in. From 0 ft. To 10 ft.
Cement Grout Surface Seal ☐ Yes ☐ No
Type of Surface Seal: Cement Depth of Seal: 10 ft.

GRAVEL PACKED:

Gravel Packed From 100 ft. to 140 ft.
Amount Used: _____

PERFORATION RECORD

Type/Size PVC 1/4" From 120 ft. To 140 ft.
From _____ ft. To _____ ft.
From _____ ft. To _____ ft.

9. WELL TEST DATA

Static Water Level Below Land Surface _____ ft.
If Artesian: Flows _____ gpm.
Approximate Yield _____ gpm.

10. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK


Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name George D. Casey License # WP-253
Address Newalla Phone # 391-7744
Signed George D. Casey Date 12-23-85

11. PLAT



NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SEC 18; TWP. 10 N S; RGE 2W EIM (Circle One) WIM ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 34
Aquifer _____
Steam System Code _____
Use Code _____
County _____ (Official Use Only)

8550

1. OWNER Shirley Parson ADDRESS _____ PHONE _____

2. LEGAL DESCRIPTION OF WELL
NE 1/4 of NE 1/4 of NW 1/4 of sec. 17; TWP. 10 ^N S; RGE 2 ^W EIM; COUNTY Cleveland

3. TYPE OF WORK
☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE
☒ Domestic
☐ Stock
☐ Test/Monitoring

NON-DOMESTIC
☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD
☐ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☒ Air

6. LOG

Material	From	To	Saturated
Shale	0	70	
Sand Stone	70	100	
Shale	100	135	
Sand Stone	135	160	
Shale	160	175	
Sand Rock	175	180	
Sand Stone	180	200	
Shale	200	215	
Sand Stone	225	220	

7. LOCATION PERMIT
If this well is Non-Domestic, has this location been permitted?
☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA
DATES: Started July 28-86 Completed July 28-87
Contractor Teague
Driller Joe Teague
Diameter Hole 4 in. Total Depth 220 ft.

CASING RECORD

Diameter	From	To
Inside 4 in.	2	220
Outside 6 in.	10	10

Cement Grout Surface Seal ☒ Yes ☐ No
Type of Surface Seal: Cement Depth of Seal: 10 ft.
GRAVEL PACKED:
Gravel Packed From 175 ft. to 220 ft.
Amount Used: 1yd

PERFORATION RECORD

Type/Size	From	To
<u>4" SLOTT</u>	200	220

9. WELL TEST DATA
Static Water Level Below Land Surface _____ ft.
If Artesian: Flows _____ gpm.
Approximate Yield 15 gpm.

10. PLUGGING DATA
Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK
Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION
The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

12. PUMP INFORMATION
Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

Name Teague Drilling License # W0384
Address Norman Phone # _____
Signed Joe Teague Date Sept 178

White—Water Resources Board
Canary—Driller's Copy
Pink—Customer's Copy

STATE OF OKLAHOMA
MULTI-PURPOSE WELL REPORT
OKLAHOMA WATER RESOURCES BOARD
P.O. BOX 150
600 N. HARVEY AVE.
OKLAHOMA CITY, OKLAHOMA 73101-0150

27998

(b) (6)

1. WELL OWNER Remount Homes PHONE (b) (6)
2. LEGAL DESCRIPTION SE 1/4 of NW 1/4 of NE 1/4 of sec. 8 TWP. 10N S. RGE. 2E WIM Cleveland
FINDING LOCATION SE 104th + Sauer Rd, 1/3 west on 104th,
San Barnada Ln to 10700
Blocks or distance(s) from given point(s).

3. TYPE OF WORK <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Reconditioning Work <input type="checkbox"/> Monitoring <input type="checkbox"/> Test Hole <input type="checkbox"/> Other _____	<input type="checkbox"/> Plugging	4. USE <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Stock <input type="checkbox"/> Monitoring <input type="checkbox"/> Test Hole <input type="checkbox"/> Other _____	NON-DOMESTIC <input type="checkbox"/> Irrigation <input type="checkbox"/> Municipal <input type="checkbox"/> Industrial <input type="checkbox"/> Commercial <input type="checkbox"/> Other _____	5. DRILLING METHOD <input type="checkbox"/> Fluid Rotary <input type="checkbox"/> Cable <input checked="" type="checkbox"/> Air Rotary <input type="checkbox"/> H.S. Auger <input type="checkbox"/> Rev. Rotary <input type="checkbox"/> Other _____
---	-----------------------------------	--	--	---

Material	From	To	Saturated
clay	0	4	
Shale	4	93	
Sandrock	93	115	-
Shale	115	138	
Sandrock	138	165	-
Shale	165	172	
Sandrock	172	220	-

LOCATION PERMIT
If this well is Non-Domestic, has the location been permitted?
☐ Yes ☐ No Permit No. _____

NEW WELL CONSTRUCTION DATA
DATES: Started 6/8/92 Completed Same
Contractor Allen Drilling
Driller Gary
Diameter Hole 7 in. Total Depth 220 ft.


CASING RECORD
Diameter 6 in. From Top ft. To 10 ft.
Well Casing 4 in. From 3 ft. To 220 ft.
Cement Grout Surface Seal? ☒ Yes ☐ No
Type of Surface Seal: Cement Depth of Seal: 10 ft.
GRAVEL PACK:
Gravel Packed From 130 ft. to 220 ft.
Amount Used: 75 shovels

PERFORATION RECORD
Type/Size 1 1/16" slots From 180 ft. To 215 ft.
" " From 150 ft. To 160 ft.
" " From _____ ft. To _____ ft.

RECEIVED

JUN 29 1992

Oklahoma Water Resources Board



kw

Form 424-0887

WELL TEST DATA Static Water Level _____ ft. Below Land Surface <u>115</u> ft. Approximate Yield <u>20</u> gpm. If Artesian: Flows _____ gpm.	10. PUMP INFORMATION Pump Type _____ Power Source _____ Rated Capacity _____ gpm. Depth of Bowls or Cylinder _____ ft.
PLUGGING DATA Date Plugged _____ Backfilled With _____ Material To _____ ft. Grouted or Cemented From _____ Ft. To _____ ft.	
RECONDITIONING WORK Date Completed _____ Replaced Casing From _____ ft. To _____ ft. Replaced Screen From _____ ft. To _____ ft. Deepened Well From _____ ft. To _____ ft. Redeveloped Well By _____	

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Gary Allen License # WD-100
Address 19001 ONE 63rd, Harrah Phone # 769-3200
Signed Gary Allen Date 6/19/92

USE ADDITIONAL SHEETS IF NECESSARY

White—Water Resources Board
Canary—Driller's Copy
Pink—Customer's Copy

STATE OF OKLAHOMA
MULTI-PURPOSE WATER WELL REPORT
OKLAHOMA WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

#25749

1. WELL OWNER Dodd

PHONE _____

2. LEGAL DESCRIPTION NE 1/4 of SW 1/4 of SW 1/4 of sec. 8; TWP. 10N; RGE 2W EIM (Circle One) WIM ECM COUNTY Cleveland

FINDING LOCATION 118 + SUNNY Lane 1/4 E
Blocks or distance(s) from given point(s).

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring
☐ G.W. Heat Pump
☐ Other _____

4. USE

☒ Domestic
☐ Stock
☐ Test/Monitoring
☐ G.W. Heat Pump
☐ Other _____

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other _____

5. DRILLING METHOD

☐ Fluid Rotary ☐ Rev. Rotary
☐ Cable ☐ Other _____
☒ Air Rotary
☐ H.S. Auger

LITHOLOGIC LOG

Material	From	To	Satur- ated
Clay	0	17	
Sand Rock	17	20	
Shale	20	76	
Sand Stone	76	85	
Shale	85	95	
Sand Stone	95	160	
Shale	160	170	
Sand Stone	170	180	
Shale	180	192	
Sand Stone	192	200	
Sand	200	215	
Shale	215	225	12 to 15 ft
Sand Stone	225	245	
Shale	245	255	
Sand Stone	255	280	12 to 15 ft

7. LOCATION PERMIT

If this well is Non-Domestic, has the location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started Mar. 9-91 Completed Mar. 9-91
Contractor Teague Drilling Co
Driller Joe Teague
Diameter Hole 8 in. Total Depth 280 ft.

CASING RECORD

Diameter 8 in. From _____ ft. To 10 ft.
Surface Pipe _____ in. _____ ft. _____ ft.
Well Casing 4 1/2 in. _____ ft. _____ ft.
Cement Grout Surface Seal? ☒ Yes ☐ No
Type of Surface Seal: Cement Depth of Seal: 10 ft.
GRAVEL PACK:
Gravel Packed From 280 ft. to 280 ft.
Amount Used: _____

PERFORATION RECORD

Type/Size _____ From _____ ft. To _____ ft.
_____ From _____ ft. To _____ ft.
_____ From _____ ft. To _____ ft.

9. WELL TEST DATA

Static Water Level _____ ft.
Below Land Surface _____ ft.
Approximate Yield 15 gpm.
If Artesian: Flows _____ gpm.

10. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

11. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ Ft. To _____ ft.

12. RECONDITIONING WORK

Date Completed _____
Replaced Casing From _____ ft. To _____ ft.
Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION


The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Joe Teague License # 384
Address 12331 ANGLER Phone # 364-2415
NOT MON
Signed Joe Teague Date _____

RECEIVED
JUL 31 1991

B. PLAT

10
ac



White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 34
Aquifer _____
Steam System Code _____
Use Code _____
County _____ (Official Use Only)

8542

1. OWNER Howard W. Price ADDRESS (b) (6)

Oklahoma City, Oklahoma

2. LEGAL DESCRIPTION OF WELL

SE 1/4 of SE 1/4 of NE 1/4 of sec. 8; TWP. 10 S; RGE 2 EIM (Circle One) WIM ECM; COUNTY Cleveland

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE

☒ Domestic
☐ Stock
☐ Test/Monitoring

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☐ Air

6. LOG

Material	From	To	Saturated
Top Soil	0	1	
Red Clay	1	125	
Sandstone	125	145	
Red Clay	145	176	
Sandstone	176	192	✓
Red Clay	192	211	
Sandstone	211	220	✓

7. LOCATION PERMIT

If this well is Non-Domestic, has this location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 8/6/84 Completed 8/6/84
Contractor Meyer Pump & Ice
Driller Carl Meyer
Diameter Hole 8 in. Total Depth 220 ft.

CASING RECORD

Inside Diameter 5 in. From 0 ft. To 220 ft.
Outside 5 in. 0 ft. 220 ft.
Cement Grout Surface Seal ☒ Yes ☐ No
Type of Surface Seal: Steel casing Depth of Seal: 10 ft.
GRAVEL PACKED: 4 Ames
Gravel Packed From 10 ft. to 220 ft.
Amount Used: 42 lbs.

PERFORATION RECORD

Type/Size
3/4" 9/16 From 176 ft. To 192 ft.
3/16 7/16 From 211 ft. To 215 ft.
7/16 From _____ ft. To _____ ft.

9. WELL TEST DATA

Static Water Level Below Land Surface 165 ft.
If Artesian: Flows _____ gpm.
Approximate Yield 70 gpm.

10. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK

Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____


14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Carl K. Meyer License # W.D.-31
Address 225 N. Main Phone # 324-529
Signed Carl K. Meyer Date 8/6/84

11. PLAT

10 AC.



SE 1/4 of SE 1/4 of NE 1/4 of SEC 8

TWP. 10 S; RGE 2 EIM (Circle One) WIM ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 3-4
Aquifer: _____
Steam System Code _____
Use Code _____
County _____ (Official Use Only)

8541

1. OWNER Lloyd Eisenhour ADDRESS (b) (6)
Moore, ORK PHONE _____
2. LEGAL DESCRIPTION OF WELL EIM (Circle One)
SW 1/4 of NE 1/4 of SW 1/4 of sec. 8; TWP. 10N S; RGE 2W WIM
ECM; COUNTY Cleveland

3. TYPE OF WORK
☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE
☒ Domestic
☐ Stock
☐ Test/Monitoring

NON-DOMESTIC
☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD
☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☐ Air

6. LOG			
Material	From	To	Saturat.
clay	0	3	
sand	3	8	
shale	8	70	
sand rock	70	120	
water sand	120	160	x
sand rock	160	180	
water sand	180	200	x

7. LOCATION PERMIT
If this well is Non-Domestic, has this location been permitted?
☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA
DATES: Started 5-14-87 Completed 5-14-87
Contractor Vannoy & Son Drilling Co.
Driller Mel
Diameter Hole 8 in. Total Depth 200 ft.

CASING RECORD
Inside Diameter 4 1/2 in. From 3 ft. To 200 ft.
Outside _____ in. _____ ft. _____ ft.
Cement Grout Surface Seal ☒ Yes ☐ No
Type of Surface Seal: 6 5/8" steel Depth of Seal: 10 ft.
GRAVEL PACKED:
Gravel Packed From 10 ft. to 200 ft.
Amount Used: 3800 lbs.


PERFORATION RECORD
Type/Size
4 1/2 From 130 ft. To 160 ft.
slotted From 180 ft. To 200 ft.
From _____ ft. To _____ ft.

9. WELL TEST DATA
Static Water Level Below Land Surface 100 ft.
If Artesian: Flows _____ gpm.
Approximate Yield 30 gpm.

10. PLUGGING DATA
Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK
Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION
The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.
Name Vannoy & Son Drilling Co. License # 10-107
Address P.O. Box 429, Nicoma Park Phone # 769-2255
Signed [Signature] Date 5-19-87



12. PUMP INFORMATION
Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 3-4
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

8540

1. OWNER Bob Freeman ADDRESS (b) (6)
Oklahoma City, Oklahoma
2. LEGAL DESCRIPTION OF WELL
NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of sec. 8; TWP. 10 ^N S; RGE 2 ^W E; COUNTY Cleveland

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE

☒ Domestic
☐ Stock
☐ Test/Monitoring

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☐ Air

6. LOG

Material	From	To	Saturated
Red Clay	0	93	
Sandstone	93	104	
Red Clay	104	148	
Sandstone	148	165	
Red Clay	165	180	

7. LOCATION PERMIT

If this well is Non-Domestic, has this location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 6/4/87 Completed 6/4/87
Contractor Amel Pump & Drilling
Driller Carl Meyer
Diameter Hole 8 in. Total Depth 180 ft.

CASING RECORD

Inside Diameter 4 1/2 in. From 0 ft. To 180 ft.
Outside _____ in. _____ ft. _____ ft.
Cement Grout Surface Seal ☒ Yes ☐ No
Type of Surface Seal: Steel Casing Depth of Seal: 10 ft.
GRAVEL PACKED: Amel
Gravel Packed From 10 ft. to 180 ft.
Amount Used: 3400 lb


PERFORATION RECORD

Type/Size 1/2" 7/8" 148 From 148 ft. To 165 ft.
From _____ ft. To _____ ft.
From _____ ft. To _____ ft.

9. WELL TEST DATA

Static Water Level Below Land Surface 150 ft.
If Artesian: Flows _____ gpm.
Approximate Yield 45 gpm.

11. PLAT



NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of SEC 8
(Circle One)
TWP 10 S; RGE 2 EIM WIM/ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

10. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK

Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Carl Meyer License # W-31
Address 320 Collins Phone # 320-5074
Signed Carl Meyer Date 6/4/87

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 2-3
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

MULTI-PURPOSE WATER WELL REPORT

1. OWNER ~~XXXXXXXXXXXX~~ JIM SHIFFLETT

ADDRESS MOORE, OKLA.

(b) (6)

PHONE _____

(b) (6)

2. LEGAL DESCRIPTION OF WELL

NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of sec. 7

TWP. 10 N Rge. 2W

COUNTY Cleveland
Oklahoma

3. TYPE OF WORK

☐ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test

4. PROPOSED / PAST USE

☒ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other _____

6. LOG

Material	From	To	Saturated
RED CLAY	0	20	
RED CLAY	20	40	
RED SHELL ROCK	40	60	
RED SHELL ROCK	60	80	
RED SHELL ROCK	80	100	
RED SHELL ROCK	100	120	
BROWN SAND ROCK	120	135	
RED SHELL ROCK	135	140	
BROWN SAND ROCK	140	160	
RED SHELL ROCK	160	180	
RED SHELL ROCK	180	200	
BROWN WATER SAND	200	220	
BROWN WATER SAND	220	240	

7. NEW WELL CONSTRUCTION DATA

Dates: Started 2-29-84 Completed 2-29-84

Contractor STELLA PUMP & SUPPLY

Driller GEORGE D. CASEY

Diameter Hole 7 in. Total Depth 240 ft.

CASING RECORD

Diameter	From	To
<u>6</u> in.	<u>0</u> ft.	<u>10</u> ft.
<u>4</u> in.	<u>0</u> ft.	<u>240</u> ft.

Surface Seal: ☒ Yes ☐ No Type: Cement

Depth of Seal: 10 ft.

Gravel Packed:

Gravel Packed From 220 ft. to 240 ft.

Amount Used: _____

PERFORATION RECORD

Type 4 pvc From 220 ft. To 240 ft.

Size _____ From _____ ft. To _____ ft.

" _____ From _____ ft. To _____ ft.

8. WELL TEST DATA

Static Water Level Below Land Surface 220 ft.

If Artesian: Flows _____ gpm.

Water Temp. _____ °C/f Quality _____

BAILER TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.

Size of Bailer: _____ gal.

PUMPING TEST

Drawdown 240 ft. After Pumping 2 hrs. At 30 gpm.

9. PLUGGING DATA

Date Plugged _____

Backfilled With _____ Material To _____ ft.

Grouted or Cemented From _____ ft. To _____ ft.

Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK

Date Completed _____

☐ Replaced Casing From _____ ft. To _____ ft.

☐ Replaced Screen From _____ ft. To _____ ft.

Deepened Well From _____ ft. To _____ ft.

Redeveloped Well By _____

13. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name GEORGE D. CASEY

License # WD-253

Address NEWALLA, OKLA.

Phone # 391-4744


Signed George D. Casey

Date 2/29/84

RECEIVED
APR 18 1984

Oklahoma Water Resources Board

11. PLAT



NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of SEC 7

TWP 10 N RGE 2W WIM, WIM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

USE ADDITIONAL SHEETS IF NECESSARY

White—Water Resources Board
Canary—Driller's Copy
Pink—Customer's Copy

STATE OF OKLAHOMA
MULTI-PURPOSE WATER WELL REPORT
OKLAHOMA WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

2-3

#8537

1. WELL OWNER Billy Killian PHONE
2. LEGAL DESCRIPTION NE 1/4 of NE 1/4 of NE 1/4 of sec. 7, TWP. 10N N S: RGE 2W EIM (Circle One)
WIM
ECM COUNTY Clev.
FINDING LOCATION 12000 Share Blvd, Okla City OK
Blocks or distance(s) from given point(s).

3. TYPE OF WORK <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Plugging <input type="checkbox"/> Reconditioning Work <input type="checkbox"/> Test/Monitoring <input type="checkbox"/> G.W. Heat Pump <input type="checkbox"/> Other	4. USE <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Stock <input type="checkbox"/> Test/Monitoring <input type="checkbox"/> G.W. Heat Pump <input type="checkbox"/> Other	NON-DOMESTIC <input type="checkbox"/> Irrigation <input type="checkbox"/> Municipal <input type="checkbox"/> Industrial <input type="checkbox"/> Commercial <input type="checkbox"/> Other	5. DRILLING METHOD <input type="checkbox"/> Fluid Rotary <input type="checkbox"/> Rev. Rotary <input type="checkbox"/> Cable <input type="checkbox"/> Other <input checked="" type="checkbox"/> Air Rotary <input type="checkbox"/> H.S. Auger
---	--	--	---

LITHOLOGIC LOG			
Material	From	To	Saturated
TOP SOIL	0	2	
RED CLAY	2	38	
SAND/ROCK	38	43	
RED BED	43	82	
SAND/CLAY	82	89	3 GPM
SAND/ROCK	89	92	
RED BED	92	181	
SAND/CLAY	181	192	2 GPM
RED BED	192	240	

7. LOCATION PERMIT
If this well is Non-Domestic, has the location been permitted?
<input type="checkbox"/> Yes <input type="checkbox"/> No Permit No. <u> </u>

8. NEW WELL CONSTRUCTION DATA
DATES: Started <u>4-26-88</u> Completed <u>4-26-88</u>
Contractor <u>JIM CARROLL DRILLING CO</u>
Driller <u>JIM CARROLL</u>
Diameter Hole <u>7 1/4</u> in. Total Depth <u>240</u> ft.

CASING RECORD
Diameter From To
Surface Pipe <u>SCH 40 / 6</u> in. <u>0</u> ft. <u>10</u> ft.
Well Casing <u>4</u> in. <u>0</u> ft. <u>240</u> ft.
Cement Grout Surface Seal? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Type of Surface Seal: <u>CEMENT</u> Depth of Seal: <u>15</u> ft.
GRAVEL PACK:
Gravel Packed From <u>15</u> ft. to <u>240</u> ft.
Amount Used: <u>2.2 TON</u>

PERFORATION RECORD
Type/Size
<u>SLOTTED</u> From <u>220</u> ft. To <u>240</u> ft.
From <u> </u> ft. To <u> </u> ft.
From <u> </u> ft. To <u> </u> ft.

9. WELL TEST DATA	10. PUMP INFORMATION
Static Water Level	Pump Type <u> </u>
Below Land Surface <u>82</u> ft.	Power Source <u> </u>
Approximate Yield <u>15</u> gpm.	Rated Capacity <u> </u> gpm.
If Artesian: Flows <u> </u> gpm.	Depth of Bowls or Cylinder <u> </u> ft.


11. PLUGGING DATA
Date Plugged <u> </u>
Backfilled With <u> </u> Material To <u> </u> ft.
Grouted or Cemented From <u> </u> Ft. To <u> </u> ft.

12. RECONDITIONING WORK
Date Completed <u> </u>
Replaced Casing From <u> </u> ft. To <u> </u> ft.
Replaced Screen From <u> </u> ft. To <u> </u> ft.
Deepened Well From <u> </u> ft. To <u> </u> ft.
Redeveloped Well By <u> </u>

14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name JIM CARROLL DRILLING CO License # WD-305
Address 3700 N. CHOCTAW RD Phone 0-8601
CHOCTAW OK 73020
Signed Jim Carroll Date 5-1-88



White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 2-3
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

MULTI-PURPOSE WATER WELL REPORT

8539

na

1. OWNER Jim Beller ADDRESS (b) (6)
OKC (b) (6)

2. LEGAL DESCRIPTION OF WELL
SE 1/4 of SW 1/4 of NE 1/4 of sec. 7; TWP. 10 S; Rge. 2 EIM WIM ECM; COUNTY Cherokee

3. TYPE OF WORK
☒ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test

4. PROPOSED / PAST USE
☒ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test

5. DRILLING METHOD
☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other _____

6. LOG			
Material	From	To	Satur- ated ✓
Clay & sand Rock	0	20	
Sand Rock	20	200	
Water Sand	200	260	

7. NEW WELL CONSTRUCTION DATA
Dates: Started 18 Nov 83 Completed same
Contractor Landexter
Driller David
Diameter Hole 6 3/4 in. Total Depth 260 ft.


CASING RECORD
Diameter 4 1/2 in. From 0 ft. To 260 ft.
Surface Seal: ☒ Yes ☐ No Type: steel & cement
Depth of Seal: 16 ft.
Gravel Packed:
Gravel Packed From 10 ft. to 260 ft.
Amount Used: 422

PERFORATION RECORD
Type slot From 220 ft. To 260 ft.
Size 4 1/2 From _____ ft. To _____ ft.
" _____ From _____ ft. To _____ ft.

8. WELL TEST DATA
Static Water Level Below Land Surface 180 ft.
If Artesian: Flows _____ gpm.
Water Temp. _____ °C/f Quality _____

BAILER TEST
Drawdown 200 ft. After Pumping _____ hrs. At 25 gpm.
Size of Bailer: 17 gal.

PUMPING TEST
Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.



SE 1/4 of SW 1/4 of NE 1/4 of SEC 7;
TWP 10 S; RGE 2 EIM WIM ECM

9. PLUGGING DATA
Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK
Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

12. PUMP INFORMATION
Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

13. CERTIFICATION
The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.
Name David C. Landexter License # WA-33
Address 2610 N. W. 10th Phone # 943-3804
Signed David C. Landexter Date 18 Nov 83

USE ADDITIONAL SHEETS IF NECESSARY

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 2-3
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)


MULTI-PURPOSE WATER WELL REPORT

8538
1. OWNER Joe Janko ADDRESS (b) (6)
Moore OKLA (b) (6)
2. LEGAL DESCRIPTION OF WELL
NE 1/4 of SE 1/4 of NE 1/4 of sec. 7 TWP. 10 N S. Rge. 20 EIM WIM
ECM; COUNTY Cherokee

3. TYPE OF WORK ☒ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test
4. PROPOSED / PAST USE ☒ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test
5. DRILLING METHOD ☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other

6. LOG			
Material	From	To	Saturated
Top Soil	0	10	
Hard shale	10	20	
Sand & sand stone	20	60	
Shale w/sand streaks	60	120	
Shale	120	160	
Shale w/sand	160	180	
Sandy shale	180	240	
Sand	240	214	
Sandy shale	214	230	
Shale	230	240	
Sand	240	238	

7. NEW WELL CONSTRUCTION DATA
Dates: Started 11-2-82 Completed 11-3-82
Contractor DKL
Driller Jim Farnow
Diameter Hole 7 3/8 in. Total Depth 238 ft.
CASING RECORD
Diameter From To
6 5/8 in. 15 ft. 0 ft.
4 1/2 in. 258 ft. 238 ft.
Surface Seal: ☒ Yes ☐ No Type: Cmf.
Depth of Seal: 12 ft.
Gravel Packed:
Gravel Packed From 258 ft. to 10 ft.
Amount Used: _____
PERFORATION RECORD
Type _____ From 258 ft. To 238 ft.
Size _____ From _____ ft. To _____ ft.
" _____ From _____ ft. To _____ ft.



NE 1/4 of SE 1/4 of NE 1/4 of SEC 7
TWP. 10 N S. RGE. 20 EIM, WIM, ECM

12. PUMP INFORMATION
Pump Type 1 HP 526
Power Source 220 V
Rated Capacity 15 gpm.
Depth of Bowl or Cylinder 228 ft.

8. WELL TEST DATA
Static Water Level Below Land Surface 155 ft.
If Artesian: Flows _____ gpm.
Water Temp. _____ °C / F Quality _____
BAILER TEST
Drawdown 15 ft. After Pumping 2 hrs. At 10 gpm.
Size of Bailer: 10 gal.
PUMPING TEST
Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.

9. PLUGGING DATA
Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK
Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

13. CERTIFICATION
The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.
Name John J. Janko License # 106
Address 200 E. 10th Phone # 744-5541
Signed J. J. Janko Date _____

White - Water Resources Board
Canary - Drillers Copy
Pink - Drillers Copy

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. _____
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

MULTI-PURPOSE WATER WELL REPORT

1. OWNER ~~XXXX~~ LEWIS BENNET ADDRESS (b) (6)

2. LEGAL DESCRIPTION OF WELL Lot 5 Blk 2 of SUNNYLANE ACRES
SW 1/4 of NW 1/4 of Sec. 7; TWP. 10 S; Rge. 2W EIM
WIM
ECM; COUNTY CLEVELAND

3. TYPE OF WORK
☒ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test

4. PROPOSED / PAST USE
☒ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test

5. DRILLING METHOD
☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other

6. LOG			
Material	From	To	Saturated
TOP SOIL/CLAY	0	20	
CLAY/ SHALE	20	40	
SHALE	40	60	
SHALE/ SAND	60	80	
CLAY/ SHALE	80	100	
SHALE/SAND	100	120	
SAND/SAND ROCK/ SHALE	120	140	
SAND/SHALE	140	160	
SAND/ LIME STRKS	160	180	
SAND/SHALE	180	200	
SHALE/SAND	200	220	
SAND /SHALE	220	240	
SAND	240	260	
REDBED	262		

7. NEW WELL CONSTRUCTION DATA
Dates: Started MAY 10 Completed MAY 15
Contractor D & K PUMP SERVICE
Driller TRAVIS GREEN
Diameter Hole 7 7/8 in. Total Depth 262 ft.

CASING RECORD
Diameter From To
SURFACE 6 in. 0 ft. 12 ft.
4 in. 0 ft. 262 ft.
Surface Seal: ☒ Yes ☐ No Type: CEMENT
Depth of Seal: 12 ft.
Gravel Packed:
Gravel Packed From 12 ft. to 262 ft.
Amount Used:

PERFORATION RECORD
Type 4" SLOT PVC From 262 ft. To 240 ft.
Size From 220 ft. To 200 ft.
" From ft. To ft.

8. WELL TEST DATA
Static Water Level Below Land Surface 140 ft.
If Artesian: Flows gpm.
Water Temp. °C/f Quality

BAILER TEST
Drawdown 180 ft. After Pumping 1 hrs. At 10 gpm.
Size of Bailer: 10 gal.


PUMPING TEST
Drawdown 180 ft. After Pumping 1 hrs. At 10 gpm.

9. PLUGGING DATA
Date Plugged
Backfilled With Material To ft.
Grouted or Cemented From ft. To ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK
Date Completed
☐ Replaced Casing From ft. To ft.
☐ Replaced Screen From ft. To ft.
Deepened Well From ft. To ft.
Redeveloped Well By

13. CERTIFICATION
The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.
Name Travis Green License # 1016
Address 200 E. 1st St. Phone # 245-246
Signed Travis Green Date 5-15-88

11. PLAT



LOT 5 BLK 2 NW 1/4 of SE 1/4 of SEC 7

TWP 10 S; RGE 2 EIM, WIM, ECM

12. PUMP INFORMATION
Pump Type 1 1/2 HP SUB
Power Source 230 v.
Rated Capacity 10 gpm.
Depth of Bowls or Cylinder 205 ft.

USE ADDITIONAL SHEETS IF NECESSARY


27153

MULTI-PURPOSE COMPLETION REPORT

OKLAHOMA WATER RESOURCES BOARD
600 N. HARVEY AVE.
P.O. BOX 150
OKLAHOMA CITY, OK 73101-0150

2-3

Please plot well location



Legal Description

SW 1/4 SE 1/4 NE 1/4 of Sec. 6 Twp. PN Rge. SW
County Cleveland Well No. _____
Well Owner Study Pass Phone _____
Address _____
Finding location _____

Type of work

- ☐ Geotechnical Boring
☐ G.W. Heat Pump Well
☐ Monitor Well
☐ Observation Well
☐ Piezometer
☐ Plugging
☐ Pump Inst.*
☒ Reconditioning
☐ W.W. Test Hole
☐ De-watering
☐ Other

G.W. Use

- ☒ Domestic
☐ Non-Domestic:
Specify Purpose _____

Drilling Method

- ☐ Hand Auger
☐ Cable Tool
☐ Air Rotary
☒ Fluid Rotary
☐ H.S. Auger
☐ S.S. Auger
☐ Rev. Rotary
☐ D.W. Rev. Rotary
☐ Other

Lithologic Log

Material	From	To	Solu-roted
sandy clay	0	6	
Red shale	6	64	
sand rock	64	76	
Red shale	76	140	
sand rock	140	170	✓
Red shale	170	240	
sand rock	240	260	
Red shale	260	305	✓
sand rock	305	333	✓
Red shale	333	365	
sand rock	365	402	✓

Bottom sands absorbing
top water (160'-170')

Non-Domestic Permitting

If this well is for other than domestic use (use of water for household purposes, for farm and domestic animals up to the normal grazing capacity of the land & for the irrigation of land not to exceed 3 acres.)
Permit No. _____

New Boring or Well Construction Data

Date: Started 12-17-91 Completed 12-18-91
Firm Moats Drilling Co.
Operator Moats
Type of Construction ☐ Open Hole ☒ Cased Hole
Hole Diameter 8" inches total depth 402 feet
Hole Diameter _____ inches total depth _____ feet

CASING RECORD

	diameter	from	to
Surface pipe	inches	feet	feet
Well casing	<u>5" PVC 200#</u> inches	<u>0</u> feet	<u>402</u> feet
Well casing	inches	feet	feet
Well casing	inches	feet	feet

SCREEN or PERFORATION RECORD

Type and Slot Size	from	to
<u>226 slot</u>	<u>160</u> feet	<u>170</u> feet
	<u>310</u> feet	<u>330</u> feet
	<u>372</u> feet	<u>402</u> feet

GRAVEL PACK

Type and Size	from	to
<u>4" to 1/2" sand</u>	<u>15</u> feet	<u>402</u> feet
	feet	feet
	feet	feet

SEAL

Cement Grout Surface Seal Installed ☒ Yes ☐ No
Type of Surface Seal Portland from 0 feet to 15 feet
Aquifer Seal Type _____ feet _____ feet

HYDROLOGIC DATA

First Water Zone Encountered 160-170'
Approximate Yield 50 GPM Artesian ☐ Yes ☒ No

Plugging Data

Date Plugged _____
Backfilled From _____ feet _____ feet Type _____
Cement Grouted From _____ feet _____ feet

Reconditioning Work

Replaced Casing/Screen From _____ feet _____ feet
Deepened Well From _____ feet _____ feet
Redeveloped Well By _____

Certification

The work described above was done under my supervision.
This report is correct to the best of my knowledge.

Name Moats Drilling Company Lic. No. 0141
Address Shawnee, OK 74804 Phone 278-1213
Signed W. R. Moats Date 3-1-92

RECEIVED

FED 11 1992

Oklahoma Water Resources Board


#2 9413

MULTI-PURPOSE COMPLETION REPORT

OKLAHOMA WATER RESOURCES BOARD
600 N. HARVEY AVE.
P.O. BOX 150
OKLAHOMA CITY, OK 73101-0150

2-3

Please plot well location



Legal Description

NE 1/4 SE 1/4 SE 1/4 of Sec. 6 Twp. 10N Rge. 2W

County Cleveland Well No: _____Well Owner Bowles Phone _____

Address _____

Finding location 104th & Sunny Lane, 1/4 N on West

Type of work

- ☐ Geotechnical Boring ☐ Pump Inst. *
☐ G.W. Heat Pump Well ☐ Reconditioning
☐ Monitor Well ☐ G.W. Well Test Hole
☐ Observation Well ☐ De-watering
☐ Piezometer ☒ Groundwater Well
☐ Plugging ☐

G.W. Permitted Use

- ☒ Domestic (None Required)
☐ Non-Domestic:
Specify Purpose _____

Drilling Method

- ☐ Hand Auger ☐ Rev. Rotary
☐ Cable Tool ☐ D.W. Rev. Rotary
☒ Air Rotary ☐ Other
☐ Fluid Rotary
☐ H.S. Auger
☐ S.S. Auger

Lithologic Log

Material	From	To	Notes
CLAY	Top	10	
Shale	10	50	
SAND ROCK	50	63	
Shale	63	85	
SAND ROCK	85	91	
Shale	91	197	
SAND ROCK	197	256	
Shale	256	260	

Non-Domestic (OWRB Permitting Required)

If this groundwater well is for other than domestic use (use of water for household purposes, for farm and domestic animals up to the normal grazing capacity of the land & for the irrigation of land not to exceed 3 acres.) Permit No: _____

New Boring or Well Construction Data

Date: Started 1-27-93 Completed 1-27-93
Firm VANNY & SON
Operator Steve Vanny Op.No. 332
Type of Construction ☐ Open Hole ☒ Cased Hole
☐ Temporary ☒ Permanent
Hole Diameter 8 inches total depth 260 feet
Hole Diameter _____ inches total depth _____ feet

CASING RECORD diameter from _____ to _____
Surface Casing 6 inches Top feet 10 feet
Well casing 4 1/2 inches 3 feet 260 feet
Well casing _____ inches _____ feet _____ feet
Well casing _____ inches _____ feet _____ feet

SCREEN or PERFORATION RECORD

Type and Slot Size _____ from 200 feet to 250 feet
_____ feet _____ feet
_____ feet _____ feet

FILTER PACK Type and Size - 1/8 from 10 feet to 260 feet
_____ feet _____ feet
_____ feet _____ feet

SEAL Cement Grout Surface Seal Installed ☒ Yes ☐ No

Type of Surface Seal Cement Top feet 10 feet
Annular Seal Type _____ feet _____ feet
Type of Filter Pack Seal _____ feet _____ feet

TYPE OF COMPLETION

- ☒ Above Ground ☐ Pitless Adapter
☐ Flush Mounted

SURFACE PAD (Size in Feet)

_____ X _____ X _____ inches

HYDROLOGIC DATA First Water Zone Encountered 197 ft.
Approximate Yield 10 GPM Flowing Artesian ☐ Yes ☒ No

Plugging Data

☐ Non-Contaminated ☐ Contaminated

Date Plugged _____
Backfilled From _____ feet _____ feet Type _____
Grouted From _____ feet _____ feet Type _____
Cement Grouted From _____ feet _____ feet Trimmed ☐ Yes ☐ No

Reconditioning Work

Replaced Casing/Screen From _____ feet _____ feet
Deepened Well From _____ feet _____ feet
Redeveloped Well By _____

Certification

The work described above was done under my supervision. ☒
This report is correct to the best of my knowledge.

Name Steve Vanny D/PC. NO. 0213
Address 11320 NE 23rd Phone _____
Signed Steve Vanny Date 1-27-93

KW

*See Pump Installers Form On Back

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 2-3
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

8533
NE NE SE

MULTI-PURPOSE WATER WELL REPORT

1. OWNER Norman Beasley ADDRESS (b) (6)
Sunny Lane - (89th - 27th) PHONE _____
2. LEGAL DESCRIPTION OF WELL
NE 1/2 of SE 1/4 of - 1/4 of sec. 6; TWP. 10N S. Rge. 2W EIM WIM COUNTY Cleveland

3. TYPE OF WORK
☒ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test
4. PROPOSED / PAST USE
☒ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test
5. DRILLING METHOD
☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other _____

6. LOG			
Material	From	To	Saturated
Surface Soil	0	10	
Red Clay & shale	10	100	
Shale & sand	100	140	
sand	140	160	
coarse sand & shale	160	180	
Hard Rock	180	195	
shale & Rock	195	220	
sand	220	240	
sandy shale	240	261	

7. NEW WELL CONSTRUCTION DATA
Dates: Started 3-17-85 Completed 3-19-85
Contractor D K & L Drilling
Driller Travis Green
Diameter Hole 7 in. Total Depth 261 ft.

CASING RECORD
Diameter From To
Sch 4" in. 0 ft. 261 ft.
Surface 6 3/8 in. 0 ft. 10 ft.
Surface Seal: ☒ Yes ☐ No Type: Cement
Depth of Seal: 10 ft.
Gravel Packed:
Gravel Packed From 261 ft. to 220 ft.
Amount Used: _____

PERFORATION RECORD
Type 3/4" - 5/8" From 261 ft. To 241 ft.
Size _____ From _____ ft. To _____ ft.
" _____ From _____ ft. To _____ ft.


8. WELL TEST DATA
Static Water Level Below Land Surface _____ ft.
If Artesian: Flows _____ gpm.
Water Temp. _____ °C/F Quality _____
BAILER TEST
Drawdown None ft. After Pumping 2 hrs. At 15 gpm.
Size of Bailer: 15 gal.

PUMPING TEST
Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.

9. PLUGGING DATA
Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK
Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

13. CERTIFICATION
The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.
Name Travis Green License # W-106
Address P.O. Box 6816 Moore Phone # 794-5286
Signed Travis Green Date 4-1-85

11. PLAT
10 AC.
of 14

NE 1/2 of SE 1/4 of - 1/4 of SEC 6
TWP 10N S. RGE 2W EIM WIM ECM

12. PUMP INFORMATION
Pump Type un completed
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

USE ADDITIONAL SHEETS IF NECESSARY

White—Water Resources Board
Canary—Driller's Copy
Pink—Customer's Copy

STATE OF OKLAHOMA
MULTI-PURPOSE WELL REPORT
OKLAHOMA WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

2-3

8532

1. WELL OWNER RON LEWIS PHONE _____
2. LEGAL DESCRIPTION se 1/4 of NW 1/4 of SE 1/4 of sec. 6; TWP. 10 N RGE 2W EIM (Circle One) WIM ECM COUNTY Cleveland
FINDING LOCATION _____
Blocks or distance(s) from given point(s).

3. TYPE OF WORK <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Reconditioning Work <input type="checkbox"/> Monitoring <input type="checkbox"/> Test Hole <input type="checkbox"/> Other _____	<input type="checkbox"/> Plugging	4. USE <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Stock <input type="checkbox"/> Monitoring <input type="checkbox"/> Test Hole <input type="checkbox"/> Other _____	NON-DOMESTIC <input type="checkbox"/> Irrigation <input type="checkbox"/> Municipal <input type="checkbox"/> Industrial <input type="checkbox"/> Commercial <input type="checkbox"/> Other _____	5. DRILLING METHOD <input type="checkbox"/> Fluid Rotary <input type="checkbox"/> Cable <input checked="" type="checkbox"/> Air Rotary <input type="checkbox"/> H.S. Auger <input type="checkbox"/> Rev. Rotary <input type="checkbox"/> Other _____
---	-----------------------------------	--	--	---

LITHOLOGIC LOG

Material	From	To	Saturated
sandy clay	0	8	
Red shale	8	48	
sand rock	48	53 (scop)	
STKs sand rock	53	325	
Red shale	325	355	
sand rock			

7. LOCATION PERMIT

If this well is Non-Domestic, has the location been permitted?
☐ Yes ☐ No Permit No. _____

NEW WELL CONSTRUCTION DATA

DATES: Started 7-5-89 Completed 7-5-89
Contractor MOORE Drilling Co.
Driller H. R. Moore
Diameter Hole 8" in. Total Depth 355 ft.

CASING RECORD
Diameter, From To
Surface Pipe 10 8" PUL in. 0 ft. 10 ft.
Well Casing 3 5/8" PUL 0 ft. 355 ft.
Cement Grout Surface Seal? ☒ Yes ☐ No
Type of Surface Seal: PORLAND Depth of Seal: 15' ft.
GRAVEL PACK:
Gravel Packed From 15' ft. to 355 ft.
Amount Used: 3 1/2 yds

PERFORATION RECORD
Type/Size From To
.026 3/8" T From 215 ft. To 355 ft.
From _____ ft. To _____ ft.
From _____ ft. To _____ ft.

9. WELL TEST DATA Static Water Level _____ Below Land Surface <u>305</u> ft. Approximate Yield <u>12</u> gpm. If Artesian: Flows _____ gpm.	10. PUMP INFORMATION Pump Type <u>1 H.P.</u> Power Source _____ Rated Capacity _____ gpm. Depth of Bowls or Cylinder _____ ft.
--	---

11. PLUGGING DATA
Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ Ft. To _____ ft.

12. RECONDITIONING WORK
Date Completed _____
Replaced Casing From _____ ft. To _____ ft.
Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____


14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.
Name MOORE Drilling Co. License # 323
Address P.O. Box 61 Shawnee, OK 74802 Phone # 273-7243
Signed H. R. Moore Date 8-3-89

RECEIVED
AUG - 7 1989

Oklahoma Water Resources Board

13. PLAT



White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 233
Aquifer _____
Steam System Code _____
Use Code _____
County _____ (Official Use Only)

8529

1. OWNER Phillip Breauxly
OK City OK

(b) (6)

2. LEGAL DESCRIPTION OF WELL

NW 1/4 of NW 1/4 of SE 1/4 of sec. 6; TWP. 10 S; RGE 2 EIM (Circle One) WIM ECM; COUNTY Cherokee

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE

☒ Domestic
☐ Stock
☐ Test/Monitoring

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☐ Air

6. LOG

Material	From	To	Saturated
Top Soil	0	10	
Red. Clay	10	100	
Sandy Shale	100	140	
Sand	140	160	
Rock & Sand	160	170	
Shale & Hard Rock	170	220	
Sand	220	240	
Sandy Shale	240	262	

7. LOCATION PERMIT

If this well is Non-Domestic, has this location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 3-1 Completed 3-17-86
Contractor DKH
Driller J. T. Green
Diameter Hole 7 1/2 in. Total Depth 261 ft.

CASING RECORD

Inside Diameter 4 1/2 in. From 0 ft. To 261 ft.
Outside 6 5/8 in. From 0 ft. To 12 ft.
Cement Grout Surface Seal ☒ Yes ☐ No
Type of Surface Seal: Cement Depth of Seal: 12 ft.

GRAVEL PACKED:

Gravel Packed From 0 ft. to 15 ft.
Amount Used: _____

PERFORATION RECORD

Type/Size 4"
From 261 ft. To 241 ft.
From _____ ft. To _____ ft.
From _____ ft. To _____ ft.

9. WELL TEST DATA

Static Water Level Below Land Surface _____ ft.
If Artesian: Flows _____ gpm.
Approximate Yield _____ gpm.

10. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK


Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name S. Travis Green License # 106
Address P.O. Box 6516 Phone # 714-529
Signed J. T. Green Date 3-30-86

11. PLAT



1/4 of NW 1/4 of SE 1/4 of SEC 6; TWP. 10 S; RGE 2 EIM, WIM ECM (Circle One)

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

White—Water Resources Board
Canary—Driller's Copy
Pink—Customer's Copy

STATE OF OKLAHOMA
MULTI-PURPOSE WATER WELL REPORT
OKLAHOMA WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

8530

2-3

1. WELL OWNER Wale McKay Shady Nook PHONE _____
2. LEGAL DESCRIPTION SW 1/4 of SE 1/4 of Sec. 6, TWP. 10N, RGE. 2E, EIM (Circle One) ECM COUNTY Cleveland
FINDING LOCATION 4801 SE 104th
Blocks or distance(s) from given point(s).

3. TYPE OF WORK <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Plugging <input type="checkbox"/> Reconditioning Work <input type="checkbox"/> Test/Monitoring <input type="checkbox"/> G.W. Heat Pump <input type="checkbox"/> Other _____	4. USE <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Stock <input type="checkbox"/> Test/Monitoring <input type="checkbox"/> G.W. Heat Pump <input type="checkbox"/> Other _____	NON-DOMESTIC <input type="checkbox"/> Irrigation <input type="checkbox"/> Municipal <input type="checkbox"/> Industrial <input type="checkbox"/> Commercial <input type="checkbox"/> Other _____	5. DRILLING METHOD <input type="checkbox"/> Fluid Rotary <input type="checkbox"/> Rev. Rotary <input type="checkbox"/> Cable <input type="checkbox"/> Other _____ <input type="checkbox"/> Air Rotary <input type="checkbox"/> H.S. Auger
---	--	--	--

6. LITHOLOGIC LOG

Material	From	To	Saturated
Clay	0	160	
band	160	170	✓
Clay & shale	170	225	
band	225	245	✓

7. LOCATION PERMIT

If this well is Non-Domestic, has the location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 7-23-88 Completed 8-23-88
Contractor Kayser-Well Drilling
Driller Angie King
Diameter Hole _____ in. Total Depth 245 ft.

CASING RECORD

Diameter _____ From _____ To _____
Surface Pipe 6 in. 17 ft. 10 ft.
Well Casing 4 in. 3 ft. 245 ft.
Cement Grout Surface Seal? ☒ Yes ☐ No
Type of Surface Seal: _____ Depth of Seal: 10 ft.
GRAVEL PACK:
Gravel Packed From 10 ft. to 245 ft.
Amount Used: 240 yds.

PERFORATION RECORD

Type/Size Slotted From 225 ft. To 245 ft.
From _____ ft. To _____ ft.
From _____ ft. To _____ ft.

9. WELL TEST DATA

Static Water Level _____
Below Land Surface _____ ft.
Approximate Yield _____ gpm.
If Artesian: Flows _____ gpm.

10. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

11. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ Ft. To _____ ft.

12. RECONDITIONING WORK


Date Completed _____
Replaced Casing From _____ ft. To _____ ft.
Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Lloyd T. King License # WD273
Address 12029 NE 26th Phone # 769 6055
Signed Lloyd T. King Date 9-33-88

13. PLAT



Form 424-0887

USE ADDITIONAL SHEETS IF NECESSARY

White—Water Resources Board
Canary—Driller's Copy
Pink—Customer's Copy

STATE OF OKLAHOMA
MULTI-PURPOSE WATER WELL REPORT
OKLAHOMA WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

1-2
NOTICE BEFORE USE OF THIS WELL: It shall be the responsibility of the well owner to have the water tested for quality by any Oklahoma Water Resources Board certified laboratory and supply copy of these results to the Oklahoma Water Resources Board.

#8528

1. WELL OWNER Harold Gaches PHON (b)(6)
2. LEGAL DESCRIPTION 28 1/4 of 30 1/4 of 32 1/4 of sec. 6; TWP. 10 S, RGE 2 E, CM COUNTY Cleveland
FINDING LOCATION 104 J. Sh market north to East Rd., west to end
Blocks or distance(s) from given point(s).

3. TYPE OF WORK <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Reconditioning Work <input type="checkbox"/> Test/Monitoring <input type="checkbox"/> G.W. Heat Pump <input type="checkbox"/> Other	<input type="checkbox"/> Plugging	4. USE <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Stock <input type="checkbox"/> Test/Monitoring <input type="checkbox"/> G.W. Heat Pump <input type="checkbox"/> Other	NON-DOMESTIC <input type="checkbox"/> Irrigation <input type="checkbox"/> Municipal <input type="checkbox"/> Industrial <input type="checkbox"/> Commercial <input type="checkbox"/> Other	5. DRILLING METHOD <input checked="" type="checkbox"/> Fluid Rotary <input type="checkbox"/> Cable <input type="checkbox"/> Air Rotary <input type="checkbox"/> H.S. Auger <input type="checkbox"/> Rev. Rotary <input type="checkbox"/> Other
--	-----------------------------------	---	---	--

6. LITHOLOGIC LOG

Material	From	To	Saturated
Blow Sand	0	20	
Red Shell Rock	20	40	
Red Clay	40	60	
light brown water sand	60	80	
sand Rock	80	100	
dark brown water sand	100	125	

7. LOCATION PERMIT

If this well is Non-Domestic, has the location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 4/22/87 Completed 4/22/87
Contractor Skills Pump & Supply
Driller Jimmy Penn
Diameter Hole _____ in. Total Depth 125 ft.

CASING RECORD

Diameter _____ From _____ To _____
Surface Pipe 4 in. 0 ft. 125 ft.
Well Casing 6 in. _____ ft. _____ ft.
Cement Grout Surface Seal? ☐ Yes ☐ No
Type of Surface Seal: Cement Depth of Seal: 10 ft.

GRAVEL PACK:
Gravel Packed From 95 ft. to 125 ft.
Amount Used: _____

PERFORATION RECORD

Type/Size 3/8" 4" From 105 ft. To 125 ft.
From _____ ft. To _____ ft.
From _____ ft. To _____ ft.

WELL TEST DATA

Static Water Level _____ ft.
Pump Land Surface 30 ft.
Approximate Yield 50 gpm.
 Artesian: Flows _____ gpm.

10. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.


11. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ Ft. To _____ ft.

12. RECONDITIONING WORK

Date Completed _____
Replaced Casing From _____ ft. To _____ ft.
Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

13. PLAT



14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Jimmy Penn License # 40253
Address Newark Phone # 391-9141
Signed Jimmy Penn Date 8/5/2/8

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 2-3
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

MULTI-PURPOSE WATER WELL REPORT

1. OWNER Bart Everett ADDRESS (b) (6)

2. LEGAL DESCRIPTION OF WELL

NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of sec. 6; TWP. 10N S. Rge. 2 EIM, WIM, ECM; COUNTY CLAY

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test

4. PROPOSED / PAST USE

☒ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other

6. LOG

Material	From	To	Saturated
Red shale	0	260	
Red sand	260	261	260 PM
Red shale	261	490	
Hard sand	490	550	100 7 6 PM

7. NEW WELL CONSTRUCTION DATA

Dates: Started _____ Completed _____
Contractor Fryar's Water Well Ser
Driller Tom Fryar
Diameter Hole 8 in. Total Depth 550 ft.

CASING RECORD

Diameter 4 1/2 in. From 0 ft. To 350 ft.
Surface Seal: ☒ Yes ☐ No Type: 6" PVC
Depth of Seal: 12 ft.
Gravel Packed:
Gravel Packed From 12 ft. to 350 ft.
Amount Used: _____

PERFORATION RECORD

Type Slit From 265 ft. To 270 ft.
Size 305 ft. To 310 ft.
" 340 ft. To 350 ft.

8. WELL TEST DATA

Static Water Level Below Land Surface 250 ft.
If Artesian: Flows _____ gpm.
Water Temp. _____ °C/f Quality _____

BAILER TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.
Size of Bailer: _____ gal.

PUMPING TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.

9. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK

Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

13. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.


Name George T. Fryar License # WD-280
Address 7908 Melrose Lane Phone # 745-5000
Signed George T. Fryar Date 12-30-88

RECEIVED

DEC 30 1988

OKLA. WATER RESOURCES BOARD

11. PLAT



NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SEC 6:

TWP 10N S; RGE 2W EIM, WIM, ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

USE ADDITIONAL SHEETS IF NECESSARY

White - Water Resources Board
Canary - Drillers Copy
Pink - Drillers Copy

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 34
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

8526

MULTI-PURPOSE WATER WELL REPORT

1. OWNER Chapman ADDRESS (b) (6) PHONE _____

2. LEGAL DESCRIPTION OF WELL
SE 1/4 of SE 1/4 of NE 1/4 of sec. 5; TWP. 10 N; Rge. 2 E; COUNTY Nowland

3. TYPE OF WORK
☒ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test

4. PROPOSED / PAST USE
☒ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test

5. DRILLING METHOD
☐ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other Air

6. LOG			
Material	From	To	Saturated
C/M		20	
SAND ROCK	20	35	
SHALE	35	120	
SAND ROCK	120	170	
SAND + SAND STONE	170	205	205 ft
CIPY	205	207	

7. NEW WELL CONSTRUCTION DATA
Dates: Started MAR 13 86 Completed MAR 13 86
Contractor TEAGUE DRILLING CO.
Driller JOE TEAGUE
Diameter Hole 7 in. Total Depth 207 ft.


CASING RECORD
Diameter 7 in. From 3 ft. To 207 ft.
Surface Seal: ☒ Yes ☐ No Type: Cement
Depth of Seal: 10 ft.
Gravel Packed:
Gravel Packed From 170 ft. to 207 ft.
Amount Used: 140

PERFORATION RECORD
Type 1/8 SHOT From 180 ft. To 207 ft.
Size _____ From _____ ft. To _____ ft.
" _____ From _____ ft. To _____ ft.

RECEIVED
OCT 21 1988

OKLA. WATER RESOURCES BOARD

11. PLAT



SE 1/4 of SE 1/4 of NE 1/4 of SEC 5;
TWP 10 N; RGE 2 E; EIM WIM ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

8. WELL TEST DATA

Static Water Level Below Land Surface _____ ft.
If Artesian: Flows _____ gpm.
Water Temp. _____ °C/F Quality _____

BAILER TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.
Size of Bailer: _____ gal.

PUMPING TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.

9. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK

Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

13. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Teague Drilling Co. License # W.D. 384
Address Norman Phone # _____
Signed Joe Teague Date Oct 18 88

USE ADDITIONAL SHEETS IF NECESSARY

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 3-4
Aquifer _____
Stream System Code _____
Use Code _____
County _____
(Official Use Only)

8525

1. OWNER Draper Bros. Const ADDRESS (b) (6)

2. LEGAL DESCRIPTION OF WELL

NW 1/4 of NE 1/4 of NE 1/4 of sec. 5; TWP. 10 S; RGE 2 EIM (Circle One) ECM COUNTY Cleveland

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE

☒ Domestic
☐ Stock
☐ Test/Monitoring

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☐ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☒ Air

6. LOG

Material	From	To	Saturated
Topsoil	0	4	
Shale	4	96	
Sandrock	96	112	
Shale	112	134	
Sandrock	134	168	✓
Shale	168	179	
Sandrock	179	216	✓
Shale	216	220	

7. LOCATION PERMIT

If this well is Non-Domestic, has this location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 8/19/86 Completed Same
Contractor Allen Drilling
Driller Gary
Diameter Hole 7 in. Total Depth 220 ft.

CASING RECORD

Inside Diameter 4 in. From 3 ft. To 220 ft.
Outside 6 in. From Top ft. To 10 ft.
Cement Grout Surface Seal ☒ Yes ☐ No
Type of Surface Seal: Cement Depth of Seal: 10 ft.
GRAVEL PACKED:
Gravel Packed From 120 ft. to 220 ft.
Amount Used: 80 shovels

PERFORATION RECORD

Type/Size 1/4 holes
From 200 ft. To 215 ft.
From 160 ft. To 170 ft.
From _____ ft. To _____ ft.

9. WELL TEST DATA

Static Water Level Below Land Surface 120 ft.
If Artesian: Flows _____ gpm.
Approximate Yield 20 gpm.

10. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK


Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Gary Allen License # WD-100
Address 19001 NW 63rd, Harrah Phone # 769-370
Signed Gary Allen Date 11/24/86

11. PLAT



NW 1/4 of NE 1/4 of NE 1/4 of SEC 5;

TWP 10 S; RGE 2 EIM (Circle One) ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 3-4
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

MULTI-PURPOSE WATER WELL REPORT

1. OWNER Kevella ADDRESS (b) (6) PHONE _____

2. LEGAL DESCRIPTION OF WELL
SE 1/4 of SW 1/4 of SW 1/4 of sec. 4; TWP. 10 S; Rge. 2W EIM; COUNTY Cleveland

3. TYPE OF WORK
☒ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test

4. PROPOSED / PAST USE
☒ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test

5. DRILLING METHOD
☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other _____

6. LOG			
Material	From	To	Satu- rated
SAND ROCK	0	17	
SHALE	17	70	
SAND ROCK	70	80	
SANDY CLAY	80	100	
SAND ROCK	100	135	
SAND	135	155	
SAND ROCK	155	160	20801
SAND + SAND ROCK	160	180	20801

7. NEW WELL CONSTRUCTION DATA

Dates: Started MAY 4 91 Completed MAY 4 91
Contractor Teague Drilling Co
Driller Joe Teague
Diameter Hole 7 in. Total Depth 180 ft.

CASING RECORD


Surface	Diameter	From	To
<u>Pipe</u>	<u>6</u> in.	ft.	<u>10</u> ft.
<u>Casing</u>	<u>4</u> in.	ft.	<u>180</u> ft.

Surface Seal: ☒ Yes ☐ No Type: CEMENT
Depth of Seal: 10 ft.
Gravel Packed:
Gravel Packed From 160 ft. to 180 ft.
Amount Used: 1 yd

PERFORATION RECORD

Type	From	To
<u>1/8" SLOT</u>	<u>160</u> ft.	<u>180</u> ft.
Size	From	ft. To
"	From	ft. To

RECEIVED
JUL 31 1991
Oklahoma Water Resources Board



SE 1/4 of SW 1/4 of SW 1/4 of SEC 4;
TWP. 10 S; RGE 2W EIM, WIM, ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

8. WELL TEST DATA

Static Water Level Below Land Surface _____ ft.
If Artesian: Flows _____ gpm.
Water Temp. _____ °C/F Quality _____

BAILER TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.
Size of Bailer: _____ gal.

PUMPING TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.

9. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK

Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

13. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Joe Teague License # 384
Address 13331 ANGEL TERR Phone # 364 2413
Signed Joe Teague Date _____

White - Water Resources Board
Canary - Drillers Copy
Pink - Drillers Copy

8524

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 3-4 1-2
Aquifer _____
Stream System Code _____
Use Code _____
County _____
(Official Use Only)

MULTI-PURPOSE WATER WELL REPORT

1. OWNER Atkins Drilling & Pump ADDRESS (b) (6)


2. LEGAL DESCRIPTION OF WELL
SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of sec. 4; TWP. 10 ^N S. Rge. 2 ^W EIM; COUNTY Cleveland

3. TYPE OF WORK
☒ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test

4. PROPOSED / PAST USE
☒ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test

5. DRILLING METHOD
☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other

6. LOG				7. NEW WELL CONSTRUCTION DATA	
Material	From	To	Saturated	Dates: Started <u>7/16/85</u> Completed <u>7/16/85</u>	
Br Dirt	0	4		Contractor <u>King Drilling Co.</u>	
Red Clay	4	11		Driller <u>King</u>	
Sandstone	11	15		Diameter Hole <u>8</u> in. Total Depth <u>230</u> ft.	
Red Shale	15	52		Casing Record	
Red Bed	52	105		<u>4</u> Diameter From <u>3</u> ft. To <u>230</u> ft.	
Hard Rock	105	111		<u>6</u> in. <u>1</u> ft. <u>10</u> ft.	
Red Bed	111	146		Surface Seal: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Type: <u>Cement</u>	
Rock	146	153		Depth of Seal: <u>10</u> ft.	
Sand	153	161		Gravel Packed:	
Shale	161	182		Gravel Packed From <u>10</u> ft. to <u>230</u> ft.	
Sand	182	188		Amount Used: <u>skid</u>	
Red Clay	188	199		PERFORATION RECORD	
Red Shale	199	210		Type <u>slotted</u> From <u>810</u> ft. To <u>230</u> ft.	
Sand	210	214		Size _____ From _____ ft. To _____ ft.	
Shale	214	223		" _____ From _____ ft. To _____ ft.	
Sand	223	228		8. WELL TEST DATA	
Shale	228	230		Static Water Level Below Land Surface _____ ft.	
				If Artesian: Flows _____ gpm.	
				Water Temp. _____ °C / °F Quality _____	
				BAILER TEST	
				Drawdown _____ ft. After Pumping _____ hrs. At <u>6</u> gpm.	
				Size of Bailer: _____ gal.	
				PUMPING TEST	
				Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.	



12. PUMP INFORMATION
Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

9. PLUGGING DATA
Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK
Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

13. CERTIFICATION
The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.
Name King Drilling Co. License # WD 272
Address 2025 NE 20 Phone # 7695723
Signed David R. King Date 4/10/86

USE ADDITIONAL SHEETS IF NECESSARY

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 3-4
Aquifer _____
Steam System Code _____
Use Code _____
County _____ (Official Use Only)

#8523

1. OWNER Alita Ward ADDRESS (b) (6)
Moore

2. LEGAL DESCRIPTION OF WELL
SW 1/4 of SE 1/4 of NW 1/4 of sec. 4; TWP. 10 S; RGE 2 E1M; COUNTY Cleveland

3. TYPE OF WORK
☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE
☒ Domestic
☐ Stock
☐ Test/Monitoring

NON-DOMESTIC
☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD
☐ Rotary
☐ Cable
☒ Air
☐ Rev. Rotary
☐ Other

6. LOG			
Material	From	To	Saturated
Topsoil	0	2	<input checked="" type="checkbox"/>
Clay	2	36	
Sandrock	36	43	
Clay	43	106	
Sandrock	106	122	<input checked="" type="checkbox"/>
Shale	122	148	
Sandrock	148	180	<input checked="" type="checkbox"/>
Shale	180	188	
Sandrock	188	220	<input checked="" type="checkbox"/>


7. LOCATION PERMIT
If this well is Non-Domestic, has this location been permitted?
☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA
DATES: Started 9/17/85 Completed Same
Contractor Allen Drilling
Driller Gary
Diameter Hole 7 in. Total Depth 220 ft.

CASING RECORD
Diameter From To
Inside 4 in. 3 ft. 220 ft.
Outside 6 in. Top ft. 10 ft.
Cement Grout Surface Seal ☒ Yes ☐ No
Type of Surface Seal: Cement Depth of Seal: 10 ft.
GRAVEL PACKED:
Gravel Packed From 115 ft. to 220 ft.
Amount Used: 95 shovels

PERFORATION RECORD
Type/Size From To
1/4 holes From 200 ft. To 215 ft.
1" From 190 ft. To 200 ft.
From ft. To ft.

9. WELL TEST DATA
Static Water Level Below Land Surface 120' ft.
If Artesian: Flows _____ gpm.
Approximate Yield 25 gpm.



SW 1/4 of SE 1/4 of NW 1/4 of SEC 4; TWP. 10 S; RGE 2 E1M; COUNTY Cleveland

12. PUMP INFORMATION
Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

10. PLUGGING DATA
Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK
Date Completed _____
☐ Replace Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION
The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.
Name Gary Allen License # W0100
Address 19001 NE 68 RD Phone # 769-3700
Signed Gary Allen Date 2/28/86

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 3-4
Aquifer _____
Steam System Code _____
Use Code _____
County _____ (Official Use Only)

8522

1. OWNER W.L. Green ADDRESS Del City, Ok.

2. LEGAL DESCRIPTION OF WELL

NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of sec. 4; TWP 10 S; RGE 2 EIM (Circle One) ECM; COUNTY Cleveland

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE

☒ Domestic
☐ Stock
☐ Test Monitoring

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☐ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☒ Air

6. LOG

Material	From	To	Saturated
Topsoil	0	2	
Shale	2	115	
SANDROCK	115	130	
Shale	130	142	
SANDROCK	142	170	
Shale	170	181	
SANDROCK	181	210	

7. LOCATION PERMIT

If this well is Non-Domestic, has this location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 5/2/85 Completed 5/2/85
Contractor Allen Drilling
Driller Gary
Diameter Hole 7 in. Total Depth 210 ft.

CASING RECORD

Inside Diameter 4 in. From 3 ft. To 210 ft.
Outside 6 in. From Top ft. To 10 ft.
Cement Grout Surface Seal ☒ Yes ☐ No
Type of Surface Seal: Cement Depth of Seal: 10 ft.

GRAVEL PACKED:

Gravel Packed From 125 ft. to 210 ft.
Amount Used: 70 shovels

PERFORATION RECORD

Type Size 1/4 Hoka
From 190 ft. To 205 ft.
From 160 ft. To 170 ft.
From _____ ft. To _____ ft.

9. WELL TEST DATA

Static Water Level Below Land Surface 125 ft.
If Artesian: Flows _____ gpm.
Approximate Yield 20 gpm.

10. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK


Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Gary Allen License # WD-100
Address 1900 N.E. 68th Phone # 769-370
Signed Gary Allen Date 6/2/85

11. PLAT



NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of SEC 4

TWP 10 S; RGE 2 EIM (Circle One) ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls in Cylinders _____ ft.

White - Water Resources Board
Canary - Drillers Copy
Pink - Drillers Copy

8519

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 34
Aquifer _____
Steam System Code _____
Use Code _____
County _____
(Official Use Only)

MULTI-PURPOSE WATER WELL REPORT

1. OWNER IMAN ADDRESS (b) (6) PHONE _____

2. LEGAL DESCRIPTION OF WELL
SW $\frac{1}{4}$ of N.W. $\frac{1}{4}$ of S.W. $\frac{1}{4}$ of sec. 4; TWP. 10 S; Rge. 2 EIM WIM
ECM; COUNTY Cleland

3. TYPE OF WORK
☒ New Well ☐ Plugging
☐ Reconditioning Work ☐ Test

4. PROPOSED / PAST USE
☒ Domestic ☐ Irrigation ☐ Stock
☐ Municipal ☐ Industrial ☐ Test

5. DRILLING METHOD
☐ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other Air


6. LOG				7. NEW WELL CONSTRUCTION DATA	
Material	From	To	Saturated		
SHALE	5	92		Dates: Started <u>June 19 88</u> Completed <u>June 19 88</u>	
SAND ROCK	92	100		Contractor <u>Teague Drilling Co.</u>	
SHALE	100	152		Driller <u>Joe Teague</u>	
SAND + SANDSTONE	152	197	158 ft	Diameter Hole <u>7</u> in. Total Depth <u>240</u> ft.	
SHALE	197	212		CASING RECORD	
SAND STONE	212	240	203 ft	Diameter <u>4</u> in. From <u>3</u> ft. To <u>240</u> ft.	
				Surface Seal: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Type: <u>Cement</u>	
				Depth of Seal: <u>10</u> ft.	
				Gravel Packed: <u>212</u> ft. to <u>240</u> ft.	
				Amount Used: <u>140</u>	
				PERFORATION RECORD	
				Type <u>4 SHOT</u> From <u>220</u> ft. To <u>240</u> ft.	
				Size _____ From _____ ft. To _____ ft.	
				" _____ From _____ ft. To _____ ft.	

RECEIVED

OCT 21 1988

OKLA. WATER RESOURCES BOARD

11. PLAT



SW $\frac{1}{4}$ of N.W. $\frac{1}{4}$ of S.W. $\frac{1}{4}$ of SEC 4

TWP 10 S; RGE 2 EIM WIM ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

8. WELL TEST DATA

Static Water Level Below Land Surface _____ ft.
If Artesian: Flows _____ gpm.
Water Temp. _____ °C/f Quality _____

BAILER TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.
Size of Bailer: _____ gal.

PUMPING TEST

Drawdown _____ ft. After Pumping _____ hrs. At _____ gpm.

9. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

10. RECONDITIONING WORK

Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

13. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Teague Drilling Co. License # WD 384
Address NORMAN Phone # _____

Signed Joe Teague Date Oct 18 88

USE ADDITIONAL SHEETS IF NECESSARY


28897

MULTI-PURPOSE COMPLETION REPORT

2-3

OKLAHOMA WATER RESOURCES BOARD
600 N. HARVEY AVE.
P.O. BOX 150
OKLAHOMA CITY, OK 73101-0150

Please plot well location



Legal Description

NE 1/4 SE 1/4 SW 1/4 of Sec. 32 Twp. 11N Rge. 34W
County Ok Well No: (b) (6)
Well Owner T. D. Hoana Phone (b) (6)
Address (b) (6)
Finding location 1/2 E of Penn. on SE 89th, N. on RT. Side

Type of work

- ☐ Geotechnical Boring ☐ Pump Inst. *
☐ G.W. Heat Pump Well ☐ Reconditioning
☐ Monitor Well ☐ G.W. Well Test Hole
☐ Observation Well ☐ De-watering
☐ Piezometer ☐ Groundwater Well
☐ Plugging

G.W. Permitted Use

- ☒ Domestic (None Required)
☐ Non-Domestic:
Specify Purpose _____

Drilling Method

- ☐ Hand Auger ☐ Rev. Rotary
☐ Cable Tool ☐ D.W. Rev. Rotary
☒ Air Rotary ☐ Other
☐ Fluid Rotary
☐ H.S. Auger
☐ S.S. Auger

Lithologic Log

Material	From	To	Satu- rated
Topsoil	0	2	
Clay	2	8	
Shale	8	190	
Sandrock	190	200	
Shale	200	265	
Sandrock	265	320	
Shale	320	335	
Sandrock	325	360	
Shale	360	370	
Sandrock	370	395	
Shale	395	400	

Non-Domestic (OWRB Permitting Required)

If this groundwater well is for other than domestic use (use of water for household purposes, for farm and domestic animals up to the normal grazing capacity of the land & for the irrigation of land not to exceed 3 acres.) Permit No: _____

New Boring or Well Construction Data

Date: Started 10/22/92 Completed 10/23/92
Firm Allen Drilling
Operator Harry Op.No. 0003
Type of Construction ☐ Open Hole ☒ Cased Hole
Hole Diameter 8 inches total depth 400 feet
Hole Diameter _____ inches total depth _____ feet

CASING RECORD

Surface Casing 8 inch diameter from 10 feet to Top feet
Well casing 4 1/2 inches 3 feet 400 feet
Well casing _____ inches _____ feet _____ feet
Well casing _____ inches _____ feet _____ feet

SCREEN or PERFORATION RECORD

Type and Slot Size 1/16" slots from 310 feet to 320 feet
4 340 feet 360 feet
11 380 feet 395 feet

FILTER PACK

Type and Size 3/8" Pea Gravel from 260 feet to 400 feet
_____ feet _____ feet
_____ feet _____ feet

SEAL Cement Grout Surface Seal Installed ☒ Yes ☐ No

Type of Surface Seal Cement 2 feet 20 feet
Annular Seal Type Cement 250 feet 260 feet
Type of Filter Pack Seal _____ feet _____ feet

TYPE OF COMPLETION

☒ Above Ground ☒ Pitless Adapter
☐ Flush Mounted

SURFACE PAD (Size in Feet)

_____ X _____ X _____ inches

HYDROLOGIC DATA First Water Zone Encountered 240 ft.
Approximate Yield 35 GPM Flowing Artesian ☐ Yes ☒ No

Plugging Data

☐ Non-Contaminated ☐ Contaminated
Date Plugged _____
Backfilled From _____ feet _____ feet Type _____
Grouted From _____ feet _____ feet Type _____
Cement Grouted From _____ feet _____ feet Trimmed ☐ Yes ☐ No

Reconditioning Work

Replaced Casing/Screen From _____ feet _____ feet
Deepened Well From _____ feet _____ feet
Redeveloped Well By _____

Certification

The work described above was done under my supervision. ☒
This report is correct to the best of my knowledge.

Name Harry Allen D/PC. NO. 0003
Address 1751 E. Reno Phone 769-3700
Signed Harry Allen Date 3/7/93

MAR 18 1993

Oklahoma Water Resources Board

* See Pump Installers Form On Back

White—Water Resources Board
Canary—Driller's Copy
Pink—Customer's Copy

STATE OF OKLAHOMA
MULTI-PURPOSE WELL REPORT
OKLAHOMA WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

2-3

28610

1. WELL OWNER Tom Webster PHONE _____
2. LEGAL DESCRIPTION SE ¼ of SE ¼ of NW ¼ of sec. 28, TWP. 11 N, RGE 3 E, CM COUNTY OK
FINDING LOCATION 720 SW 63rd
Blocks or distance(s) from given point(s).

3. TYPE OF WORK <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Reconditioning Work <input type="checkbox"/> Monitoring <input type="checkbox"/> Test Hole <input type="checkbox"/> Other	<input type="checkbox"/> Plugging	4. USE <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Stock <input type="checkbox"/> Monitoring <input type="checkbox"/> Test Hole <input type="checkbox"/> Other	NON-DOMESTIC <input type="checkbox"/> Irrigation <input type="checkbox"/> Municipal <input type="checkbox"/> Industrial <input type="checkbox"/> Commercial <input type="checkbox"/> Other	5. DRILLING METHOD <input type="checkbox"/> Fluid Rotary <input type="checkbox"/> Cable <input checked="" type="checkbox"/> Air Rotary <input type="checkbox"/> H.S. Auger <input type="checkbox"/> Rev. Rotary <input type="checkbox"/> Other
---	-----------------------------------	--	--	---

LITHOLOGIC LOG			
Material	From	To	Saturated
Sandy Clay	0	28	
Shale	28	125	
Sand Rock	125	142	✓
Shale	142	185	
Sand Rock	185	215	✓
Shale	215	280	
Water Sand	280	310	✓
Sandy Shale	310	325	
Water Sand	325	360	✓

7. LOCATION PERMIT
If this well is Non-Domestic, has the location been permitted?
☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA
DATES: Started 8-7-91 Completed 8-7-91
Contractor Vannoy & Son
Driller Steve Vannoy
Diameter Hole 8 in. Total Depth 360 ft.

CASING RECORD
Diameter From To
Surface Pipe 6 in. Top ft. 10 ft.
Well Casing 4 1/2 in. 3 ft. 360 ft.
Cement Grout Surface Seal? ☒ Yes ☐ No
Type of Surface Seal: Cement Depth of Seal: 10 ft.
GRAVEL PACK:
Gravel Packed From 170 ft. to 360 ft.
Amount Used: 3800 Pounds

PERFORATION RECORD
Type/Size
Slotted .040 From 280 ft. To 310 ft.
Slotted .040 From 330 ft. To 360 ft.
From _____ ft. To _____ ft.

9. WELL TEST DATA Static Water Level _____ Below Land Surface <u>200</u> ft. Approximate Yield _____ gpm. If Artesian: Flows _____ gpm.	10. PUMP INFORMATION Pump Type _____ Power Source _____ Rated Capacity _____ gpm. Depth of Bowls or Cylinder _____ ft.
--	---

11. PLUGGING DATA
Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ Ft. To _____ ft.

12. RECONDITIONING WORK
Date Completed _____
Replaced Casing From _____ ft. To _____ ft.
Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____


14. CERTIFICATION
The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.
Name Vannoy & Son Drilling License # WD107
Address P.O. Box 429 Nicoma Park Phone # 7692255
Signed [Signature] Date 8-12-91

RECEIVED

DEC 21 1992

Oklahoma Water Resources Board

3. PLAT



LW

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

#6500

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 1-2
Aquifer _____
Steam System Code _____
Use Code _____
County _____ (Official Use Only)

1. OWNER Granville Morgan ADDRESS (b) (6)

2. LEGAL DESCRIPTION OF WELL

SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of sec. 27; TWP. 11 S; RGE 3 EIM (Circle One) WIM ECM; COUNTY OKLA

3. TYPE OF WORK

☐ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE

☒ Domestic
☐ Stock
☐ Test/Monitoring

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☐ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☐ Air

6. LOG

Material	From	To	Saturated
top soil - clay	0	15	
good sand & gravel	15	43	
Shale	43	50	

7. LOCATION PERMIT

If this well is Non-Domestic, has this location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 7 May 87 Completed same
Contractor Danish
Driller Danish
Diameter Hole 12" in. Total Depth 50 ft


CASING RECORD

Diameter 4 1/2 in. From 0 ft. To 50 ft.
Inside _____ in. _____ ft.
Outside _____ in. _____ ft.
Cement Grout Surface Seal ☐ Yes ☒ No
Type of Surface Seal: Seal & Cement Depth of Seal: 10' ft.
GRAVEL PACKED:
Gravel Packed From 10 ft. to 50 ft.
Amount Used: all

PERFORATION RECORD

Type/Size Slot/4 1/2 From 30 ft. To 50 ft.
From _____ ft. To _____ ft.
From _____ ft. To _____ ft.

11. PLAT



SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of SEC 27;
(Circle One)
TWP 11 S; RGE 3 EIM, WIM, ECM

12. PUMP INFORMATION

Pump Type X
Power Source X
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

9. WELL TEST DATA

Static Water Level Below Land Surface 15 ft.
If Artesian: Flows _____ gpm.
Approximate Yield 20 gpm.

10. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK

Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Danish Supply License # WDRS
Address 4610 E. 10th Phone # _____
Signed Danish Supply Date 16 May 87

White—Water Resources Board
Canary—Driller's Copy
Pink—Customer's Copy

STATE OF OKLAHOMA
MULTI-PURPOSE WATER WELL REPORT
OKLAHOMA WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

NOTICE BEFORE USE OF THIS WELL: It shall be the responsibility of the well owner to have the water tested for quality by any Oklahoma Water Resources Board certified laboratory and supply copy of these results to the Oklahoma Water Resources Board.

#6498

1. WELL OWNER Russell Lawson PHONE (b) (6)
2. LEGAL DESCRIPTION NW 1/4 of NE 1/4 of NW 1/4 of sec. 22 TWP. 10N 3E EIM (Circle One) WIM ECM COUNTY OKLAHOMA
FINDING LOCATION 5678 NW 36
Blocks or distance(s) from given point(s).

3. TYPE OF WORK <input type="checkbox"/> New Well <input type="checkbox"/> Reconditioning Work <input type="checkbox"/> Test/Monitoring <input type="checkbox"/> G.W. Heat Pump <input type="checkbox"/> Other _____	<input type="checkbox"/> Plugging	4. USE <input type="checkbox"/> Domestic <input type="checkbox"/> Stock <input type="checkbox"/> Test/Monitoring <input type="checkbox"/> G.W. Heat Pump <input type="checkbox"/> Other _____	NON-DOMESTIC <input type="checkbox"/> Irrigation <input type="checkbox"/> Municipal <input type="checkbox"/> Industrial <input type="checkbox"/> Commercial <input type="checkbox"/> Other _____	5. DRILLING METHOD <input checked="" type="checkbox"/> Fluid Rotary <input type="checkbox"/> Cable <input type="checkbox"/> Air Rotary <input type="checkbox"/> H.S. Auger <input type="checkbox"/> Rev. Rotary <input type="checkbox"/> Other _____
--	-----------------------------------	---	--	---

6. LITHOLOGIC LOG			
Material	From	To	Saturated
Clay	0	18	
Sand & gravel	18	46	
red bed	46	50	

7. LOCATION PERMIT If this well is Non-Domestic, has the location been permitted? <input type="checkbox"/> Yes <input type="checkbox"/> No Permit No. _____
--

8. NEW WELL CONSTRUCTION DATA DATES: Started <u>10 July 87</u> Completed <u>same</u> Contractor <u>Lawson</u> Driller <u>Lawson</u> Diameter Hole <u>12</u> in. Total Depth <u>50</u> ft.
--


CASING RECORD Diameter From To Surface Pipe <u>6.75</u> in. <u>4.1</u> ft. <u>10</u> ft. Well Casing <u>4.2</u> in. <u>3</u> ft. <u>50</u> ft. Cement Grout Surface Seal? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Type of Surface Seal: <u>10</u> Depth of Seal: <u>around</u> ft. GRAVEL PACK: Gravel Packed From <u>10</u> ft. to <u>50</u> ft. Amount Used: <u>all</u>

PERFORATION RECORD Type/Size From To <u>slot 4.2</u> From <u>30</u> ft. To <u>50</u> ft. From _____ ft. To _____ ft. From _____ ft. To _____ ft.

9. WELL TEST DATA Static Water Level Below Land Surface <u>20</u> ft. Approximate Yield <u>20</u> gpm. If Artesian: Flows _____ gpm.	10. PUMP INFORMATION Pump Type _____ Power Source _____ Rated Capacity _____ gpm. Depth of Bowls or Cylinder _____ ft.
---	---

11. PLUGGING DATA Date Plugged _____ Backfilled With _____ Material To _____ ft. Grouted or Cemented From _____ Ft. To _____ ft.
--

12. RECONDITIONING WORK Date Completed _____ Replaced Casing From _____ ft. To _____ ft. Replaced Screen From _____ ft. To _____ ft. Deepened Well From _____ ft. To _____ ft. Redeveloped Well By _____
--

13. PLAT 
--

14. CERTIFICATION The work described above was done under my supervision, and this report is true and correct to the best of my knowledge. Name <u>David C. Lawson</u> License # <u>W1233</u> Address <u>4614 NW 10</u> Phone # <u>743-7014</u> Signed <u>David C. Lawson</u> Date <u>1 Aug 87</u>

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 2-3
Aquifer _____
Steam System Code _____
Use Code _____
County _____ (Official Use Only)

#6496
1. OWNER Phil Mauer ADDRESS (b) (6)
ORC OK (b) (6)
2. LEGAL DESCRIPTION OF WELL
SW 1/4 of SE 1/4 of NW 1/4 of sec. 14; TWP. 11 S; RGE 3 EIM (Circle One) WIM
ECM; COUNTY Oklahoma

3. TYPE OF WORK
☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring
4. USE
☒ Domestic
☐ Stock
☐ Test/Monitoring
NON-DOMESTIC
☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other
5. DRILLING METHOD
☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☒ Air

6. LOG			
Material	From	To	Saturated
Soft Clay - water	0	20	
Clay - Shale	20	40	
Shale	40	60	
Shale w/ little water	60	80	
Shale	80	100	
Shale	100	120	
11	120	140	
Shale & little water	140	160	


7. LOCATION PERMIT
If this well is Non-Domestic, has this location been permitted?
☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA
DATES: Started 7 Aug Completed 7 Aug, 85
Contractor Forndorfer Drilling
Driller David Forndorfer
Diameter Hole 6 3/4 in. Total Depth 160 ft.

CASING RECORD
Diameter From To
Inside 4 1/2 in. 10 ft. 16 ft.
Outside _____ in. _____ ft. _____ ft.
Cement Grout Surface Seal ☒ Yes ☐ No
Type of Surface Seal Steel Cement Depth of Seal: 10 ft.
GRAVEL PACKED:
Gravel Packed From 0 ft. to 160 ft.
Amount Used: 100

PERFORATION RECORD
Type/Size
Slot 4 1/2 From 20 ft. To 30 ft.
From 50 ft. To 55 ft.
From 75 ft. To 80 ft.
From 100 ft. To 105 ft.
From 125 ft. To 130 ft.
From 150 ft. To 160 ft.

9. WELL TEST DATA
Static Water Level Below Land Surface 50 ft.
If Artesian: Flows _____ gpm.
Approximate Yield 5 gpm.



10. PLUGGING DATA
Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK
Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

SW 1/4 of SE 1/4 of NW 1/4 of SEC 14;
TWP. 11 S; RGE 3 EIM (Circle One) WIM
ECM

12. PUMP INFORMATION
Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

14. CERTIFICATION
The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.
Name Forndorfer Drilling License # WD-33
Address 4610 NW 10 Ave Phone # 943-3804
Signed David Forndorfer Date 10/14/85


29519

MULTI-PURPOSE COMPLETION REPORT

OKLAHOMA WATER RESOURCES BOARD
600 N. HARVEY AVE.
P.O. BOX 150
OKLAHOMA CITY, OK 73101-0150

3-4

Please plot well location



Legal Description

SE 1/4 NW 1/4 SW 1/4 of Sec. 20 Twp. 11 N Rge. 2 W

County Oklahoma Well No: _____Well Owner Mrs. Rose Phone _____

Address _____

Finding location SE 1/4 1/4 Sunny Lane 4 East
on North Side

Type of work

- ☐ Geotechnical Boring ☐ Pump Inst. *
☐ G.W. Heat Pump Well ☐ Reconditioning
☐ Monitor Well ☐ G.W. Well Test Hole
☐ Observation Well ☐ De-watering
☐ Piezometer ☒ Groundwater Well
☐ Plugging ☐ _____

G.W. Permitted Use

- ☒ Domestic (None Required)
☐ Non-Domestic:
 Specify Purpose _____

Drilling Method

- ☐ Hand Auger ☐ Rev. Rotary
☐ Cable Tool ☐ D.W. Rev. Rotary
☒ Air Rotary ☐ Other
☐ Fluid Rotary
☐ H.S. Auger
☐ S.S. Auger

Lithologic Log

Material	From	To	Saturated
Top Soil	Top	2	
SAND	2	6	
Shale	6	70	
SAND Rock	70	100	✓
Shale	100	110	
SAND Rock	110	120	✓

Non-Domestic (OWRB Permitting Required)

If this groundwater well is for other than domestic use (use of water for household purposes, for farm and domestic animals up to the normal grazing capacity of the land & for the irrigation of land not to exceed 3 acres.) Permit No: _____

New Boring or Well Construction Data

Date: Started 7-8-92 Completed 7-8-92Firm VANNY & SONOperator Steve Vanny Op.No. 332Type of Construction ☒ Open Hole ☐ Cased Hole☐ Temporary ☒ PermanentHole Diameter 8 inches total depth 120 feet

Hole Diameter _____ inches total depth _____ feet

CASING RECORD diameter from to

Surface casing 6 inches Top feet 10 feetWell casing 4 1/2 inches 30 feet 120 feet

Well casing _____ inches _____ feet _____ feet

Well casing _____ inches _____ feet _____ feet

SCREEN or PERFORATION RECORD

Type and Slot Size Slotted .040 from 80 feet to 100 feet

_____ from _____ feet to _____ feet

_____ from _____ feet to _____ feet

_____ from _____ feet to _____ feet

FILTER PACK

Type and Size 1/8" from 10 feet to 120 feet

_____ from _____ feet to _____ feet

_____ from _____ feet to _____ feet

SEAL Cement Grout Surface Seal Installed ☒ Yes ☐ NoType of Surface Seal Cement Top feet 10 feet

Annular Seal Type _____ feet _____ feet

Type of Filter Pack Seal _____ feet _____ feet

TYPE OF COMPLETION

☒ Above Ground ☐ Pitless Adapter☐ Flush Mounted

SURFACE PAD (Size in Feet)

_____ X _____ X _____ inches

HYDROLOGIC DATA First Water Zone Encountered 70 ft.Approximate Yield 10 GPM Flowing Artesian ☐ Yes ☒ NoPlugging Data ☐ Non-Contaminated ☐ Contaminated

Date Plugged _____

Backfilled From _____ feet _____ feet Type _____

Grouted From _____ feet _____ feet Type _____

Cement Grouted From _____ feet _____ feet Trimmed ☐ Yes ☐ No

Reconditioning Work

Replaced Casing/Screen From _____ feet _____ feet

Deepened Well From _____ feet _____ feet

Redeveloped Well By _____

Certification

The work described above was done under my supervision. ✓

This report is correct to the best of my knowledge.

Name Steve Vanny D/PC. NO. 0713Address 11320 NE 23rd Phone 764 2255Signed Steve Vanny Date 7-8-92

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 3-4
Aquifer _____
Steam System Code _____
Use Code _____
County _____ (Official Use Only)

#6477
1. OWNER Draper Bros ADDRESS (b) (6)
Midwest City PHONE _____

2. LEGAL DESCRIPTION OF WELL
SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of sec. 20; TWP. 11 ^N S; RGE 2 ^W E; COUNTY Oklahoma

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE

☒ Domestic
☐ Stock
☐ Test/Monitoring

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☐ Air

6. LOG

Material	From	To	Satur- ated
Sand	0	4	
Red Sand Rock	4	33	
Brown Water Sand	33	80	
Red Shell Rock	80	100	
White Water Sand	100	140	
100 G.P.M.			

7. LOCATION PERMIT

If this well is Non-Domestic, has this location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 11-9-85 Completed 11-9-85
Contractor Stella Pump Supply
Driller George D Casey
Diameter Hole 7 in. Total Depth 140 ft.

CASING RECORD

Inside Diameter 4 in. From 0 ft. To 140 ft.
Outside 6 in. From 0 ft. To 10 ft.
Cement Grout Surface Seal ☐ Yes ☐ No
Type of Surface Seal: Cement Depth of Seal: 10 ft.

GRAVEL PACKED:

Gravel Packed From 30 ft. to 140 ft.
Amount Used: _____

PERFORATION RECORD

Type/Size 4" PVC From 120 ft. To 140 ft.
From _____ ft. To _____ ft.
From _____ ft. To _____ ft.

9. WELL TEST DATA

Static Water Level Below Land Surface _____ ft.
If Artesian: Flows _____ gpm.
Approximate Yield _____ gpm.

10. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK


Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name George D Casey License # WD-253
Address Newbyla Phone # 391 4744
Signed George D Casey Date 12-9-85

11. PLAT



SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of SEC 20;
(Circle One)
TWP. 11 ^N S; RGE 2 ^W E; EIM WIM ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. 3-4
Aquifer _____
Steam System Code _____
Use Code _____
County _____ (Official Use Only)

#6476

Jerry Meek

1. OWNER

Apollon Builders
Oklahoma City, Okla

ADDRESS

(b) (6)

(b) (6)

2. LEGAL DESCRIPTION OF WELL

SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of sec. 20; TWP. 11 S; RGE. 2 EIM (Circle One) WIM COUNTY Oklahoma

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE

☐ Domestic
☐ Stock
☐ Test/Monitoring

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☒ Air

6. LOG

Material	From	To	Satur. rated
Loam - S. Rock	0	20	
S. Rock - shale	20	40	
Shale - S. Rock	40	60	
Sand. Rock with water	60	80	
S. Rock water	80	100	
Water shale	100	120	
Shale water	120	140	
Water - Sand	140	180	

7. LOCATION PERMIT

If this well is Non-Domestic, has this location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 15 Jan 86 Completed 15 Jan 86
Contractor Pondexter Drilling
Driller W. D. N. 1078
Diameter Hole 6 3/4 in. Total Depth 180 ft.

CASING RECORD

Inside Diameter 4 1/2 in. From 0 ft. To 180 ft.
Outside _____ in. _____ ft. _____ ft.
Cement Grout Surface Seal ☒ Yes ☐ No
Type of Surface Seal Cement Depth of Seal: 10 ft.
GRAVEL PACKED:
Gravel Packed From 10 ft. to 180 ft.
Amount Used all

PERFORATION RECORD

Type/Size Slot 4 1/2
From 100 ft. To 110 ft.
From 130 ft. To 140 ft.
From 160 ft. To 180 ft.

9. WELL TEST DATA

Static Water Level Below Land Surface _____ ft.
If Artesian: Flows _____ gpm.
Approximate Yield _____ gpm.

10. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK

Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____


14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Pondexter Supply License # 400-33
Address 4610 N.W. 10th St. OKC Phone # 743-3809
Signed David R. Pondexter Date 1 Feb 86

RECEIVED
FEB 18 1986
Oklahoma Water Resources Board

11. PLAT



SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of SEC 20;
TWP. 11 S; RGE. 2 EIM (Circle One) WIM ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

3-4

White—Water Resources Board
Canary—Driller's Copy
Pink—Customer's Copy

STATE OF OKLAHOMA
MULTI-PURPOSE WATER WELL REPORT
OKLAHOMA WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

3-4

#6474

1. WELL OWNER Doyle Brothers PHONE _____
2. LEGAL DESCRIPTION SE ¼ of NE ¼ of S14 ¼ of sec. 20; TWP. 11 N; RGE 2 W; ECM COUNTY OK.

FINDING LOCATION 4531 SE 55th
Blocks or distance(s) from given point(s).

3. TYPE OF WORK <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Reconditioning Work <input type="checkbox"/> Test/Monitoring <input type="checkbox"/> G.W. Heat Pump <input type="checkbox"/> Other _____	<input type="checkbox"/> Plugging	4. USE <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Stock <input type="checkbox"/> Test/Monitoring <input type="checkbox"/> G.W. Heat Pump <input type="checkbox"/> Other _____	NON-DOMESTIC <input type="checkbox"/> Irrigation <input type="checkbox"/> Municipal <input type="checkbox"/> Industrial <input type="checkbox"/> Commercial <input type="checkbox"/> Other _____	5. DRILLING METHOD <input type="checkbox"/> Fluid Rotary <input type="checkbox"/> Cable <input checked="" type="checkbox"/> Air Rotary <input type="checkbox"/> H.S. Auger <input type="checkbox"/> Rev. Rotary <input type="checkbox"/> Other _____
---	-----------------------------------	--	--	---

LITHOLOGIC LOG			
Material	From	To	Satur- ated
Clay	0	15	
Sandrock	15	38	
Shale	38	55	
Sandrock	55	80	
Water	80	120	x

7. LOCATION PERMIT If this well is Non-Domestic, has the location been permitted? <input type="checkbox"/> Yes <input type="checkbox"/> No Permit No. _____
--


8. NEW WELL CONSTRUCTION DATA DATES: Started <u>8-3-88</u> Completed <u>8-3-88</u> Contractor <u>Vannoy & Son Drilling</u> Driller <u>Mel</u> Diameter Hole <u>8</u> in. Total Depth <u>120</u> ft. CASING RECORD <table><tr><th>Diameter</th><th>From</th><th>To</th></tr><tr><td>Surface Pipe <u>6 5/8</u> in.</td><td><u>0</u> ft.</td><td><u>10</u> ft.</td></tr><tr><td>Well Casing <u>5</u> in.</td><td><u>3</u> ft.</td><td><u>120</u> ft.</td></tr></table> Cement Grout Surface Seal? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Type of Surface Seal: <u>Steel</u> Depth of Seal: <u>10</u> ft. GRAVEL PACK: Gravel Packed From <u>50</u> ft. to <u>120</u> ft. Amount Used: <u>1400</u> Lbs. PERFORATION RECORD <table><tr><th>Type/Size</th><th>From</th><th>To</th></tr><tr><td><u>5"</u></td><td><u>90</u> ft.</td><td><u>120</u> ft.</td></tr><tr><td><u>Slotted</u></td><td>_____ ft.</td><td>_____ ft.</td></tr><tr><td>_____</td><td>_____ ft.</td><td>_____ ft.</td></tr></table>	Diameter	From	To	Surface Pipe <u>6 5/8</u> in.	<u>0</u> ft.	<u>10</u> ft.	Well Casing <u>5</u> in.	<u>3</u> ft.	<u>120</u> ft.	Type/Size	From	To	<u>5"</u>	<u>90</u> ft.	<u>120</u> ft.	<u>Slotted</u>	_____ ft.	_____ ft.	_____	_____ ft.	_____ ft.
Diameter	From	To																			
Surface Pipe <u>6 5/8</u> in.	<u>0</u> ft.	<u>10</u> ft.																			
Well Casing <u>5</u> in.	<u>3</u> ft.	<u>120</u> ft.																			
Type/Size	From	To																			
<u>5"</u>	<u>90</u> ft.	<u>120</u> ft.																			
<u>Slotted</u>	_____ ft.	_____ ft.																			
_____	_____ ft.	_____ ft.																			

9. WELL TEST DATA Static Water Level _____ Below Land Surface _____ ft. Approximate Yield _____ gpm. If Artesian: Flows _____ gpm.	10. PUMP INFORMATION Pump Type _____ Power Source _____ Rated Capacity _____ gpm. Depth of Bowls or Cylinder _____ ft.
---	---

11. PLUGGING DATA Date Plugged _____ Backfilled With _____ Material To _____ ft. Grouted or Cemented From _____ Ft. To _____ ft.
--

12. RECONDITIONING WORK Date Completed _____ Replaced Casing From _____ ft. To _____ ft. Replaced Screen From _____ ft. To _____ ft. Deepened Well From _____ ft. To _____ ft. Redeveloped Well By _____
--

14. CERTIFICATION The work described above was done under my supervision, and this report is true and correct to the best of my knowledge. Name <u>Vannoy & Son Drilling</u> License # <u>WD-107</u> Address <u>P.O. 429 Nicoma Park, OK.</u> Phone # <u>769-2255</u> Signed <u>[Signature]</u> Date <u>8-1-88</u>

13. PLAT 
--

White—Water Resources Board
Canary—Driller's Copy
Pink—Customer's Copy

STATE OF OKLAHOMA
MULTI-PURPOSE WATER WELL REPORT
OKLAHOMA WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

#22697

1. WELL OWNER Shady Noor Pump Don Moore PHONE EDM (Circle One)
2. LEGAL DESCRIPTION SW 1/4 of SE 1/4 of SE 1/4 of sec. 17, TWP. 11 N, S. RGE 20 E, OK
FINDING LOCATION Sooner, 1 SE 44 west to 4709 SE 44
Blocks or distance(s) from given point(s).

3. TYPE OF WORK
☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring
☐ G.W. Heat Pump
☐ Other _____

4. USE
☒ Domestic
☐ Stock
☐ Test/Monitoring
☐ G.W. Heat Pump
☐ Other _____

NON-DOMESTIC
☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other _____

5. DRILLING METHOD
☐ Fluid Rotary ☐ Rev. Rotary
☐ Cable ☐ Other _____
☒ Air Rotary
☐ H.S. Auger

LITHOLOGIC LOG			
Material	From	To	Saturated
Clay	0	75	
Sand Rock	75	95	✓
Clay	95	110	
Sand Rock	110	135	✓
Clay	135	155	
Sand Rock	155	170	✓

7. LOCATION PERMIT
If this well is Non-Domestic, has the location been permitted?
☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA
DATES: Started 4-10-89 Completed 4-10-89
Contractor Yankuba Well Drilling Co.
Driller Amey King
Diameter Hole 8 in. Total Depth 170 ft.

CASING RECORD
Diameter 6 in. From 0 ft. To 10 ft.
Surface Pipe 4 in. 1 ft. 170 ft.
Well Casing 4 in. 1 ft. 170 ft.
Cement Grout Surface Seal? ☒ Yes ☐ No
Type of Surface Seal: Cement Depth of Seal: 10 ft.
GRAVEL PACK:
Gravel Packed From 10 ft. To 170 ft.
Amount Used: 2 yds.

PERFORATION RECORD
Type/Size 1/2" x 1/2" From 150 ft. To 170 ft.
From _____ ft. To _____ ft.
From _____ ft. To _____ ft.

9. WELL TEST DATA	10. PUMP INFORMATION
Static Water Level _____ ft.	Pump Type _____
Below Land Surface _____ ft.	Power Source _____
Approximate Yield _____ gpm.	Rated Capacity _____ gpm.
If Artesian: Flows _____ gpm.	Depth of Bowls or Cylinder _____ ft.

11. PLUGGING DATA
Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ Ft. To _____ ft.


12. RECONDITIONING WORK
Date Completed _____
Replaced Casing From _____ ft. To _____ ft.
Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Kirk Drilling License # WD271
Address 12100 N. E. 260 Phone # 7196723
Signed Lloyd Z. King Date 4-10-89

RECEIVED
AUG 27 1990
OKLA. WATER RESOURCES BOARD



White — Water Resources Board
Canary — Drillers Copy
Pink — Drillers Copy

MULTI-PURPOSE WATER WELL REPORT

STATE OF OKLAHOMA
WATER RESOURCES BOARD
1000 N.E. 10th St., P.O. Box 53585
Oklahoma City, Oklahoma 73152

Application No. _____
Aquifer _____
Steam System Code _____
Use Code _____
County _____ (Official Use Only)

17645

1. OWNER April Damney ADDRESS (b) (6)

2. LEGAL DESCRIPTION OF WELL

NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of sec. 17; TWP. 11 S; RGE 2 EIM (Circle One) ECM; COUNTY OKLA

3. TYPE OF WORK

☒ New Well ☐ Plugging
☐ Reconditioning Work
☐ Test/Monitoring

4. USE

☒ Domestic
☐ Stock
☐ Test/Monitoring

NON-DOMESTIC

☐ Irrigation
☐ Municipal
☐ Industrial
☐ Commercial
☐ Other

5. DRILLING METHOD

☒ Rotary ☐ Rev. Rotary
☐ Cable ☐ Other
☐ Air

6. LOG

Material	From	To	Satur- ated
clay	0	20	
Shale & clay	20	160	
Sand & gravel & water sand	160	180	
Water sand	180	260	

RECEIVED
JAN 28 1985
Oklahoma Water Resources Board

7. LOCATION PERMIT

If this well is Non-Domestic, has this location been permitted?

☐ Yes ☐ No Permit No. _____

8. NEW WELL CONSTRUCTION DATA

DATES: Started 26 Nov 84 Completed Same
Contractor Reindexter Supply
Driller David
Diameter Hole 6 3/4 in. Total Depth 260 ft.

CASING RECORD

Diameter From To
Inside 4 1/2 in. 0 ft. 260 ft.
Outside _____ in. _____ ft. _____ ft.
Cement Grout Surface Seal ☐ Yes ☐ No
Type of Surface Seal: Steel & cement Depth of Seal: 10' ft.
GRAVEL PACKED:
Gravel Packed From 10 ft. to 200 ft.
Amount Used: 400

PERFORATION RECORD

Type Size
5/8" 42 From 200 ft. To 260 ft.
____ From _____ ft. To _____ ft.
____ From _____ ft. To _____ ft.

9. WELL TEST DATA

Static Water Level Below Land Surface 180 ft.
If Artesian: Flows _____ gpm.
Approximate Yield 30 gpm.

10. PLUGGING DATA

Date Plugged _____
Backfilled With _____ Material To _____ ft.
Grouted or Cemented From _____ ft. To _____ ft.
Plot Location in Item 11. Show Distances From 2 Section Lines.

13. RECONDITIONING WORK


Date Completed _____
☐ Replaced Casing From _____ ft. To _____ ft.
☐ Replaced Screen From _____ ft. To _____ ft.
Deepened Well From _____ ft. To _____ ft.
Redeveloped Well By _____

14. CERTIFICATION

The work described above was done under my supervision, and this report is true and correct to the best of my knowledge.

Name Reindexter Supply License # WD-33
Address 4607 N.W. 102 Phone # 943-3804
Signed David C. Reindexter Date 5/14/85

11. PLAT



NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of SEC 17;
TWP. 11 S; RGE 2 EIM (Circle One) ECM

12. PUMP INFORMATION

Pump Type _____
Power Source _____
Rated Capacity _____ gpm.
Depth of Bowls or Cylinder _____ ft.

INSUFF
11/1/52
to ETR

OWNER AND LOCATION OF WELLS

52-97

Owner (b) (6)
Address [REDACTED]

Well No. 1&2 in NW 1 of SW 1 of Section 17 Township 11N Range 2W
Oklahoma County Elevation About 1120 ft.

Distance from nearest town or highway junction:

1/2 Mile South Del City, Oklahoma

Intended use (underline): Irrigation Municipal Industrial Other _____

GENERAL DRILLING INFORMATION

(File one for each well)

Contractor Allen Drilling Co. Address Oklahoma City, Oklahoma
B. E. Storey Spencer Oklahoma

Driller Same Address Same
Dates: Started 11/20/52 Completed 12/8/52

Type of Rig: Cable tool X Rotary _____ Other _____

Size of Hole 8" 196 & 8" 302
(Example: 8-in to 55 ft.: 6-in. 55 to 227 ft.)

Water encountered at: 70 ft. 90 ft. 165 ft. 180 & 285

Water stands at 70 feet below surface.

TESTS

Bailer test _____ bailers per hour. Size of bailer _____ Gal.

Pump test 60 gallons per minute for 24 hours.

Drawdown: 2 feet after pumping or bailing 24 hrs. at 60 GPM.

Quality of water: Taste no Odor no Color no

Hard _____ Soft _____ Temperature 50°

MATERIAL AND EQUIPMENT

Casing record 7" O. D. All The Way Both Wells
(Example: 8 in. to 55 ft.; 6-in. 55 to 227 ft.)

Screen or perforation record _____

Gravel Packed no Diameter _____ Amt. of Gravel used _____
turbine

Pump Type Rada Rated Capacity 60 Gal. per minute against feet of head.

Depth to bowls or cylinder 145 ft.

Power: Electric 5 & 7 1/2 h.p. Gasoline motor _____ h.p.

Geo H Crosby
(Signature of Owner)

Date _____

Yellow Copy

FEB 23 2005

Ms. Julie Jacobs
Environmental Specialist
Hazardous Waste Bureau
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, New Mexico 87505-6303

SUBJECT: Comments on the *Draft Final Data Gap Report - Former Walker Air Force Base, Roswell, New Mexico*


Dear Ms. Jacobs:

EPA has completed its review of the above mentioned document developed by the U.S. Corps of Engineers and offers the enclosed comments. If you have any questions or concerns about the comments, please contact me at (214) 665-7442.

Sincerely,

Rich Mayer,
Project Manager, Walker AFB

Enclosure



Walker Air Force Base Data Gap Report Comments

General Comment: Although EPA may not have specifically made a comment on each area, there are several areas/regions at the base where there are groundwater exceedances for metals. The groundwater in these areas need to be delineated. Also, the production wells need to be monitored periodically. Some of these wells have either TCE or PCE that is detected but is below the EPA drinking water standard.

General Comment: The report does identify the users of each area after the base was transferred. However, the report does not identify what wastes were generated and how the wastes were disposed by each user. Is the purpose of this report only to identify the user(s) of each area? Will there be another report/document to identify the waste generated and disposed by each user of an area?

General Comment: Has the soil in the vicinity of the Water Towers been sampled? EPA has found lead contamination in the soil at other bases in the Region.

General Comment: Once the site has been fully characterized at each area, there will need to be a plan (institutional control) that ensures that each area is protective for a particular land use.

Previous Investigations

Several places in this section the report mentions that the data from some of the investigations have been provided electronically by the Sacramento District but are not in the administrative record. Are they included in this report?

West Aircraft Washdown Area

Page 3-16; Recommendations: EPA disagrees with the conclusion that groundwater does not appear to be affected by past or present activities at the West Aircraft Washdown Area. First, there is only one groundwater well sampled in the area. Second, it appears that some of the wastewater flowed along a storm sewer which is unlined and open for about 2 miles in length. Third, there are exceedances for the hazardous constituents lead, barium and naphthalene in the groundwater.

Aircraft Washdown Detention Basin/Ready Alert Area

Page 3-31; 2nd paragraph: The document mentions that used explosive cartridges were disposed but does not indicate where they were disposed. Please clarify.

Page 3-64; Recommendations: The last bullet may be accurate in the case of a facility never being occupied by DoD before 1986; however, in this case the Air Force operated the area until 1967, so the statement is misleading. It is not clear whether the explanation is legally correct.

EPA agrees with the recommendation of further investigation. It appears that most of the contamination in this area is attributable to DoD activities.

Photo Base Lab

Page 3-99; Recommendations: EPA disagrees with NFA for this site. EPA needs to know whether wastes were disposed in septic system, storm water drain or in the sewer system only. The narrative mentions that there is no knowledge on how wastes were disposed. Also, the two soil boring samples taken were randomly selected without any apparent logic.

Northeast Area

General Comment; MW-5 has metals contamination which has not been mentioned in the document.

Page 3-114; 2nd Paragraph: The report should verify whether the northern tanks are still being used.

Page 3-118; The identification of other users of the Building 91 does not assist in determining whether contamination came from a user.

Page 3-132; Has the 605 Hobson well been sampled since 1996? PCE was detected at 9 ppb, the drinking water standard is 5 ppb.

Page 3-136; The waste oil disposal area may need some surficial soil samples taken. From reading the report, the most shallow sample taken was at 5 feet.

Page 3-146; Recommendations: Additional groundwater investigations need to be completed to find the extent of the TCE, PCE, and metals contamination in the groundwater at the Northeast Area.

Page 3-151; Table 4-1: The table indicates quarterly results for VOC's from 1998 to 2003 but shows results for only one date, please clarify.

Table 4-1; Page 3-178: Table 4-1 is incomplete as it only identifies the groundwater results from 11/1/93 to 12/8/98. No results from 6/11/99 to 8/25/03 are included. Please explain.

Table 4.2; Page 3-215: Soil boring samples BH-8 and BH8D have metals contamination (arsenic, cadmium,) with elevated lead and copper.

Page 3-241; Mercury was found in a trench sample at 0-2.5 ft interval.

Chemical Handling and Maintenance Area

Page 3-254; last paragraph: Additional information is needed on the 12,000 gallon UST that stored solvents located North of building 85.

Page 3-302; Recommendations: EPA agrees with the recommendations. May need to sample for radionuclides in soil and groundwater from wash down activities.

Page 3-304; Has production well RIAC-1 been sampled since 1992?

Dry cleaning/laundry

Page 3-455; Production well RIAC- 3 should be monitored periodically.

Page 3-458; Recommendations: Additional groundwater delineation is needed, in addition to the contaminant trend analysis. The metals contamination in some of the wells need to be evaluated.

Page 3-463; Table 6-1 is incomplete on the groundwater results for monitoring well SW-6B. Please explain.

Page 3-467-8; Monitoring well SW-07 has chromium exceedances in at least 2 samples.

Page 3-469; Table 6-1 is incomplete on the groundwater results for monitoring well SW-7. Please explain.

Page 3-474; Table 6-1 is incomplete on the groundwater results for monitoring well SW-15. Please explain.

Page 3-479; The table is incomplete on the groundwater results for monitoring well SW-16. Please explain.

Fire Training Areas

Page 3-495; Recommendations: EPA believes additional groundwater delineation is needed in this area. Also, an additional trench (for soil samples) in each berm should be performed.

Landfill Areas

General Comment: Several of the groundwater tables in this section are incomplete. Please revise or explain why they are incomplete.

Recommendations: EPA agrees with the recommendations but would add that groundwater

wells need to be placed east of LF-West. Currently, LF-West has no groundwater wells and neither does the Hospital Debris Landfill. Also, landfills that received hospital wastes need to analyze for the appropriate radiation analysis.

Indoor Firing Range

Page 3-636; Recommendations: Has the building been connected to the sewer system since its inception? If yes, then EPA agrees with the No further Action proposal for this site.

Jet Engine Test Stand and Ordnance Disposal Area

EPA agrees with the recommendations for this site but believes that geophysical surveys or sampling may need to be performed. Soil samples should be taken in the Ordnance Disposal Pit, unless there is a safety issue.

Landfill -2 South

EPA agrees that further groundwater investigation are needed due to the metals exceedances. Since the Ordnance storage area stored nuclear and conventional weapons and also did maintenance on Atlas missiles additional constituent analysis are needed. Samples should be analyzed for radiation, explosives, and perchlorates.

Landfill 3

EPA agrees with the recommendation of further investigation. The document mentions further research to see if investigations have been performed at this site. EPA thought the purpose of this document was to identify any previous investigations.

Landfill 5

EPA agrees with the recommendations of additional sampling at this site. Since gunnery training may have occurred at this site, explosive constituents should be added to the soil and groundwater analysis.

Mercury Contaminated Housing Area

EPA agrees with the recommendation of NFA.

Ordnance Storage Area, Southwest

General Comment: This section mentions that an ammunition assembly/maintenance shop and a lavatory existed at this area but does not mention any septic tanks or other waste disposal activities at this area. The other ordnance area, the Southeast Ordnance Storage Area, consisted

of 4 septic tanks and 5 underground storage tanks. Please clarify whether waste disposal existed at this area.

Page 3-667; Recommendations: Until the waste disposal issue is clarified, EPA cannot agree with the No Further Action recommendation.

Ordinance Storage Area, Southeast

EPA disagrees with the conclusions that past operations from this site would not contribute any contamination. At other Air Force bases maintenance was performed on nuclear weapons and radiation sites were created from that maintenance. Also, there could be explosive constituents discarded in the septic tanks. In addition, Atlas missile activities may have been performed at the site also.

Outdoor Firing Range

EPA agrees that there are multiple parties responsible for any contamination found when the range closes. EPA is assuming that there are no unacceptable exposures at this time.

Southwest Landfill and Tetraethyl Lead Pit

Page 3-695; Recommendations: EPA agrees with the findings of additional groundwater investigations and an expanded tetraethyl lead pit investigation. It appears that additional monitoring wells are needed in LF-4 West and LF-4 East area.

Building 1670

Page 3-762; Recommendations: EPA agrees with further groundwater characterization at this site. EPA does not agree with the last bullet. The last bullet may be accurate in the case of a facility never being occupied by DoD before 1986; however, in this case the Air Force operated the area until 1967, so the statement is misleading. EPA is not clear whether the explanation is legally correct.

SUPERFUND SITE STRATEGY RECOMMENDATION

Roswell Industrial Air Center (NMD981147200)




DISCUSSION (Continued)

A residential community, the Y-O Acres, located east of the RIAC facility utilized the shallow aquifer as a drinking water source until elevated concentrations of TCE (in excess of MCLs) were identified in 1991. Elevated concentrations of dichloroethene (DCE), a degradation product of TCE, have also been identified in some of these wells. The City, in coordination with the Department of Defense/Corps of Engineers, has extended its service area and routed City-supplied drinking water to this community.

Several potential source areas on the RIAC facility were investigated in a Phase I Remedial Investigation/Feasibility Study conducted by the Corps of Engineers in 1993. The solvent disposal pit, aircraft washdown basin and washrack sump, laundry facility, solvent storage area, and other suspected areas indicate the presence of TCE on the RIAC facility.

Using the PREScore model, the site received a score above the 28.5 cutoff value necessary for sites to be considered for Superfund's National Priorities List. Therefore, additional investigatory actions including sampling of background and target groundwater wells are planned for this site under CERCLA.

APPROVALS

Disposition Recommended by: <u>Kim T. Hill</u> (Site Assessment Manager)	Signature: <u></u>	Date: <u>10/10/95</u>
Disposition Recommended by: <u>Ragan Broyles</u> (Section Chief)	Signature: <u></u>	Date: <u>10/10/95</u>
Disposition Approved by: <u>Charles A. Gazda</u> (Branch Chief)	Signature: <u></u>	Date: <u>10/10/95</u>